

## ix Type A - RJ45 AWG28 CAT6A PVC 7.5m



Part number	33 48 065 3830 075
Specification	ix Type A - RJ45 AWG28 CAT6A PVC 7.5m
HARTING eCatalogue	https://b2b.harting.com/33480653830075

Image is for illustration purposes only. Please refer to product description.

## Identification

System cabling
HARTING ix Industrial <sup>®</sup> RJ45
Cable assemblies
Pre-assembled on both sides
HARTING ix Industrial <sup>®</sup> Type A Solder termination
RJ45 Piercing termination
Copper cable (round)
7.5 m
8
4x 2x AWG 28/7
Cat. 6 <sub>A</sub> Class E <sub>A</sub> up to 500 MHz
10 Mbit/s 100 Mbit/s 1 Gbit/s 2.5 Gbit/s 5 Gbit/s

Page 1 / 2 | Creation date 2024-02-10 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Customised Solutions GmbH & Co. KG | In der Tütenbeke 22 | 32339 Espelkamp | Germany Phone +49 5772 47-0 | info@HARTING.com | www.HARTING.com

10 Gbit/s



## **Technical characteristics**

ETIM

eCl@ss

Limiting temperature	-40 +70 °C
Material properties	
Material (cable)	PVC
Colour (cable)	Yellow
RoHS	compliant
ELV status	compliant
China RoHS	e
REACH Annex XVII substances	Not contained
REACH ANNEX XIV substances	Not contained
REACH SVHC substances	Not contained
California Proposition 65 substances	Yes
California Proposition 65 substances	Nickel
Specifications and approvals	
Specifications	IEC 61076-3-124
Commercial data	
Packaging size	1
Country of origin	Vietnam
European customs tariff number	85444290
GTIN	5713140264199

EC002599
27060390 Ready-made data cable (unspecified)

Page 2 / 2 | Creation date 2024-02-10 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Customised Solutions GmbH & Co. KG | In der Tütenbeke 22 | 32339 Espelkamp | Germany Phone +49 5772 47-0 | info@HARTING.com | www.HARTING.com