

PRODUCT NUMBER

73326-XXXLF

PLATING OPTION

1= GXT 0.76 μm
3= GOLD 0.76 μm
5= GOLD 1.27 μm




PACKAGE OPTION

1= TAPE ON REEL
2= TUBE
3= TAPE ON REEL
IN PLASTIC BAG

TERMINAL LOADING

1= FULLY LOADED
2= POS 2,3,4,5
3= POS 1,2,5,6


WHEN NEEDED, SUFFIX LETTER "LF"
INDICATES THE PRODUCT IS RoHS
COMPATIBLE, SEE NOTE 4.



REFERENCE PLAN
DEFINED BY THE
2 HOLD DOWN
BEARING SURFACE

NOTES:

- 1- MATERIAL: HOUSING: HIGH TEMP. PCT, COLOUR BLACK.
TERMINAL: PHOSPHOR BRONZE.
- 2 - PLATING: CONTACT AREA: SEE TABLE.
SOLDER TAIL : 90/10 SnPb 2 μm MIN.
WHEN SUFFIX "LF" IS REQUIRED, 2 μm MIN MATTE
TIN OVER 1.27 MIN Ni IS SUPPLIED INSTEAD OF SnPb.
NO RAW EDGES EXEPT SOLDER TAIL TIPS
- 3 - SOLDER TAILS COPLANARITY : 0.1 mm
- 4 - RoHS COMPATIBLE PRODUCT SPECIFICATIONS
- a - PLATING:
- "LF" MEANS THE PRODUCT IS LEAD-FREE,
2 μm MINIMUM MATTE TIN OVER 1.27 μm
MINIMUM NICKEL UNDERPLATE.
- b - MANUFACTURING PROCESS COMPATIBILITY
- THE HOUSING WILL WITHSTAND EXPOSURE TO
245°C PEAK TEMPERATURE FOR 30 SECONDS
MAX IN A CONVECTION, INFRA-RED OR VAPOR
PHASE OR REFLOW OVEN.
- c - LABELING:
- MEETS PACKAGING SPECS AS PER GS-14-920
- d - LEGAL STATEMENT: SEE GS-47-0004
- 5 - PACKAGING FOR OPTION 3 : EACH REEL IS WRAPPED INTO A PLASTIC BAG
TO PROTECT FROM MOISTURE DURING STACKING TIME.




CUSTOMER COPY FOR REFERENCE ONLY

mat'l. code				surface			tolerance	projection	product family		
				ISO 1302			ISO 406 ISO 1101		MOD JACK		
ltr	ecn no	dr	date	tolerances unless otherwise specified					title		
H	F06-0240	DLE	06.07.18	angles			±0.13		SMT RA JACK 6 POS INSIDE		
J	F09-0070	LSA	09.07.23	linear				mm			
K	B-15798	JFA	13.09.09	±2°				scale 2:1	dwg no 73326 sheet 1 of 3 size A3		
L	F-21888	AMA	15.09.09	dr	D LEGRAND	04.10.18					
M	F-45277	DDE	22-07-05	engr	P NIZZI	04.10.18			type CUSTOMER Drawing		
				chr	D LEGRAND	04.10.18					
G	F05-0247	DLE	05.09.12	appd	P NZ	04.10.18					
sheet	revision	M	E	B							
index	sheet	1	2	3							

PRODUCT NUMBER
SEE SHEET 1

LTR	PART NAME	QTY
1	PRODUCT	230
2	TAPE	1
3	REEL	1
4	COVER TAPE	1


SCALE 1:4



1- IN ACCORDANCE WITH EIA-481 AND IEC 296-3

CUSTOMER COPY FOR REFERENCE ONLY

mat'l. code				surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection 		product family MOD-JACK											
ltr		ecn no		dr		date		tolerances unless otherwise specified										title			
D		F80620		DLE		98.11.26		angles linear										SMT RA JACK			
E		F06-0240		DLE		06.07.18												mm 			
								scale 1:1										6 POS. INSIDE			
								dr		D LEGRAND		06.07.18				dwg no		sheet 2 of 3		size	
								engr		P NIZZI		06.07.18				73326		A3			
								chr		D LE		06.07.18				type		CUSTOMER Drawing			
								appd		P NZ		06.07.18									
sheet index		revision sheet																			



CUSTOMER COPY FOR REFERENCE ONLY

mat'l. code				surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection 		product family MOD JACK			
ltr	ecn no	dr	date	tolerances unless otherwise specified				mm 	title SMT RA JACK 6 POS INSIDE				
A	F04-0363	DLE	04.10.18	angles		±0.13							
B	F06-0240	DLE	06.07.18	linear									
				±2°				scale 2:1					
				dr	D LEGRAND	04.10.18			dwg no		sheet 3 of - size		
				engr	P NIZZI	04.10.18			73326		A4		
				chr	D LEGRAND	04.10.18							
				appd	P NZ	04.10.18							
sheet index		revision sheet								type CUSTOMER Drawing			