

PRODUCT NUMBER

73334-XXXLF

PLATING OPTION

1= GXT 0.76 μm
 3= GOLD 0.76 μm
 5= GOLD 1.27 μm


PACKAGE OPTION

1= TAPE ON REEL
 2= TUBE
 3= TAPE ON REEL
 IN PLASTIC BAG

TERMINAL LOADING

1= FULLY LOADED
 2= POS 2,3,4,5
 3= POS 1,2,5,6

WHEN NEEDED, SUFFIX LETTER "LF"
 INDICATES THE PRODUCT IS RoHS
 COMPATIBLE, SEE NOTE 4.



NOTES:

- 1 - MATERIAL: HOUSING: HIGH TEMP. PCT, COLOUR BLACK.
 TERMINAL: PHOSPHOR BRONZE.
- 2 - PLATING: CONTACT AREA: SEE TABLE.
 SOLDER TAIL : 90/10 SnPb 2 μm MIN.
 WHEN SUFFIX "LF" IS REQUIRED, 2 μm MIN MATTE
 TIN OVER 1.27 MIN Ni IS SUPPLIED INSTEAD OF SnPb.
 NO RAW EDGES EXCEPT SOLDER TAIL TIPS
- 3 - SOLDER TAILS COPLANARITY : 0.1 mm
- 4 - RoHS COMPATIBLE PRODUCT SPECIFICATIONS
 - a - PLATING:
 - "LF" MEANS THE PRODUCT IS LEAD-FREE,
 2 μm MINIMUM MATTE TIN OVER 1.27 μm
 MINIMUM NICKEL UNDERPLATE.
 - b - MANUFACTURING PROCESS COMPATIBILITY
 - THE HOUSING WILL WITHSTAND EXPOSURE TO
 245°C PEAK TEMPERATURE FOR 30 SECONDS
 MAX IN A CONVECTION, INFRA-RED OR VAPOR
 PHASE OR REFLOW OVEN.
- c - LABELING:
 - MEETS PACKAGING SPECS AS PER GS-14-920
- d - LEGAL STATEMENT: SEE GS-47-0004
- 5 - PACKAGING FOR OPTION 3 : EACH REEL IS WRAPPED INTO A PLASTIC BAG
 TO PROTECT FROM MOISTURE DURING STACKING TIME.

CUSTOMER COPY FOR REFERENCE ONLY

mat'l. code				surface ISO 1302		tolerance ISO 406 ISO 1101		projection 		product family MODULAR JACK			
ltr				ecn no		dr		date		tolerances unless otherwise specified		title	
H				F10-0239		APA		10.10.25		angles		linear	
J				B-15798		JFA		13.09.09		±0.13		mm	
K				F-21888		AMA		15.09.09		±2'		scale 2:1	
L				F-45279		DDE		22.07.05		dr		D LEGRAND 04.10.19	
										enr		P NIZZI 04.10.19	
F				F05-0247		DLE		05.09.12		chr		D LEGRAND 04.10.19	
G				F06-0240		DLE		06.07.18		appd		P NZ 04.10.19	
sheet		revision		L		D		B					
index		sheet		1		2		3					

A

B

C


A

B

C

D

D



CUSTOMER COPY FOR REFERENCE ONLY

mat'l. code				surface	tolerance	projection	product family		
				ISO 1302	ISO 406 ISO 1101		MODULAR JACK		
ltr	ecn no	dr	date	tolerances unless otherwise specified		mm	title		
A	F04-0363	DLE	04.10.19	angles	±0.13				
B	F06-0240	DLE	06.07.18	linear			SMT RA JACK 6 POS INSIDE		
				±2°		scale 2:1			
				dr	D LEGRAND	04.10.19	dwg no		
				engr	P NIZZI	04.10.19			
				chr	D LEGRAND	04.10.19	73334		
				appd	P NZ	04.10.19			
sheet		revision							
index		sheet							