



Connectors > Modular Jacks & Plugs > RJ22 Connectors



Connector Profile: **Low**
Modular Jacks & Plugs Products: **RJ Type Jacks & Plugs**
Connector Contact Density: **Standard**
Modular Connector Style: **Jack**
PCB Mount Orientation: **Right Angle**

Features

Product Type Features

Connector System	Cable-to-Board
Connector & Contact Terminates To	Printed Circuit Board
Modular Jacks & Plugs Products	RJ Type Jacks & Plugs
Modular Connector Style	Jack

Configuration Features

Port Matrix Configuration	1 x 1
Port Configuration	Single Port
Number of Positions	4
Connector Contact Density	Standard
PCB Mount Orientation	Right Angle
Number of Loaded Positions	4

Body Features

Modular Jack Latch Orientation	Standard - Latch Down
Connector Profile	Low



Contact Features

Contact Underplating Material	Nickel
Contact Base Material	Phosphor Bronze
Contact Mating Area Plating Material	Gold
Contact Current Rating (Max)	1.5 A
PCB Contact Termination Area Plating Material	Tin

Termination Features

Termination Method to Printed Circuit Board	Through Hole - Solder
---	-----------------------

Mechanical Attachment

Connector Mounting Type	Board Mount
Panel Mount Feature	Without

Housing Features

Housing Color	Black
Centerline (Pitch)	1.02 mm[.04 in]
Mating Entry Location	Side
Housing Material	PBT GF

Dimensions

PCB Thickness (Recommended)	1.6 mm[.063 in]
Connector Height	11.5 mm[.453 in]

Usage Conditions

Operating Temperature Range	-40 – 70 °C[-40 – 158 °F]
-----------------------------	---------------------------

Operation/Application

Circuit Application	Signal
Shielded	No

Industry Standards

Performance Category	Cat 3
UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Method	Reel
Packaging Quantity	2000

Product Compliance



For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 5520250-3
MJ,R/A,6P/6C,P/NL STOPS,TRAY



TE Part # 1-1705949-1
Modular Jack SE, 4/4, Gold flash

Also in the Series | [Alcoswitch SE](#)



Automotive Connector Locks & Position Assurance(1)	High Speed Backplane Connectors(1)	Printable Tubing(3)	RJ14 Connectors(4)
RJ22 Connectors(2)	RJ25 Connectors(5)	RJ45 Connectors(9)	Slide Switches(5)

Customers Also Bought

TE Part #215876-2 6/4 PCB MOD.JACK SE	TE Part #215877-1 8/8 PCB MOD.JACK SE	TE Part #175193-1 187 PL EX FLAG REC. 22-16AWG PTBR	TE Part #5-1624113-4 3650 0805 0.25uH 5% 2K RL
TE Part #2316102-5 5P,2MM,REC,HSG,SR,CRIMP,PLAIN, BOX	TE Part #1-2176345-9 CRGCQ 1210 330R 1%	TE Part #2-1416010-4 RE034006	TE Part #5-1393236-5 V23092-A1905-A201

Documents

Product Drawings
4/4 PCB MOD.JACK SE

English

CAD Files
Customer View Model
ENG_CVM_CVM_215875-1_N.2d_dxf.zip

English

3D PDF



3D

Customer View Model

[ENG_CVM_CVM_215875-1_N.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_215875-1_N.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[82066 - Modular Jacks and MRJ21 Product catalog - Single Port Modular Jacks section](#)

English

[1-1773464-9_MODULAR_JACKS_SINGLE_PORT_PCB_MOUNT](#)

English

Product Specifications

[side entry, top entry and bottom entry modular jacks](#)

English

Application Specification

English