



Sensors > Temperature Sensors > NTC Thermistors Sensors & Probes > NTC Thermistors > Discrete NTC Thermistor Series II



NTC Sensor Type: **Epoxy Coated NTC Thermistor**

Lead Wire Length: **76 mm [2.992 in]**

Resistance (at 25°C): **2.252 kΩ**

β-Value(25/85): **3976 K**

Tolerance β-Value: **±.5 %**

[All Discrete NTC Thermistor Series II \(16\)](#)

Features

Product Type Features

NTC Sensor Type	Epoxy Coated NTC Thermistor
Tolerance β-Value	±.5 %

Electrical Characteristics

β-Value(25/85)	3976 K
----------------	--------

Dimensions

Lead Wire Length	76 mm[2.992 in]
------------------	-----------------

Usage Conditions

Resistance (at 25°C)	2.252 kΩ
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]
Operating Temperature (Max)	125 °C[257 °F]

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 11024456-00
DISC-DISCRETE

Customers Also Bought

TE Part #NB-PTCO-006
Pt1000, 2.0x2.3, Class B, PTFC102B1G0

TE Part #NB-PTCO-002
Pt100, 2.0x2.3, Class B, PTFC101B1G0

TE Part #MS560702BA03-50
MS5607-02BA SS CAP ALTIMETER T&R

TE Part #86-005G-RT
5 PSIG RIBBON CABLE MV PRESSURE SENSOR



<div><div></div><div>TE Part #M7139-300PG-500000 PRESS XDCR M7139-300PG-500000</div></div>	<div><div></div><div>TE Part #20004752-06 154BSD050PG-3BJR</div></div>	<div><div></div><div>TE Part #20004752-32 Pressure Sensor, MDL 154BSD050PG-5BIRLT</div></div>	<div><div></div><div>TE Part #4004000444 DSF 2210.00 S3HV</div></div>
<div><div></div><div>TE Part #11021088-00 DISC-+-1.0% 25 CW-015</div></div>	<div><div></div><div>TE Part #4233-HGL-S-375-000 375mmHg Gauge Sensor SO10</div></div>		

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_11028086-00_K.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_11028086-00_K.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_11028086-00_K.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

GA2.2K3A1i SERIES II THERMISTORS

English