

2203568

https://www.phoenixcontact.com/us/products/2203568

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Membrane keypad, self-adhesive, silver conduction technology, 16 keys, embossed, 3 colors, connecting cable: 62 mm, with crimp female connector, pitch: 2.54 mm, operating temperature: -20°C ... 70°C

Your advantages

- · Easy integration into HCS series electronics housings
- · Membrane keypads in various sizes and colors for customized device designs
- · Customization of membrane keypad via configurator

Commercial data

Item number	2203568
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	AC02
Product key	ACFACF
GTIN	4055626474014
Weight per piece (including packing)	11.1 g
Weight per piece (excluding packing)	11.1 g
Customs tariff number	85365011
Country of origin	DE



2203568

https://www.phoenixcontact.com/us/products/2203568

Technical data

Product properties

Product type	Membrane keypad
Housing type	Handheld housing
Housing series	HCS
Product family	HCS
Number of positions	8
Pitch	2.54 mm
Technology	Conductive silver/graphite (T6/4 Cu/Ag)
Embossing	Dome embossing 11 x 11 mm
Number of socket pins	8
Number of keys	16 (4 x 4)

Dimensions

Length	62 mm (Membrane cable)
Pitch	2.54 mm
Dimensions	73 mm x 80 mm

Material specifications

Housing material	Polyester
o a constant of the constant o	•

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-20 °C 70 °C
Ambient temperature (storage/transport)	-40 °C 80 °C

Mounting



2203568

https://www.phoenixcontact.com/us/products/2203568

Classifications

ECLASS

27182702		
27190605		
ETIM		
ETIIVI		
EC001031		
UNSPSC		
31261500		
EC001031 31261500		



2203568

https://www.phoenixcontact.com/us/products/2203568

Environmental product compliance

EU RoHS		
Fulfills EU RoHS substance requirements	Yes, No exemptions	
China RoHS		
Environment friendly use period (EFUP)	EFUP-E	
	No hazardous substances above the limits	
EU REACH SVHC		
REACH candidate substance (CAS No.)	No substance above 0.1 wt%	



2203568

https://www.phoenixcontact.com/us/products/2203568

Accessories

HCS-C MEDIUM 1W C 1 C 7035 - Electronics housing

2203162

https://www.phoenixcontact.com/us/products/2203162



Handheld housing, C-Medium, light gray, consisting of two half shells, front plates above with screws, front 1.1 mm recessed, with window and keypad slot

HCS-C MEDIUM 1W 3AA 1 1 7035 - Electronics housing

2203163

https://www.phoenixcontact.com/us/products/2203163



Handheld housing, C-Medium, light gray, consisting of two half shells, two front plates, screws. Front 1.1 mm recessed, with window and keypad slot, battery compartment cover and battery contacts for 3 AA batteries



2203568

https://www.phoenixcontact.com/us/products/2203568

HCS-C MAXI 1W C C C 7035 - Electronics housing

2203166

https://www.phoenixcontact.com/us/products/2203166



Handheld housing, C-Maxi, light gray, consisting of two half shells with screws, front 1.1 mm recessed with window and keypad slot

HCS-C MAXI 1W C 1 1 7035 - Electronics housing

2203167

https://www.phoenixcontact.com/us/products/2203167



Handheld housing, C-Maxi, light gray, consisting of two half shells, two front plates with screws, front 1.1 mm recessed, with window and keypad slot



2203568

https://www.phoenixcontact.com/us/products/2203568

HCS-C MAXI 1W 2X3AA 1 1 7035 - Electronics housing

2203168

https://www.phoenixcontact.com/us/products/2203168



Handheld housing, C-Maxi, light gray, consisting of two half shells, two front plates, screws. Front 1.1 mm recessed, with window and keypad slot, battery compartment cover and battery contacts for 6 AA batteries

HCS-C MAXI 1W 2X9V 1 1 7035 - Electronics housing

2203170

https://www.phoenixcontact.com/us/products/2203170



Handheld housing, C-Maxi, light gray, consisting of two half shells, two front plates, screws. Front 1.1 mm recessed, with window and keypad slot, battery compartment cover and battery contacts for 2x 9 V battery

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com