

Product data sheet

Specifications

Cost-effective LED Lamps - 24/48 V DC - 5W



NSYLAMT5LD1VDC

Main

Range Of Product	Lighting and power sockets
Accessory / Separate Part Categor	Lighting accessory
Product Or Component Type	Lamp
Device Application	Multi-purpose
Device Composition	1 lamp 1 fixing elements 2 cable
Power Factor	1

Complementary

Outlet Standard	Without socket
Rated Lamp Wattage	5 W
[Ue] Rated Operational Voltage	24/48 V DC
Bulb Base	Integral LED
Bulb Type	LED
Control Type	Built-it switch
Luminous Flux	470 lm
Colour Temperature	4000 K
Service Life In Hours	25000 h
Electrical Connection	Cable quick connector 3 m supplied Cable quick connector 1 m supplied
Mounting Support	Metal parts Cross rails
Fixing Mode	Screws Magnetic fixing
Range Compatibility	Spacial Thalassa
Length	310 mm
Height	30.5 mm
Colour	Aluminium

Environment

Ip Degree Of Protection	IP20 conforming to IEC 60529
Electrical Insulation Class	Class I

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Standards	IEC 60598
Ambient Air Temperature For Operation	-10...60 °C
Ambient Air Temperature For Storage	-16...65 °C

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.9 cm
Package 1 Width	5.4 cm
Package 1 Length	35.0 cm
Package 1 Weight	200.0 g

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information