





COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE
△				..	△				..
△				..	△				..
△				..	△				..

LOT No. (ON THIS SURFACE)



LOT No. (ON THIS SURFACE)



NOTE 1. The lot no. is marked on right and left areas of the indicated surface.
2. () indicates a reference dimension.
3. The connectors are delivered in tray packaging.
Refer to the package specification drawing on Sheet 2 for details.

2 NICKEL SIRVER		4 STAINLESS	
1 PA		3 NICKEL SIRVER	
NO. MATERIAL		FINISH, REMARKS	
NO. MATERIAL		NO. MATERIAL	
FINISH, REMARKS		FINISH, REMARKS	
CODE NO. (OLD)		CODE NO.	
CL		CL	
DRAWN		DESIGNED	
K. SHIBUYA		K. Shibuya H. Yamaguchi H. Obara	
05.08.31		05.08.31 05.08.31 05.09.01	
PART NO.		PART NO.	
FX15S-31P-C		FX15S-31P-C	
CODE NO.		CODE NO.	
CL575-2106-6		CL575-2106-6	
1		4	

COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE



- NOTE 1. One tray contains 80 connectors.
2. Connectors are arranged in tray packaging as shown in the figure.
However, either connector surface can be the top.
3. () indicates a reference dimension.

TO

1	PS	TRAY	2	CONNECTOR			
NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS		
CODE NO. (OLD)	CL		DRAWN	DESIGNED	CHECKED	APPROVED	RELEASED
			K. SHIBUYA	K. Shibuya	H. Yamaguchi	H. Okawa	
			05.08.31	05.08.31	05.08.31	05.09.01	
DRAWING NO.		PART NO.		F			
EDC3-155936		FX15S-31P-C					
SCALE		CODE NO.					
1 : 2		CL575-2106-6					
UNITS		HIROSE ELECTRIC CO., LTD					
mm							

