




TE Internal #: 2324869-1
OSFP, Connector, .024in [.6mm] Centerline, Signal, Operating
Temperature Range -55 - 85 °C [-67 - 185 °F], Data Rate (Max) 28 Gb
/s, 60 Position
[View on TE.com >](#)

Connectors > Pluggable IO Connectors & Cages > OSFP Connector Assembly: Surface Mount



Pluggable I/O Product Type: **Connector**
Centerline (Pitch): **.6 mm [.024 in]**
Sealable: **No**
Circuit Application: **Signal**
Operating Temperature Range: **-55 - 85 °C [-67 - 185 °F]**

[All OSFP Connector Assembly: Surface Mount \(6\)](#)

Features

Product Type Features

Pluggable I/O Product Type	Connector
Sealable	No
Form Factor	OSFP

Configuration Features

Number of Positions	60
---------------------	----

Electrical Characteristics

Data Rate (Max)	28 Gb/s
-----------------	---------

Housing Features

Centerline (Pitch)	.6 mm[.024 in]
--------------------	----------------

Usage Conditions

Operating Temperature Range	-55 - 85 °C[-67 - 185 °F]
-----------------------------	---------------------------

Operation/Application

--	--



Circuit Application	Signal
Other	
Included Lightpipe	No

Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

			
---	--	---	---

Customers Also Bought






TE Part # 5747150-7
09 RCPT SP/FMS INSRT



TE Part # 5557730-1
MJ,TE,8P/8C,SHLD,PNL STOPS&G



TE Part # 5103308-6
A/L LOW PRO HDR 26P VERT BLACK




TE Part # 2-6339191-1
MJ,RJ4,5SM,TSHLD,LED (G/O)



TE Part # 1-640445-1
11P MTA156 HDR ASSY FL/STR SN



TE Part # 5787617-1
RECP ASSY, R/A, STACKED, THRU-HOLE, USB,



TE Part # 641937-1
03P MTA156 HDR ASSY STR W/O#2



TE Part # 2834010-3
SLIM CONTACT FOR WIRE 20-24AWG



TE Part # 2029104-3
3P MICRO MNL HDR ASY SR SIDE N



TE Part # 2318579-2
RCPT CONN R/A SMT 76 POSN QSFP-DD WSHRS

Documents

Product Drawings

CONNECTOR ASSEMBLY, SMT, PDNI, OSFP

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2324869-1_1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2324869-1_1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2324869-1_1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications



Application Specification

English