




AMP

TE Internal #: 208979-4

Panel & PCB Outlets, Wire & Cable, 15 A, Almond, 14 AWG / 12 AWG Wire Size, Nylon, Height 1.06 in [26.9 mm], Width 1.06 in [26.9 mm]

[View on TE.com >](#)

Connectors > Power Connectors > Panel & PCB Outlets



Connector & Contact Terminates To: **Wire & Cable**

Contact Current Rating (Max): **15 A**

Housing Color: **Almond**

Wire Size: **12 AWG, 14 AWG**

Housing Material: **Nylon**

Features

Product Type Features

Connector System	Cable-to-Panel
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	3
---------------------	---

Body Features

Cover Material	Nylon
Cover Color	Black

Contact Features

Contact Base Material	Brass
Contact Current Rating (Max)	15 A

Termination Features

Termination Method to Wire & Cable	FASTON Tab
------------------------------------	------------

Mechanical Attachment

Connector Mounting Type	Panel Mount
-------------------------	-------------

Housing Features

Centerline (Pitch)	12.7 mm[.5 in]
Housing Color	Almond



Housing Material	Nylon
------------------	-------

Dimensions

Wire Size	12 AWG, 14 AWG
Product Height	26.9 mm[1.06 in]
Product Width	26.9 mm[1.06 in]
Product Depth	30.3 mm[1.19 in]

Usage Conditions

Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power
---------------------	-------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts






TE Part # 62531-1
205 FASTON TAB 18-14 AWG TPBR




TE Part # 796285-1
HOUSING, CONV OUTLET, DUMMY


Customers Also Bought




TE Part #640250-6
Receptacle Housing: Wire-to-Board, with Mating Alignment, SL156




TE Part #770476-1
Wire-to-Board Connector Contacts: socket, wire size 30-16 AWG, SL 156




TE Part #2-1609113-6
15CUFE1=F8297




TE Part #34162
TERMINAL, PG R 16-14 1/4



TE Part #1367147-3
SFP COVER, UNPL, NO LOGO



TE Part #4-1415073-1
RT3S4LC4



TE Part #211903-1
CMC DUST CAP ASSM SIZE 22

Documents

Product Drawings
CONV OUTLET ASSEMBLY (ALMOND)
English

CAD Files
Customer View Model
ENG_CVM_CVM_208979-4_AE.2d_dxf.zip
English
3D PDF
3D
Customer View Model
ENG_CVM_CVM_208979-4_AE.3d_igs.zip
English
Customer View Model
ENG_CVM_CVM_208979-4_AE.3d_stp.zip
English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.



Datasheets & Catalog Pages

POWER_CONNECTORS_CATALOG_SEC08_AC_INPUTS

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

UL Report

English