



Important Note

UL1363a, Paragraph 14.1(d) States "The SPRPT shall be permanently attached to the medical equipment by a means such that it is only removable with the use of a tool." To achieve compliance, one must use the PSCLAMP.

Safe-IT UL 1363A Medical-Grade Power Strip for Patient-Care Vicinity, 4x 15A Hospital-Grade Outlets, Safety Covers, 7 ft. Cord

MODEL NUMBER: PS-407-HG-OEM











Supplies power to movable plug-connected components mounted to IV poles, mobile carts, crash carts and mobile medical workstations in operating rooms and patient-care vicinities.

Features

Power Distribution Anywhere in Any Medical FacilityIdeal for use in operating rooms, patient-care vicinities, therapy rooms, imaging environments and administrative areasFor use on IV poles, mobile carts, crash carts and mobile workstations, when properly mounted120V, 50/60 Hz power strip complies with UL 1363A specifications

Exclusive Antimicrobial ProtectionAntimicrobial coating helps resist the growth of bacteria, viruses, fungi, mold and mildewCoating meets the requirements of JIS Z 2801:2000, an international standard for evaluating efficacy in antimicrobial products

Versatile Medical-Grade Solution4 NEMA 5-15R-HG hospital-grade outlets provide consistent power7-ft. (2.13 m) power cord with NEMA 5-15P-HG hospital-grade plug provides ample reach to the power sourceRugged, all-metal housing for long life in demanding environments

Premium Safety Features Included locking outlet safety covers block access to unused outlets Dual resettable built-in 15A circuit breakers protect against dangerous overloads Switchless design prevents accidental shutoff

Ready to Use Right Out of the BoxBuilt-in mounting tabs and flanges for easy installation on a variety of surfaces

Specifications

Highlights

- Antimicrobial protection helps prevent the growth of bacteria, viruses, fungi, mold and mildew
- Approved for use in patient-care vicinities when properly mounted
- Complies with UL 1363A & NFPA 99 specifications
- 4 NEMA 5-15R-HG outlets with locking safety covers
- 7 ft. (2.1 m) cord with NEMA 5-15P-HG plug reaches nearby outlets

Package Includes

- PS-407-HG-OEM UL 1363A Medical-Grade Power Strip, 7-ft. (2.13 m)cord
- Owner's manual





OVERVIEW		
UPC Code	037332203632	
or o code	037332203032	
INPUT		
Nominal Input Voltage(s) Supported	120V AC	
Recommended Electrical Service	15A 120V	
Input Plug Features	Hospital Grade Plug	
Input Cord Gauge Type	14 gauge; SJT	
Voltage Compatibility (VAC)	120	
Input Plug Type	NEMA 5-15P-HG	
Input Cord Length (ft.)	7	
Right-Angle Plug	No	
Input Cord Length (m)	2.13	
Integrated Cord Clip	No	
ОИТРИТ		
Frequency Compatibility	50 / 60 Hz	
Output Receptacles	(4) 5-15R-HG	
Circuit Breaker (amps)	15	
Overload Protection	2 x 15amp breakers (1 line, 1 neutral)	
Transformer Accommodation	(2) Yes	
Outlet Orientation	Single row of 4	
Right-Angle Outlets	No	
USER INTERFACE, ALERTS & CONTROLS		
Switches	No power switch	
PHYSICAL		
Color	White	
Material of Construction	Metal	
Power Cord Color	White	
Form Factors Supported	IV poles, mobile carts, crash carts and mobile medical workstations	
Housing Color	White	
Included Mounting Accessories	Mounting tabs and flanges	
Mounting Holes or Slots	Yes	
Outlets Measurement (Center to Center)	Inner outlets = 1.27 in.	





Receptacle Color	White	
Shipping Dimensions (hwd / in.)	9.88 x 6.22 x 2.44	
Shipping Dimensions (hwd / cm)	25.10 x 15.80 x 6.20	
Shipping Weight (lbs.)	2.36	
Shipping Weight (kg)	1.07	
Unit Dimensions (hwd / in.)	1.730 x 2.500 x 8.540	
Unit Dimensions (hwd / cm)	21.97 x 6.35 x 3.81	
Unit Weight (lbs.)	2.77	
Unit Weight (kg)	1.26	
Mounting Details	Includes flanges	
FEATURES & SPECIFICATIONS		
Rotatable Outlets	No	
Antimicrobial	Yes	
Built-In Circuit Breaker	Yes	
Antibacterial	No	
Built-in Cable Management	No	
STANDARDS & COMPLIANCE		
Product Certifications	UL 1363A	
Product Compliance	NFPA 99: 10.2.3.6; RoHS	
WARRANTY & SUPPORT		
Product Warranty Period (Worldwide)	Lifetime limited warranty	

1000 Eaton Boulevard Cleveland, OH 44122 United States https://tripplite.eaton.com © 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark. All other trademarks

are the property of their respective owners.