EV-T1CCS-M4X20-CTS - Repair kit

1295744

https://www.phoenixcontact.com/us/products/1295744

PHŒNIX CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.




CHARX connect professional, Repair kit, Accessories, with DC contact holder with integrated front part of the DC contacts, CCS type 1, IEC 62196-3-1, SAE J1772, Screw mounting, housing: black, Replacement without draining the coolant

Your advantages

- · Complete product range
- Developed and produced in accordance with the IATF 16949 automotive standard and ISO 9001
- · Maintenance-friendly replacement of the mating face frame without draining the coolant

Commercial data

| Item number | 1295744 |
|--------------------------------------|---------------|
| Packing unit | 1 pc |
| Minimum order quantity | 1 pc |
| Sales key | EM01 |
| Product key | XWBAFB |
| GTIN | 4063151531676 |
| Weight per piece (including packing) | 198.2 g |
| Weight per piece (excluding packing) | 198.2 g |
| Customs tariff number | 85389099 |
| Country of origin | DE |



https://www.phoenixcontact.com/us/products/1295744



Technical data

Notes

| General | Replacement without draining the coolant |
|------------------------|--|
| duct properties | |
| Product type | Repair kit |
| Product family | CHARX connect professional |
| Туре | Accessories |
| Design | with DC contact holder with integrated front part of the DC contacts |
| Technology | Combined Charging System |
| | High Power Charging |
| Charging standard | CCS type 1 |
| Charging mode | Mode 4 |
| aterial specifications | |
| Color (Housing) | black (9005) |
| Material (Housing) | Plastic |


Environmental and real-life conditions

| Ambient conditions | |
|---|--------------|
| Ambient temperature (operation) | -30 °C 50 °C |
| Ambient temperature (storage/transport) | -40 °C 80 °C |

Standards and regulations


| Standards | | |
|-----------------------|---------------|--|
| Standards/regulations | IEC 62196-3-1 | |
| | SAE J1772 | |
| | | |

Mounting




https://www.phoenixcontact.com/us/products/1295744

Drawings



Assembly drawing



https://www.phoenixcontact.com/us/products/1295744




Classifications

ECLASS

| ECLASS-11.0 | 27144792 |
|-------------|----------|
| ECLASS-13.0 | 27144792 |
| ECLASS-12.0 | 27144792 |

ETIM

| | ETIM 9.0 | EC002884 |
|----|-------------|----------|
| UN | ISPSC | |
| | UNSPSC 21.0 | 39121500 |



https://www.phoenixcontact.com/us/products/1295744



Environmental product compliance

EU RoHS

| Fulfills EU RoHS substance requirements | Yes, No exemptions |
|---|--|
| China RoHS | |
| Environment friendly use period (EFUP) | EFUP-10 |
| | An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required. |
| EU REACH SVHC | |
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com