

Part Number : 191640050

**Product Description :** Perma-Seal Female Quick Disconnect Receptacle for 14-16 AWG

Wire, Tab Size 6.35 x 0.81mm, Carton

Status: Active

**Engineering Number: SBB-9263** 

Series Number: 19164

**Product Category : Quick Disconnects** 

#### **Documents & Resources**

### **Drawings**

Drawing 191640050\_sd.pdf

**3D Models and Design Files**3D Model 191640050\_stp.zip

#### **Specifications**

Product Specification PS-19902-013-001.pdf Product Specification PS-19902-011-001.pdf

### **Product Environment Compliance**

### Compliance

GADSL/IMDS	Compliant with Exemption 44
China RoHS	<b>©</b>
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Compliant per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

#### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474

## **Part Details**

## General

Status	Active
Category	Quick Disconnects
Series	19164
Description	Perma-Seal Female Quick Disconnect Receptacle for 14-16 AWG Wire, Tab Size 6.35 x 0.81mm, Carton
Product Family	Perma-Seal Terminals
Product Name	Perma-Seal
Туре	Quick Disconnect
UPC	800753113350

# Agency

CSA	LR18689
UL	E79133

## Electrical

Voltage - Maximum 600V
------------------------

# Physical

Barrel Type	Closed
Color - Resin	Blue
Gender	Female
Glow-Wire Capable	No
Insulated	Fully
Insulation	NiAc
Lock to Mating Part	None
Material - Metal	Brass
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Material - Resin	Nylon

Net Weight	1.343/g
Orientation	Straight
Packaging Type	Carton
Tab Thickness	0.81mm
Tab Width	6.35mm
Temperature Range - Operating	-55° to +125°C
Wire Insulation Diameter	4.32mm max.
Wire Size (AWG)	14, 16
Wire Size mm²	1.00-2.50

# **Application Tooling**

### Global

Description	Part Number
PremiumGrade Hand Crimp Tool	<u>640014500</u>
PremiumGrade Hand Crimp Tool for Industrial Terminals 14-22 AWG (see ATS)	640014700
Crimp Head for the AT-200 Pneumatic Hand Tool	640054500
Crimp Head for the AT-200 Pneumatic Hand Tool	640054700
ServiceGrade Hand Crimp Tool - Ratchet	640160042

This document was generated on Apr 14, 2024