Specifications



Set of 4 step slides made of treated steel, D300mm

NSYSDCR300

Main

Mounting accessory
Step slide
Spacial Spacial CRN
Spacial Spacial S3D
Spacial Spacial S3CM
Spacial Spacial S3X
Multi-purpose
-
Sides of enclosure
4 sliding rails
4 sliding support
fixing elements
Set of 1
Galvanised steel

Complementary

Fixing Mode	By fixing element On backstuds (welded in the enclosure)
Adjustment	In depth of the plate or other accessories in steps of 12.5 mm
Depth	300 mm nominal:
Net Weight	0.7 kg

Packing Units

J	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.000 cm
Package 1 Width	14.000 cm
Package 1 Length	27.000 cm
Package 1 Weight	888.000 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	12
Package 2 Height	30 cm
Package 2 Width	30 cm
Package 2 Length	40 cm

Package 2 Weight	11.076 kg
Unit Type Of Package 3	P12
Number Of Units In Package 3	96
Package 3 Height	45.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	100.608 kg

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Eq

Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations