Specifications



# Quick coupling kit, PanelSeT SFN, Spacial SF, set of 4 flat links and fixing elements

NSYSFBKF

#### Main

Mann	
Range	Spacial
Accessory / Separate Part Category	Coupling accessory
Product Or Component Type	Coupling kit
Anwendung	Multi-purpose
Mounting Location	Depthwise coupling of 2 enclosures Side coupling of 2 enclosures
Range Compatibility	Spacial Spacial SF suitable enclosure
Device Composition	4 flat connector fixing elements
Quantity Per Set	Set of 1

# Complementary

Material	Steel
Surface Finish	Zinc coated
Fixing Mode	By screws - screw type M6 self tapping
Height	34 mm
Width	69 mm
Depth	128 mm
Ip Degree Of Protection	IP40
Mounting Diameter	0 mm

### **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.57 cm
Package 1 Width	11.43 cm
Package 1 Length	20.07 cm
Package 1 Weight	0.48 kg
Unit Type Of Package 2	P12
Number Of Units In Package 2	250
Package 2 Height	50 cm
Package 2 Width	80 cm

Package 2 Length	120 cm	
Package 2 Weight	180 kg	

## **Contractual warranty**

Warranty

18 months

### Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

#### Well-being performance



Eq

Rohs Exemption Information Yes

### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations