

Part Number: 2240851082

**Product Description :** Mini-Fit Max-to-Mini-Fit Max Off-the-Shelf (OTS) Cable Assembly, Tin (Sn) Plating, 8 Circuits, 150.00mm Length, 2.5mm<sup>2</sup> Wire, Black

Status: Active

Series Number: 224085

**Product Category:** Power and Signal Cable

**Assemblies** 

#### **Documents & Resources**

#### **Drawings**

Drawing 2240851082\_sd.pdf

## **Product Environment Compliance**

#### Compliance

	•
GADSL/IMDS	Not Relevant
China RoHS	<b>©</b>
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2- 21
REACH SVHC	Not Contained per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Compliant per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

#### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### **EU RoHS Certificate of Compliance**

#### **Part Details**

### General

Status	Active
Category	Power and Signal Cable Assemblies
Series	224085
Description	Mini-Fit Max-to-Mini-Fit Max Off- the-Shelf (OTS) Cable Assembly, Tin (Sn) Plating, 8 Circuits, 150.00mm Length, 2.5mm <sup>2</sup> Wire, Black
Application	Power, Wire-to-Board
Assembly Configuration	Dual Ended Connectors
Connector to Connector	Mini-Fit Max-to-Mini-Fit Max
Product Family	Mini-Fit Family Power Connectors
Product Name	Mini-Fit Max
Туре	Discrete Wire Assembly
UPC	196823397097

## Electrical

Current - Maximum per Contact	20A
Voltage - Maximum	600V AC (RMS)

# Physical

Cable Length	150.00mm
Circuits (Loaded)	8
Circuits (maximum)	8
Color - Resin	Black
Gender	Female-Female
Lock to Mating Part	Yes
Material - Metal	High Conductivity Copper
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Material - Resin	Nylon
Net Weight	41.099/g
Number of Rows	2
Overmolded	No
Packaging Type	Bag

Pitch - Mating Interface	4.20mm
Plating min - Mating	1.020µm
Plating min - Termination	2.540µm
Single Ended	No
Termination Interface Style	Crimp or Compression
Wire/Cable Type	UL 11028
Wire Insulation Diameter	2.65mm
Wire Size (AWG)	14

## Mates With / Use With

## Mates with Part(s)

Description	Part Number
	212520

This document was generated on Apr 08, 2024