



Part Number : 643251010

Series Number : 64325

Product Category : Connector Accessories

Product Description : CMC 0.635mm Blind Cavity Plug

Status : Active

Documents & Resources

Drawings

Drawing 643251010\_sd.pdf

Specifications

- Application Specification AS-501820-001-001.pdf
- Application Specification AS-501820-001-JP-001.pdf
- Application Specification AS-560065-001-001.pdf
- Application Specification AS-560065-001-CH-001.pdf
- Application Specification AS-64318-002-001.pdf
- Application Specification AS-64318-002-CH-001.pdf
- Application Specification AS-64318-002-SP-001.pdf
- Application Specification AS-64319-002-001.pdf
- Application Specification AS-64319-002-CH-001.pdf
- Application Specification AS-64319-002-FR-001.pdf
- Application Specification AS-64319-002-SP-001.pdf
- Application Specification AS-64327-001-001.pdf
- Application Specification AS-98420-001-001.pdf
- Application Specification AS-98420-001-CH-001.pdf
- Application Specification AS-98420-002-001.pdf
- Application Specification AS-98420-002-CH-001.pdf
- Application Specification AS-98420-002-FR-001.pdf
- Application Specification AS-98420-002-SP-001.pdf
- Application Specification AS-98420-003-001.pdf
- Application Specification AS-98420-003-CH-001.pdf
- Application Specification AS-98420-003-FR-001.pdf
- Packaging Specification PK-64325-001-001.pdf
- Product Specification PS-64319-002-001.pdf
- Product Specification 643270001-PS-000.pdf

Product Environment Compliance

Compliance

|            |                                                                                       |
|------------|---------------------------------------------------------------------------------------|
| GADSL/IMDS | Compliant                                                                             |
| China RoHS |  |

|                    |                                                   |
|--------------------|---------------------------------------------------|
| EU ELV             | Compliant per 2000/53/EC                          |
| Low-Halogen Status | Low-Halogen per IEC 61249-2-21                    |
| REACH SVHC         | Not Contained per D(2023)8585-DC<br>(23 Jan 2024) |
| EU RoHS            | Compliant per EU 2015/863                         |

#### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

#### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

#### EU RoHS Certificate of Compliance

---

## Part Details

### General

|                |                                                   |
|----------------|---------------------------------------------------|
| Status         | Active                                            |
| Category       | Connector Accessories                             |
| Series         | 64325                                             |
| Description    | CMC 0.635mm Blind Cavity Plug                     |
| Application    | Automotive                                        |
| Component Type | Wire Plug                                         |
| Product Family | CMC and CMX Sealed, Hybrid,<br>Modular Connectors |
| Product Name   | CMC                                               |
| UPC            | 883906127527                                      |

### Physical

|                    |         |
|--------------------|---------|
| Circuits (Loaded)  | 0       |
| Circuits (maximum) | 0       |
| Net Weight         | 0.068/g |
| Packaging Type     | Carton  |

Solder Process Data

|                              |     |
|------------------------------|-----|
| Lead-Free Process Capability | N/A |
|------------------------------|-----|

Use with Part(s)

| Description                   | Part Number  |
|-------------------------------|--------------|
| Power CMC Receptacles         | <u>64318</u> |
| CMC Receptacles and Wire Caps | <u>64319</u> |
| CMC Receptacles and Wire Caps | <u>64320</u> |
| CMC Receptacles and Wire Caps | <u>64321</u> |