



**Part Number :** 2127252040

**Series Number :** 212725

**Product Category :** Connector Accessories

**Product Description :** Micro-One Terminal Position Assurance (TPA) Retainer, 4 Circuits, 2.00mm Pitch, Glow-Wire Capable, Natural

**Status :** Active

Documents & Resources

Drawings

Drawing 2127252040\_sd.pdf

3D Models and Design Files


- 2D Drawing DXF 2127252040.dxf
- 2D Drawing DXF (PDF) 2127252040.pdf
- 3D Model 2127252040\_stp.zip

Specifications

- Application Specification 2059790000-AS-000.pdf
- Packaging Specification 2127259200-SPK-200.pdf
- Product Specification 2059790000-PS-000.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C

- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## EU RoHS Certificate of Compliance

---

### Part Details

#### General

Status	Active
Category	Connector Accessories
Series	212725
Description	Micro-One Terminal Position Assurance (TPA) Retainer, 4 Circuits, 2.00mm Pitch, Glow-Wire Capable, Natural
Component Type	Terminal Position Assurance
Product Family	Micro-One Wire-to-Board Connector System
Product Name	Micro-One
UPC	193264613922

#### Agency

UL	E29179
----	--------

#### Physical

Circuits (Loaded)	4
Circuits (maximum)	4
Color - Resin	Natural
Lock to Mating Part	Yes
Material - Resin	Polyamide
Net Weight	68.580/mg
Number of Rows	1
Packaging Type	Bag
Temperature Range - Operating	-40° to +105°C

---

#### Use with Part(s)

Description	Part Number
Micro-One Single Row Receptacle Housings	<u>212724</u>

---

This document was generated on Jun 04, 2024