



Part Number : 2145282050

Series Number : 214528

Product Category : Connector Accessories

Product Description : Micro-Lock Plus
Terminal Position Assurance (TPA) Retainer,
1.25mm Pitch, 5 Circuits

Status : Active

Documents & Resources

Drawings

Drawing 2145282050_sd.pdf

3D Models and Design Files

- 2D Drawing DXF 2145282050.dxf
- 2D Drawing DXF (PDF) 2145282050.pdf
- 3D Model 2145282050_stp.zip

Specifications

- Application Specification 5054320000-AS-000.pdf
- Application Specification 5055650000-AS-000.pdf
- Packaging Specification 2145289200-SPK-200.pdf
- Product Specification 2145260000-PS-000.pdf
- Product Specification 2145260001-PS-000.pdf
- Product Specification 2145260002-PS-000.pdf
- Product Specification 2145260003-PS-000.pdf
- Product Specification 2145270000-PS-000.pdf
- Product Specification 2145270001-PS-000.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements
- Eu RoHS

- REACH SVHC

- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C

- IPC 1752A Class D

- Molex Product Compliance Declaration

- IEC-62474

- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Connector Accessories
Series	214528
Description	Micro-Lock Plus Terminal Position Assurance (TPA) Retainer, 1.25mm Pitch, 5 Circuits
Component Type	Terminal Position Assurance
Product Family	Micro-Lock Connector System
Product Name	Micro-Lock Plus
UPC	193264680559

Physical

Circuits (Loaded)	5
Circuits (maximum)	5
Color - Resin	Gray
Material - Resin	PBT
Net Weight	42.430/mg
Number of Rows	1
Packaging Type	Bag

Use with Part(s)

Description	Part Number
-------------	-------------

1.25mm Pitch Micro-Lock Plus TPA Type Dual Row Receptacle Housings	<u>214527</u>
1.25mm Pitch Micro-Lock Plus TPA Type Single Row Receptacle Housings	<u>214526</u>