




Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Caps & Covers > Heavy Duty Sealed Connector Series Cap



Protection & Strain Relief Accessory Type: **Cover - Cable Exit**

Cable Exit Angle: **180°**

Strain Relief: **Without**

Primary Product Color: **Black**

Primary Product Material: **PA GF**

[All Heavy Duty Sealed Connector Series Cap \(10\)](#)

Features

Product Type Features

Protection & Strain Relief Accessory Type	Cover - Cable Exit
---	--------------------

Configuration Features

Number of Positions	8, 10, 12
---------------------	-----------

Body Features

Cable Exit Angle	180°
Primary Product Color	Black
Primary Product Material	PA GF

Mechanical Attachment

Strain Relief	Without
---------------	---------

Usage Conditions

Compatible With Connector Style	Housing For Female Terminals
---------------------------------	------------------------------



Operating Temperature (Max)	70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C, 130 °C, 140 °C[158 °F][167 °F][176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F][266 °F][284 °F]
Operating Temperature Range	-40 - 140 °C[-40 - 284 °F]

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Quantity	500
Packaging Method	Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-H3399-CH8172
Heavy Duty Sealed Connector Series
Housings

TE Part # 2317070-1
SLIDE,PIN HSG ASSY

TE Part # 9-2331355-1
HD MATEnet 1+6 REC. HSG ASSY,
GRP D

Also in the Series

Heavy Duty Sealed Connector Series

Automotive Connector Caps & Covers
(25)

Automotive Housings(207)

Connector Seals & Cavity Plugs(5)

Data Connectivity Headers(2)

Data Connectivity Housings(16)

Other Automotive Connector
Accessories(34)

PCB Headers & Receptacles(1)

Customers Also Bought

TE Part # 2112300-1
Heavy Duty Sealed Connector Series
Cap

TE Part # HDP24-24-35SE
REC, 35P, BLK, E, 16/20, S

TE Part # DRC26-24BT
BOOT, 24P, 20SZ, PLG/REC, ST, BLK

TE Part # 1062-16-1244
SOC, SF, SIZE 16, 12-16, AU/SN

TE Part # K1128688
Battery Disconnect 35-411-130-R-900

TE Part # 100292-1
ADAPTER 180 M24/M27

TE Part # 2208343-1
TERMINAL, 6,3MM

TE Part # 2208343-2
TERMINAL, 6,3MM



Documents

Product Drawings

PROTECTION CAP, FOR REC.HSG GROUP D

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2112302-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2112302-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2112302-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

HDSCS Catalog

English

ICT Terminals and Connectors Catalogue

English

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

English