



Connectors > Connector Accessories > Connector Caps & Covers



Connector Cover Type: **Strain Relief Cover**

Primary Product Color: **Natural**

Primary Product Material: **Nylon**

Operating Temperature (Max): **105 °C [ 221 °F ]**

Operating Temperature Range: **-20 – 105 °C [ -4 – 221 °F ]**

Features

Product Type Features

|                      |                     |
|----------------------|---------------------|
| Connector Cover Type | Strain Relief Cover |
|----------------------|---------------------|

Body Features

|                          |         |
|--------------------------|---------|
| Primary Product Color    | Natural |
| Primary Product Material | Nylon   |

Mechanical Attachment

|               |      |
|---------------|------|
| Strain Relief | With |
|---------------|------|

Usage Conditions

|                             |                           |
|-----------------------------|---------------------------|
| Operating Temperature (Max) | 105 °C[221 °F]            |
| Operating Temperature Range | -20 – 105 °C[-4 – 221 °F] |

Packaging Features

|                    |         |
|--------------------|---------|
| Packaging Quantity | 1       |
| Packaging Method   | Package |

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)



|                                               |                                                                                                                               |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| EU RoHS Directive 2011/65/EU                  | Compliant                                                                                                                     |
| EU ELV Directive 2000/53/EC                   | Compliant                                                                                                                     |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold                                                                                       |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JAN 2024 (240)<br>Candidate List Declared Against: JAN 2024 (240)<br>Does not contain REACH SVHC |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free                                           |
| Solder Process Capability                     | Not applicable for solder process capability                                                                                  |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 172168-1  
6 CIR UNIV M-N-L PLUG

TE Part # 172339-1  
MINI UMNL PLUG HOUSING 6P

TE Part # 172160-1  
6 CIR UNIV M-N-L CAP

TE Part # 794370-1  
08P MINI UMNL STR RELIEF HNGD

TE Part # 170331-1  
PL MKII 187 REC 20-16AWG PTBR LP

Also in the Series | Mini-Universal MATE-N-LOK



Connector Caps & Covers(2)

Connector Contacts(89)

Connector Hardware(4)

Connector Seals & Cavity Plugs(17)

Connector Strain Relief(2)

Insertion & Extraction Tools(1)

Rectangular Power Connectors(197)

Customers Also Bought

TE Part #1625971-7  
HSA25 120R 5%

TE Part #770587-1  
24P MINI UMNL PLUG HSG

TE Part #1546310-4  
4P .563" DR BARRIER STRIP

TE Part #140734-2  
250 FASTON,TAB,TPBR

TE Part #3-1676123-7  
1/2W SM M/OX 5% 27R

TE Part #DT06-12SC-CE06  
PLG, 12P, GRN, E, SEAL RET, ENH KEY, C

TE Part #WV-18P  
WEDGE LOCK, 18P, REC, GRN, DTV

TE Part #1-794406-0  
MINI UMNL SOK 20-16 AWG AU LF

TE Part #7-1419135-2  
PT581024

Documents





Product Drawings

06P MINI UMNL STR RELIEF P&CAP

English

CAD Files

Customer View Model

ENG\_CVM\_CVM\_794423-1\_C.2d\_dxf.zip

English

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_794423-1\_C.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_794423-1\_C.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

SOFT\_SHELL\_PIN\_AND\_SOCKET\_CONNECTORS\_CATALOG

English

Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English