

AMP | LEAVYSEAL

TE Internal #: 2112045-1

Other Automotive Connector Accessories, Mounting Clip, PA GF,

Red, -40 - 130 °C [-40 - 266 °F], LEAVYSEAL

View on TE.com >



Connectors > Automotive Connectors > Automotive Connector Accessories > Other Automotive Connector Accessories > LEAVYSEAL Locking Slides











Automotive Connector Accessory Type: Mounting Clip

Primary Product Material: PA GF

Primary Product Color: Red

Operating Temperature Range: -40 - 130 °C [-40 - 266 °F]

All LEAVYSEAL Locking Slides (7)

Features

Product Type Features

Automotive Connector Accessory Type	Mounting Clip
Body Features	
Primary Product Material	PA GF
Primary Product Color	Red
Usage Conditions	
Compatible With Connector Style	Housing For Male Terminals
Operating Temperature Range	-40 - 130 °C[-40 - 266 °F]
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	750
Packaging Method	Box
Other	



Serviceable Yes

Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | LEAVYSEAL





Automotive Connector Caps & Covers (18)




Automotive Housings(79)



Insertion & Extraction Tools(5)



Other Automotive Connector Accessories(15)



PCB Headers & Receptacles(16)

Customers Also Bought



TE Part # 2112301-1
Heavy Duty Sealed Connector Series



TE Part # 2112166-2 LEAVYSEAL Locking Slides



TE Part # 1718329-1 ADAPTER FOR TAB HSG 39 POS,62P



TE Part # 1-962917-1
TAB 5.8x0.8 CONTACT CS SWS Sn



TE Part # 1-2112041-2 26POS, MIXED, TAB HSG, ASSY, SEALED



TE Part # 284581-1 SUPPORT PLATE ASSEMBLY



TE Part # 284259-1
BLANKING DEVICE ASS'Y X EMPTY

TE Part # FPP146-00056 RUBBER GASKET QLS TZIRQ

Documents

Product Drawings
SLIDE,FOR 26POS TAB HSG

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2112045-1_A_c-2112045-1-a.2d_dxf.zip

Other Automotive Connector Accessories, Mounting Clip, PA GF, Red, -40 - 130 °C [-40 - 266 °F], LEAVYSEAL



English

Customer View Model

ENG_CVM_CVM_2112045-1_A_c-2112045-1-a.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2112045-1_A_c-2112045-1-a.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use

Datasheets & Catalog Pages

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

German