2112166-1 ~ ACTIVE


AMP | LEAVYSEAL

TE Internal #: 2112166-1 Other Automotive Connector Accessories, Mounting Clip, PA GF, Red, -40 – 130 °C [-40 – 266 °F], LEAVYSEAL

View on TE.com >



Connectors > Automotive Connectors > Automotive Connector Accessories > Other Automotive Connector Accessories > LEAVYSEAL Locking Slides



Automotive Connector Accessory Type: Mounting Clip

Primary Product Material: PA GF

Primary Product Color: Red

Operating Temperature Range: -40 – 130 °C [-40 – 266 °F]

All LEAVYSEAL Locking Slides (7)

Features

Product Type Features

Automotive Connector Accessory Type	Mounting Clip				
Body Features					
Primary Product Material	PA GF				
Primary Product Color	Red				
Usage Conditions					
Compatible With Connector Style	Housing For Male Terminals				
Operating Temperature Range	-40 – 130 °C[-40 – 266 °F]				
Industry Standards					
UL Flammability Rating	UL 94V-0				
Packaging Features					
Packaging Quantity	750				
Packaging Method	Box				
Other					

2112166-1

Other Automotive Connector Accessories, Mounting Clip, PA GF, Red, -40 – 130 °C [-40 – 266 °F], LEAVYSEAL



Serviceable

Yes

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC	
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.	
Solder Process Capability	Not applicable for solder process capability	

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Also in the Series | LEAVYSEAL

2112166-1

Other Automotive Connector Accessories, Mounting Clip, PA GF, Red, -40 – 130 °C [-40 – 266 °F], LEAVYSEAL







PCB Headers & Receptacles(16)

Customers Also Bought



LEAVYSEAL Backshells	I E Part #1587723-2 INNER FERRULE, SIZE B, HVA280-	OUTER FERRULE, SIZE B, HVA280	HTAT-24/6-0-50MM
U	ETE		
TE Part #1-968896-1 AMP MCP 2.8, CONTACT SWS (LP)	TE Part #710025-2 XCT 50-8	TE Part #2103155-2 COLLET, SIZE 2, HVA280	TE Part #NB07806001 HTAT-32/8-0-50MM

TE Part #K1157198-4 Toggle Switch 07-2-2-10 939 CV750

Documents

2112166-1

Other Automotive Connector Accessories, Mounting Clip, PA GF, Red, -40 – 130 °C [-40 – 266 °F], LEAVYSEAL



Product Drawings SLIDE,FOR 21POS.

English

CAD Files

Customer View Model

ENG_CVM_CVM_2112166-1_A.2d_dxf.zip

English

3D PDF

3D

Customer View Model ENG_CVM_CVM_2112166-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2112166-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages CONNECTOR SELECTOR

English

Product Specifications Application Specification

German