



Connectors > Connector Accessories > Connector Backshells



Connector Backshell Product Type: **Backshell**

Primary Product Material: **PA**

Operating Temperature Range: **-40 – 125 °C [-40 – 257 °F]**

Features

Product Type Features

Connector Backshell Product Type	Backshell
----------------------------------	-----------

Body Features

Cable Exit Angle	180°
Primary Product Color	Black
Primary Product Material	PA

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240)



Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2350890-1
20POS, HYBRID, SOC HSG ASSY, SLD, COD A



TE Part # 2350890-2
20POS, HYBRID, SOC HSG ASSY, SLD, COD B



TE Part # 2350890-3
20POS, HYBRID, SOC HSG ASSY, SLD, COD C



TE Part # 2350890-4
20POS, HYBRID, SOC HSG ASSY, SLD, COD D



TE Part # 2357921-1
BACKSHELL, CONN KIT

Also in the Series | **DEUTSCH NTSEAL**



Automotive Housings(49)



Connector Backshells(7)



Connector Seals & Cavity Plugs(9)



Other Automotive Connector Accessories(1)

Customers Also Bought



TE Part #2137752-1
Lever for 154P ECU connector



TE Part #2050046-1
2POS 2.8MM SENSOR PLUG ASSY.



TE Part #6-1355135-1
VERRIEGLUNG F.94P



TE Part #2-2350891-1
20POS, HYBRID, PIN HSG ASSY, SLD,
COD A



TE Part #2357921-1
BACKSHELL, CONN KIT




TE Part #2378527-1
BACKSHELL, CONN KIT




TE Part #2366035-1
48POS, MCON 1.2, TAB HSG, UNSLD,
COD A



TE Part #9-1452931-9
76POS, MCON 1.2 CB, REC HSG, ASSY,
SLD



TE Part #2351443-1
FUSE BOX ASSY HARD WIRED UP
HSG, PRINT



TE Part #2436634-4
SWS, AMP SUPERSEAL 1.5MM, CVTY
DIA, 5.5, GRN

Documents

Product Drawings

[BACKSHELL, CONN KIT](#)

English

CAD Files

[3D PDF](#)

[3D](#)

[Customer View Model](#)

[ENG_CVM_CVM_2357302-1_B.2d_dxf.zip](#)



English

Customer View Model

[ENG_CVM_CVM_2357302-1_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2357302-1_B.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Product Specification](#)

English