




Connectors > Connector Accessories > Connector Backshells



Primary Product Material: **PBT**

Operating Temperature Range: **-40 - 125 °C [-40 - 257 °F]**

Features

Body Features

Cable Exit Angle	180°
Primary Product Color	Black
Primary Product Material	PBT

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-40 - 125 °C[-40 - 257 °F]

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not reviewed for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 9-2367337-1
2POS,CSS SIZE 20,SOC OUTER HSG
ASSY,SLD



TE Part # 9-2367337-2
2POS,CSS SIZE 20,SOC OUTER HSG
ASSY,SLD



TE Part # 9-2367337-3
2POS,CSS SIZE 20,SOC OUTER HSG
ASSY,SLD



TE Part # 9-2367337-4
2POS,CSS SIZE 20,SOC OUTER HSG
ASSY,SLD



TE Part # 9-2367344-3
PIN CONN CVR,2POS,CSS SIZE 20,180
DEG



TE Part # 9-2367346-1
SWS,HSD,CVTY DIA,RECTANGULAR



TE Part # 9-2367346-2
SWS,HSD,CVTY DIA,RECTANGULAR

Customers Also Bought



TE Part # 0462-201-2031
SOC, SOLID, SIZE 20, 20AWG, AU



TE Part # 927770-6
JPT REC 2.8 Contact SWS Ag



TE Part # 6-1579007-2
EXTRACTION TOOL



TE Part # 2366494-1
48POS,HYBRID,SOC HSG ASSY,SLD,
COD A



TE Part # 2393700-1
SDE F POWER TIMER 0.50-1.00 ASSY

TE Part # 9-2367337-1
2POS,CSS SIZE 20,SOC OUTER HSG ASSY,SLD

TE Part # 9-2367341-1
2POS,CSS SIZE 20,PIN OUTER HSG ASSY

TE Part # 9-2367346-1
SWS,HSD,CVTY DIA,RECTANGULAR ASSY

TE Part # 9-2370624-1
CU ALLOY,OUTER FERRULE,DATA DT

TE Part # 9-2370714-1
CU ALLOY,SHIELD ASSY,CONN HSG, DATA DT

Documents

Product Drawings

SOC CONN CVR ASSY,2POS,CSS SIZE 20,180

English

CAD Files

Customer View Model

ENG_CVM_CVM_9-2367345-1_C1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_9-2367345-1_C1.3d_igs.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_9-2367345-1_C1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English