


DEUTSCH | DEUTSCH DRB

TE Internal #: DRBF-1B Other Automotive Connector Accessories, Mounting Frame, PA GF, Black, -55 - 125 °C [-67 - 257 °F]

View on TE.com >

Connectors > Automotive Connectors > Automotive Connector Accessories > Other Automotive Connector Accessories >

DEUTSCH DRB Mounting Accessories



Automotive Connector Accessory Type: Mounting Frame

Primary Product Material: PAGF

Primary Product Color: Black

Operating Temperature Range: -55 - 125 °C [-67 - 257 °F]

All DEUTSCH DRB Mounting Accessories (6)



Features

Product Type Features

Automotive Connector Accessory Type	Mounting Frame
Configuration Features	
Number of Positions	102, 128
Body Features	
Primary Product Material	PAGF
Primary Product Color	Black
Usage Conditions	
Operating Temperature Range	-55 - 125 °C[-67 - 257 °F]
Industry Standards	
UL Flammability Rating	Not tested
Packaging Features	
Packaging Method	Box

DRBF-1B

Other Automotive Connector Accessories, Mounting Frame, PA GF, Black, -55 - 125 $^\circ$ C [-67 - 257 $^\circ$ F]



Other

Serviceable	Yes
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) SVHC > Threshold: Octamethylcyclotetrasiloxane (D4) (.5% in Component Part) Dodecamethylcyclohexasiloxane (D6) (.5% in Component Part) Decamethylcyclopentasiloxane (D5) (.5% in Component Part) Article Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900

ppm.

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts


DRBF-1B

Other Automotive Connector Accessories, Mounting Frame, PA GF, Black, -55 - 125 $^\circ$ C [-67 - 257 °F]





Also in the Series DEUTSCH DRB









Other Automotive Connector Accessories(6)

Customers Also Bought



DRBF-1B

Other Automotive Connector Accessories, Mounting Frame, PA GF, Black, -55 - 125 $^\circ$ C [-67 - 257 °F]



Documents

Product Drawings FLANGE, MOUNT, 102/128P, BLK, B

English

CAD Files

Customer View Model ENG_CVM_CVM_DRBF-1B_99.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_DRBF-1B_99.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_DRBF-1B_99.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use.

Datasheets & Catalog Pages CONNECTOR SELECTOR

English

Product Specifications Application Specification

English