



Connectors > Connector Accessories > Connector Strain Relief



Strain Relief Accessory Type: **Boot**

Primary Product Material: **PVC**

Primary Product Color: **Black**

Sealable: **No**

Packaging Method: **Package**

## Features

### Product Type Features

Strain Relief Accessory Type	Boot
Sealable	No

### Body Features

Cable Exit Angle	180°
Primary Product Material	PVC
Primary Product Color	Black

### Dimensions

Compatible Cable Diameter Range	0 - 12.7 mm[0 - .5 in]
---------------------------------	------------------------

### Usage Conditions

Operating Temperature Range	-29 - 100 °C[-20 - 212 °F]
-----------------------------	----------------------------

### Industry Standards

IP Rating	IP6K9K
-----------	--------

### Packaging Features

Packaging Method	Package
------------------	---------

Packaging Quantity 1

**Other**

Serviceable Yes

**Product Compliance**

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

**Compatible Parts**





TE Part # 4-2448106-1  
PLG, 6P, BRN, N, CAP



TE Part # 3-2448106-2  
PLG, 6P, GRN, E, CAP



TE Part # 3-2448106-3  
PLG, 6P, BLUE, E, CAP



TE Part # 3-2448106-1  
PLG, 6P, BRN, E, CAP




TE Part # CAT-D487-CH8172  
DEUTSCH DT Series Housings &  
Connectors

### Also in the Series | DEUTSCH DT



Automotive Connector Caps & Covers  
(19)



Automotive Connector Locks &  
Position Assurance(86)



Automotive Housings(654)



Connector Backshells(61)



Connector Seals & Cavity Plugs(6)




Connector Strain Relief(28)



Insertion & Extraction Tools(3)



Other Automotive Connector  
Accessories(28)




PCB Headers & Receptacles(105)

### Also in the Series | DEUTSCH DTM



Automotive Connector Caps & Covers (7)



Automotive Connector Locks & Position Assurance(25)



Automotive Housings(100)




Connector Backshells(7)



Connector Strain Relief(28)



Insertion & Extraction Tools(2)



PCB Headers & Receptacles(37)

## Customers Also Bought



TE Part # SRK-BS-FL-90-001  
BKSHL, FULL, BLK, RA, NW 22/26



TE Part # DT12S-BT-BK  
BOOT, 12P, PLG, ST, BLK



TE Part # DT4P-BT-BK  
BOOT, 4P, REC, ST, BLK



TE Part # DT4S-BT-BK  
BOOT, 4P, PLG, ST, BLK



TE Part # DT3S-BT-BK  
BOOT, 3P, PLG, ST, BLK



TE Part # DT2P-BT-BK  
BOOT, 2P, REC, ST, BLK



TE Part # K1161021  
Battery Disconnect 35-414-130-R-901



TE Part # DT8P-BT-BK  
BOOT, 8P, REC, ST, BLK



TE Part # DTM04-2P-P083  
REC, 2P, GRY, 220 OHM RESISTOR, AU, A



TE Part # K1148064  
Plunger Switch 44-01-035

## Documents



### Product Drawings

[BOOT, 6P, PLG, ST, BLK](#)

English

---

### CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_DT6S-BT-BK\\_A.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_DT6S-BT-BK\\_A.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_DT6S-BT-BK\\_A.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

---

### Datasheets & Catalog Pages

[CONNECTOR SELECTOR](#)

English

---

### Product Specifications

[Application Specification](#)

English