

Part Number : 2159220230

Series Number : 215922 Product Category : Connector Housings

Documents & Resources

Drawings Drawing 2159220230_sd.pdf

3D Models and Design Files 3D Model 2159220230_stp.zip

Specifications

Application Specification 2064600001-AS-000.pdf Product Specification 2159530000-PS-000.pdf Test Summary 2159530000-TS-000.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	©
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2- 21
REACH SVHC	Not Contained per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C

- IPC 1752A Class D
- Molex Product Compliance Declaration

Product Description : Micro-Fit+ Versa Color Plug Housing, Dual Row, 2 Circuits, UL 94V-0, Panel Mount Ears, Glow-Wire Capable, Blue Status : Active - IEC-62474

- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Connector Housings
Series	215922
Description	Micro-Fit+ Versa Color Plug Housing, Dual Row, 2 Circuits, UL 94V-0, Panel Mount Ears, Glow- Wire Capable, Blue
Application	Power, Wire-to-Wire
Product Family	Micro-Fit+ Connector System
Product Name	Micro-Fit+ Versa Color
UPC	196823363634

Agency

UL E29179	
-----------	--

Physical

Circuits (maximum)	2
Color - Resin	Blue
Flammability	94V-0
Gender	Plug
Glow-Wire Capable	Yes
Keying to Mating Part	None
Lock to Mating Part	Yes
Material - Resin	Polyamide
Net Weight	0.677/g
Number of Rows	2
Packaging Type	Bag
Panel Mount	Yes
Pitch - Mating Interface	3.00mm
Pitch - Termination Interface	3.00mm

Polarized to Mating Part	Yes
Stackable	No
Temperature Range - Operating	-40° to +105°C

Mates With / Use With

Mates with Part(s)

Description	Part Number
Micro-Fit+ Dual Row Receptacle Housings	206461

Use with Part(s)

Description	Part Number
Micro-Fit+ Terminal Position Assurance (TPA) Retainers	206462
Micro-Fit+ Male Crimp Terminals	215953

This document was generated on Apr 10, 2024