




Connectors > Automotive Connectors > Automotive Housings



Connector System: **Wire-to-Wire**
Number of Positions: **21**
Connector & Housing Type: **Housing for Female Terminals**
Centerline (Pitch): **5 mm [.197 in]**
Sealable: **No**

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector System	Wire-to-Wire
Connector & Housing Type	Housing for Female Terminals
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Primary Locking Feature	Integrated in Housing

Configuration Features

Number of Positions	21
Number of Rows	3

Body Features

Primary Product Color	Gray
Connector & Keying Code	B

Contact Features



Contact Size	2.8mm
Contact Type	Receptacle
Mating Tab Width	2.8 mm[.011 in]

Mechanical Attachment

Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Material	PA GF
Centerline (Pitch)	5 mm[.197 in]

Dimensions

Row-to-Row Spacing	5.5 mm
--------------------	--------

Usage Conditions

Operating Temperature (Max)	120 °C[248 °F]
Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Industry Standards

UL Flammability Rating	UL 94HB
------------------------	---------

Other

Connector Position Assurance Capable	No
--------------------------------------	----

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in



other sources.

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # CAT-AM705-T273
AMP MCP, RECEPTACLE AND TAB

TE Part # 2379923-1
TPA REC HSG,21POS,AMP MCP 2.8

TE Part # 1-2141857-1
AMP MCP 2.8, CONTACT

TE Part # 1-2141857-3
AMP MCP 2.8, CONTACT

TE Part # 2379922-2
21POS,AMP MCP 2.8,TAB HSG, UNSLD,COD B

Also in the Series | 1.5/2.8 Connector System

Automotive Connector Caps & Covers
(5)


Automotive Housings(27)

Automotive Terminals(53)

Insertion & Extraction Tools(1)



Other Automotive Connector Accessories(1)




PCB Headers & Receptacles(1)


Customers Also Bought




TE Part #1-1563878-1
15POS, MIXED,REC HSG,SEALED,AS



TE Part #174044-1
040 MLC I/O 8P PLUG HSG NAT



TE Part #8-968975-2
MCP2.8 GEH ASSY 21P



TE Part #1-1813099-3
2.5mm SOCKET HSG ASSEMBLY (BLACK 2POS)



TE Part #1-1823402-1
29POS, MIXED,REC HSG,ASSY, SEALED



TE Part #1703768-3
14POS,AMP MCP1.5K,SOCK HSG, ASSY



TE Part #1-1703963-1
16POS,AMP MCP1.5K,REC HSG,ASSY, SEALED



TE Part #1544333-1
LANGUETTE 8MM NG1



TE Part #2379921-3
21POS,AMP MCP 2.8,REC HSG ASSY, UNSLD



TE Part #1813344-1
7p 1.5mm socket housing assy' coding A

Documents

Product Drawings

21POS,AMP MCP 2.8,REC HSG ASSY,UNSLD

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2379921-2_A.2d_dxf.zip



English

Customer View Model

[ENG_CVM_CVM_2379921-2_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2379921-2_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Product Specification](#)

English