



WR-34 to WR-28 Waveguide Transition 2 Inch Length, UG-1530/U Square Cover Flange to UG-599/U Square Cover Flange

Waveguide Transitions Technical Data Sheet

PEWTS1010

**Features**

- Transitions from WR-34 to WR-28 waveguide
- WR-34 waveguide UG-1530/U flange
- WR-28 waveguide UG-599/U flange
- Painted finish

**Applications**

- Radar Systems
- Military and Space
- Wireless Radio Systems
- Telecom Infrastructure
- Communication Systems
- R&D Labs
- Microwave Radio Systems

**Description**

The PEWTS1010 is part of Pasternack's Waveguide Transitions (also sometimes called waveguide adapters) used as a means of propagating RF/Microwave energy from one waveguide size to another. The PEWTS1010 allows the waveguide to change from a WR-34 waveguide (using a UG-1530/U flange) to a WR-28 waveguide (using a UG-599/U flange).

**Electrical Specifications**

Description	Minimum	Typical	Maximum	Units
VSWR		1.08:1		

**Mechanical Specifications**

<b>Size</b>	
Length	2 in [50.8 mm]
Weight	0.11 lbs [49.9 g]

Description	Flange 1	Waveguide	Flange 2
Designation	UG-1530/U	WR-34 to WR-28	UG-599/U
Flange Type	Square Cover		Square Cover
Material	Brass	Brass	Brass

**Compliance Certifications** (visit [www.Pasternack.com](http://www.Pasternack.com) for current document)

RoHS Compliant	
REACH Compliant	12/17/2015

**Plotted and Other Data**

Notes:

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [WR-34 to WR-28 Waveguide Transition 2 Inch Length, UG-1530/U Square Cover Flange to UG-599/U Square Cover Flange PEWTS1010](#)




WR-34 to WR-28 Waveguide Transition 2 Inch Length, UG-1530/U Square Cover Flange to UG-599/U Square Cover Flange

Waveguide Transitions Technical Data Sheet

PEWTS1010

Typical Performance Data



WR-34 to WR-28 Waveguide Transition 2 Inch Length, UG-1530/U Square Cover Flange to UG-599/U Square Cover Flange from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.


Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [WR-34 to WR-28 Waveguide Transition 2 Inch Length, UG-1530/U Square Cover Flange to UG-599/U Square Cover Flange PEWTS1010](http://www.pasternack.com/wr34-wr28-waveguide-transition-ug1530-square-cover-ug599-pewts1010-p.aspx)

URL: <http://www.pasternack.com/wr34-wr28-waveguide-transition-ug1530-square-cover-ug599-pewts1010-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.

# PEWTS1010 CAD Drawing

WR-34 to WR-28 Waveguide Transition 2 Inch Length, UG-1530/U  
 Square Cover Flange to UG-599/U Square Cover Flange



**STANDARD TOLERANCES**  
 .X ±0.2  
 .XX ±0.1  
 .XXX ±0.05

\*STANDARD TOLERANCES APPLY ONLY TO DIMENSIONS IN INCHES

**NOTES:**  
 1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.  
 2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.  
 3. DIMENSIONS ARE IN INCHES [mm].

DWG TITLE  
**PEWTS1010**

**(PE) PASTERNAK®**  
 THE ENGINEER'S RF SOURCE  
 Pasternack Enterprises, Inc.  
 P.O. Box 16759 | Irvine | CA | 92623  
**Phone:** (949) 261-1920 | **Fax:** (949) 261-7451  
**Website:** www.pasternack.com | **E-Mail:** sales@pasternack.com

FSCM NO. 53919

CAD FILE 010616 SCALE N/A SIZE A 2233