

136-174 MHz Telescopic Antenna, 3.5 dBi gain, BNC Male Connector, Vertical Polarization

## **Antennas Technical Data Sheet**

### PEANRBD1032

#### **Features**

- 136 MHz to 174 MHz, 3.5 dBi Gain
- · BNC-Male connector
- Telescopic radiator
- · Plug and play

# **Applications**

- · PtP or PtMP applications
- · Trunking for two-way radio comms
- · VHF applications
- · Public Safety / Emergency services

- · 50W power handling
- VSWR < 1.5:1</li>
- · Vertical polarization
- Black
- · Marine / Rail road communications
- · P-25 applications exclusively supported
- · Land mobile radio (LMR)
- · Fixed and mobile services

#### Description

Vertical polarized antenna PEANRBD1032 from Pasternack is part of our extensive in-stock omni directional antennas that ship the same day from our ISO 9001:2015 certified facility. The antenna with 136 to 174 MHz frequency range has a maximum input VSWR of 1.5:1. This omni directional antenna has BNC male connector.

This antenna has a black radome, an overall length of 51.2 in, width of 0.50 in, and weighs 0.33 lbs. Pasternack's PEANRBD1032 is a single band antenna operating from 136 to 174 MHz with 3.5 dBi gain.

Pasternack's experts are on hand to assist you with any inquiries. Order this PEANRBD1032 antenna 7 days a week, 24 hours a day using our on-line ordering system with no MOQs (minimum order quantity) and same-day shipping.

## Configuration

Design
Band Type
Radiation Pattern
Polarization

Rubber Duck Single

Omni Directional

Vertical BNC Male

#### **Electrical Specifications**

Connector Type

Minimum	Typical	Maximum	Units
136		174	MHz
		1.5:1	
	50		Ohms
	3.5		dBi
		50	Watts
		136	136 174 1.5:1 50 3.5

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 136-174 MHz Telescopic Antenna, 3.5 dBi gain, BNC Male Connector, Vertical Polarization PEANRBD1032

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 **Phone:** (866) 727-8376 or (949) 261-1920 • **Fax:** (949) 261-7451



136-174 MHz Telescopic Antenna, 3.5 dBi gain, BNC Male Connector, Vertical Polarization

## **Antennas Technical Data Sheet**

PEANRBD1032

**Mechanical Specifications** 

Radome Material Black

Size

 Overall Length
 7.48 in [189.99 mm]

 Width
 0.5 in [12.7 mm]

 Height
 0.5 in [12.7 mm]

 Weight
 0.33 lbs [149.69 g]

**Environmental Specifications** 

Temperature

Operating Range -40 to +80 deg C

Compliance Certifications (see product page for current document)

#### **Plotted and Other Data**

Notes:

136-174 MHz Telescopic Antenna, 3.5 dBi gain, BNC Male Connector, Vertical Polarization from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99.4% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 136-174 MHz Telescopic Antenna, 3.5 dBi gain, BNC Male Connector, Vertical Polarization PEANRBD1032

URL: https://www.pasternack.com/3.5-dbi-rubber-duck-antenna-136-174-mhz-bnc-male-connector-peanrbd1032-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.

# **PEANRBD1032 CAD Drawing**

136-174 MHz Telescopic Antenna, 3.5 dBi gain, BNC Male Connector, Vertical Polarization

