

WR-12 Waveguide Lens Horn Antenna Operating from 72 GHz to 82 GHz with a Nominal 32 dBi Gain with UG-387/U Round Cover Flange



Gain Horns Technical Data Sheet

PEWAN1081

Features

- Rectangular Waveguide Interface
- 77 GHz center frequency

Applications

- Antenna Measurements
- Wireless Communication

- 32 dBi Nominal Gain
- UG-387/U Round Cover Flange
- Laboratory Use
- Microwave Radio Systems

Description

Waveguide horn lens antennas are used in a wide variety of applications due to their high power handling capability, low loss, high directivity, and near constant electrical performance across a broad bandwidth. Pasternack's PEWAN1081 WR-12 waveguide horn lens antenna operating from 77 GHz center frequency with a nominal 32 dBi gain is part of our full line of RF components available for same-day shipping. This Pasternack circular horn antenna has a precision tolerance UG-387/U round cover flange. The PEWAN1081 WR-12 waveguide horn lens antenna offers low gain variation across its operating frequency range.

Configuration

| Design | WR-12 Lens Horn |
|--------------|-----------------|
| Pattern | Directional |
| Polarization | Linear |
| | |

Electrical Specifications

| Description | Minimum | Typical | Maximum | Units |
|----------------------------------|---------|---------|---------|---------|
| Frequency Range | 72 | | 82 | GHz |
| Nominal Gain | | 32 | | dBi |
| Horizontal Half Power Beam Width | | 4 | | Degrees |
| Vertical Half Power Beam Width | | 4 | | Degrees |
| VSWR | | 1.5:1 | | |

Mechanical Specifications

| Size | |
|---------------------|----------------------|
| Length | 6.16 in [156.46 mm] |
| Width | 3 in [76.2 mm] |
| Height | 3 in [76.2 mm] |
| Weight | 0.769 lbs [348.81 g] |
| Waveguide Interface | |
| Waveguide Size | WR-12 |
| Flange Type | Round Cover |
| Flange Designation | UG-387/U |

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: WR-12 Waveguide Lens Horn Antenna Operating from 72 GHz to 82 GHz with a Nominal 32 dBi Gain with UG-387/U Round Cover Flange PEWAN1081

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 Phone: (866) 727-8376 or (949) 261-1920 • Fax: (949) 261-7451

Sales@Pasternack.com • Techsupport@Pasternack.com



WR-12 Waveguide Lens Horn Antenna Operating from 72 GHz to 82 GHz with a Nominal 32 dBi Gain with UG-387/U Round Cover Flange

Gain Horns Technical Data Sheet



PEWAN1081


Body Material and Plating

Aluminum

Compliance Certifications (see product page for current document)

Plotted and Other Data

Typical Performance Data



Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: WR-12 Waveguide Lens Horn Antenna Operating from 72 GHz to 82 GHz with a Nominal 32 dBi Gain with UG-387/U Round Cover Flange PEWAN1081

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 **Phone:** (866) 727-8376 or (949) 261-1920 • **Fax:** (949) 261-7451 Sales@Pasternack.com • Techsupport@Pasternack.com



PEWAN1081

WR-12 Waveguide Lens Horn Antenna Operating from 72 GHz to 82 GHz with a Nominal 32 dBi Gain with UG-387/U Round Cover Flange

Gain Horns Technical Data Sheet

dBi Gain 50 45 40 35 30 25 20 15 10 5 0 76 72 GHz 73 74 75 77 78 79 80 81 82

WR-12 Waveguide Lens Horn Antenna Operating from 72 GHz to 82 GHz with a Nominal 32 dBi Gain with UG-387/U Round Cover Flange from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99.4% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: WR-12 Waveguide Lens Horn Antenna Operating from 72 GHz to 82 GHz with a Nominal 32 dBi Gain with UG-387/U Round Cover Flange PEWAN1081

URL: https://www.pasternack.com/wr-12-waveguide-gain-horn-antenna-32dbi-ug-387-round-flange-pewan1081-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.

PEWAN1081 CAD Drawing WR-12 Waveguide Lens Horn Antenna Operating from 72 GHz to 82 GHz with a Nominal 32 dBi Gain with UG-387/U Round Cover Flange

