

TE Internal #: L9000015-01

Patch Antenna, Single Band, Zigbee / Bluetooth / ISM, Internal /Embedded Mount, Through-Hole/Tab Mount, Solder, Directional, Single Port

View on TE.com >



Antennas



Wireless Application: Bluetooth, ISM, Zigbee
Mounting Location: Internal/Embedded
Mounting Type: Through-Hole/Tab Mount

Frequency Category: 2400 - 2500

Antenna Type: Patch

Features

Product Type Features

Antenna Termination	Solder
Antenna Product Type	Antenna
Configuration Features	
Antenna Style	Patch
Mounting Location	Internal/Embedded

Mounting Location	Internal/Embedded
Antenna Type	Patch
Band Type	Single Band

Port Configuration Single Port

Electrical Characteristics

VSWR (Max)	<2.7:1
Impedance	50 Ω

Signal Characteristics

Gain (Max)	5.5 dB
Frequency Band	2400 - 2485 MHz
Frequency Category	2400 - 2500
Peak Gain	3 < 6 dBi

Body Features



Mechanical Attachment	
Polarization	RHCP
Mounting Type	Through-Hole/Tab Mount
Dimensions	
Product Width	20 mm[.79 in]
Product Length	20 mm[.79 in]
Product Height	4 mm[.16 in]
Operation/Application	
Directionality	Directional
Industry Standards	
Wireless Application	Bluetooth, ISM, Zigbee
Primary Application	Bluetooth, ISM, Zigbee
Packaging Features	
Packaging Method	Box & Tray

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for



substances in articles'(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts





TE Part # CONREVSMA002-SMD-G
RP-SMA RA Jack 50 Ohm PCB Surface
Mount





Customers Also Bought





TE Part # 1761607-6
IDC LOW PRO HDR 16P RA LG LAT
BLK



TE Part # 1986660-2 2 Posn Power Connector, Green, 10.16 mm



97X2.00MM









Documents

Product Drawings

Antenna CER Patch 20mm Sq 2.45GHz Adh

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_L9000015-01_A.2d_dxf.zip

English

Patch Antenna, Single Band, Zigbee / Bluetooth / ISM, Internal/Embedded Mount, Through-Hole/Tab Mount, Solder, Directional, Single Port



Customer View Model

ENG_CVM_CVM_L9000015-01_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_L9000015-01_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use

Datasheets & Catalog Pages

2.4 GHz Directional Embedded Ceramic Patch Antenna

English