



REVISIONS			
REV	DESCRIPTION	DATE	APPV
A	PRODUCTION RELEASE	JHAGER 3/17/22	

- NOTES: (UNLESS OTHERWISE SPECIFIED)
1. ALL DIMENSIONS ARE IN MILLIMETERS [IN].
 2. DIMENSIONS APPLY AFTER FINISHING.
 3. MANUFACTURE TO BE COMPLIANT WITH EU RoHS DIRECTIVE, USE MATERIALS THAT DO NOT CONTAIN REACH SUBSTANCES OF VERY HIGH CONCERN >1000ppm, AND USE DRC CONFLICT-FREE SOURCED MATERIALS.
 4. ELECTRICAL SPECIFICATIONS ARE LISTED FOR REFERENCE ONLY. SEE LINX DATA SHEET FOR ELECTRICAL PROPERTIES.
 1. IMPEDANCE: 50Ω
 2. FREQUENCY: BAND L1, L5
 3. VSWR: NTE 2.0
 5. PRODUCT QUALIFIED IAW LINX TEST PLAN AT CURRENT REVISION.
 6. MECHANICAL:
 1. OPERATING TEMPERATURE: -40° ~ +85°C
 2. HUMIDITY: 40% ~ 95% RH
 7. UNLISTED DIMENSIONS ARE CONTROLLED BY SOLID MODEL AT LATEST REVISION.



LINX PART NUMBER	CABLE LENGTH
ANT-GNRM-L15A-1	1M ± 10mm
ANT-GNRM-L15A-3	3M ± 30mm
ANT-GNRM-L15A-5	5M ± 50mm

WARNING: THIS DRAWING CONTAINS PROPRIETARY INFORMATION THAT IS THE SOLE PROPERTY OF LINX TECHNOLOGIES, AND SHALL BE TREATED AS SUCH. NO DISCLOSURE OR REPRODUCTION OF THIS DOCUMENT IS PERMITTED, IN WHOLE OR IN PART, WITHOUT THE EXPRESS WRITTEN PERMISSION OF LINX TECHNOLOGIES OR ITS DESIGNATED AGENTS.			
MATERIAL: PC+ABS BRASS	INTERPRET DIMENSIONS AND TOLERANCES PER ASME Y14.5. .X ±2.0 .XX ±1.00 .XXX ±.500		PROJECTION:
WEIGHT:	ANGLES: ±1° SURFACE:	TITLE: GNSS Antenna L1/L5 Bands, Remote Magnetic, 1m Cable, SMA	
FINISH: BLACK GOLD	DRAWN: JHAGER ENGR: DASARATHAN	DT: 3/16/22 DT: 3/16/22	SIZE B DWG. NO. C-ANT-GNRM-L15A-X REV A
SCALE: 1:1		DO NOT SCALE DRAWING	SHEET 1 OF 1