





HOLE PATTERN



REVISIONS			
REV	DESCRIPTION	DATE	APPV
A	PRODUCTION RELEASE	JHAGER 3/24/22	

NOTES: (UNLESS OTHERWISE SPECIFIED)

- ALL DIMENSIONS ARE IN MILLIMETERS [IN].
- DIMENSIONS APPLY AFTER FINISHING.
- MANUFACTURE TO BE COMPLIANT WITH EU RoHS DIRECTIVE, USE MATERIALS THAT DO NOT CONTAIN REACH SUBSTANCES OF VERY HIGH CONCERN >1000ppm, AND USE DRC CONFLICT-FREE SOURCED MATERIALS.
- ELECTRICAL PROPERTIES SHOWN FOR REFERENCE ONLY. SEE LINX DATA SHEET FOR COMPLETE SPECIFICATIONS:
 - IMPEDANCE: 50Ω
 - FREQUENCY: 4.8GHz-6GHz
 - VSWR: NTE 2.0
- ANTENNA QUALIFIED IAW LINX INTERNAL TEST PLAN AT LATEST REVISION.
- MECHANICAL PROPERTIES:
 - USE TEMPERATURE: [SEE MATERIAL PROPERTIES]
 - BREAK AND DEBURR ALL SHARP EDGES
 - INTERNAL BEND RADIUS NTE 0.5T
- PACKAGE ANTENNAS INDIVIDUALLY IN TRAY BEFORE PLACING IN LOT BAG. LABEL ALL LOT BAGS, TRAYS AND BOXES WITH THE FOLLOWING INFORMATION ONLY

WARNING: THIS DRAWING CONTAINS PROPRIETARY INFORMATION THAT IS THE SOLE PROPERTY OF LINX TECHNOLOGIES, AND SHALL BE TREATED AS SUCH. NO DISCLOSURE OR REPRODUCTION OF THIS DOCUMENT IS PERMITTED, IN WHOLE OR IN PART, WITHOUT THE EXPRESS WRITTEN PERMISSION OF LINX TECHNOLOGIES OR ITS DESIGNATED AGENTS.

MATERIAL:	INTERPRET DIMENSIONS AND TOLERANCES PER ASME Y14.5.		PROJECTION:
CuNi [Cupranickel]	.X ±2.0 .XX ±1.00 .XXX ±.500	ANGLES: ±1° SURFACE: $\sqrt{32}$	
FINISH:	DRAWN: JHAGER	DT: 3/23/22	
	ENGR: DASARATHAN	DT: 3/23/22	



159 ORT LANE
MERLIN, OR 97532

TITLE:
ANTENNA W63 METAL STAMP BOARD MOUNT

SIZE	DWG. NO.	REV
A	C-ANT-W63-MSA-TH1	A

SCALE: 2:1	DO NOT SCALE DRAWING	SHEET 1 OF 1
------------	----------------------	--------------