



2311151482 Additional Assembly, Test & Ship Site for EFM32PG23, EFR32FG23/SG23/ZG23

PCN Issue Date: Nov 15, 2023

Effective Date: Feb 21, 2024

PCN Type: Assembly; Test

Description of Change

Silicon Labs is pleased to announce the successful qualification of UTAC Thailand (UTL) as an additional assembly, test and ship site for EFM32PG23, EFR32FG23, EFR32SG23, EFR32ZG23. UTL is an existing assembly and test site for Silicon Labs, and is certified to ISO9001, ISO14001 and IATF 16949.

UTL 1 Address - Assembly Site
UTAC Thai Limited (UTL 1)
237 Lasalle Rd. (Sukhumvit 105)
Bangna, Bangkok 10260, Thailand

UTL3 Address - Assembly, Test and Ship Site
UTAC Thai Limited (UTL3)
73 Moo5, Wellgrow Industrial Estate
Bangsamak, Bangpakong,
Chachoengsao, 24180, Thailand

As of the effective date of the PCN, Silicon Labs may ship from either of the qualified sites.

Reason for Change

Additional ship site for capacity expansion

Impact on Form, Fit, Function, Quality, Reliability

There is no impact on form, fit, function, quality, and reliability. The devices shipped from UTAC will comply with Silicon Labs' relevant datasheets and quality levels.

Product Identification

Existing Part #
EFM32PG23B200F128IM40-C
EFM32PG23B200F128IM40-CR
EFM32PG23B200F256IM40-C
EFM32PG23B200F256IM40-CR
EFM32PG23B200F512IM40-C
EFM32PG23B200F512IM40-CR
EFM32PG23B200F64IM40-C
EFM32PG23B200F64IM40-CR
EFM32PG23B210F128IM48-C
EFM32PG23B210F128IM48-CR
EFM32PG23B210F256IM48-C
EFM32PG23B210F256IM48-CR
EFM32PG23B210F512IM48-C
EFM32PG23B210F512IM48-CR
EFM32PG23B210F64IM48-C
EFM32PG23B210F64IM48-CR
EFM32PG23B310F128IM48-C

EFM32PG23B310F128IM48-CR
EFM32PG23B310F256IM48-C
EFM32PG23B310F256IM48-CR
EFM32PG23B310F512IM48-C
EFM32PG23B310F512IM48-CR
EFM32PG23B310F64IM48-C
EFM32PG23B310F64IM48-CR
EFR32FG23A010F256GM40-C
EFR32FG23A010F256GM40-CR
EFR32FG23A010F256GM48-C
EFR32FG23A010F256GM48-CR
EFR32FG23A010F512GM40-C
EFR32FG23A010F512GM40-CR
EFR32FG23A010F512GM48-C
EFR32FG23A010F512GM48-CR
EFR32FG23A010PZ047GM48-C
EFR32FG23A010PZ047GM48-CR
EFR32FG23A011F512GM40-C
EFR32FG23A011F512GM40-CR
EFR32FG23A020F256GM40-C
EFR32FG23A020F256GM40-CR
EFR32FG23A020F256GM48-C
EFR32FG23A020F256GM48-CR
EFR32FG23A020F512GM40-C
EFR32FG23A020F512GM40-CR
EFR32FG23A020F512GM48-C
EFR32FG23A020F512GM48-CR
EFR32FG23A021F512GM40-C
EFR32FG23A021F512GM40-CR
EFR32FG23B010F128GM40-C
EFR32FG23B010F128GM40-CR
EFR32FG23B010F512IM40-C
EFR32FG23B010F512IM40-CR
EFR32FG23B010F512IM48-C
EFR32FG23B010F512IM48-CR
EFR32FG23B020F128GM40-C
EFR32FG23B020F128GM40-CR
EFR32FG23B020F512IM40-C
EFR32FG23B020F512IM40-CR
EFR32FG23B020F512IM48-C
EFR32FG23B020F512IM48-CR
EFR32FG23B020PZ032GM40-C
EFR32FG23B020PZ032GM40-CR
EFR32FG23B021F512IM40-C
EFR32FG23B021F512IM40-CR
EFR32FG23B021F512IM48-C
EFR32FG23B021F512IM48-CR
EFR32FG23B021M1740IM40-C
EFR32FG23B021M1740IM40-CR
EFR32SG23B020F512IM40-C
EFR32SG23B020F512IM40-CR
EFR32ZG23A010F512GM40-C
EFR32ZG23A010F512GM40-CR
EFR32ZG23A010F512GM48-C
EFR32ZG23A010F512GM48-CR
EFR32ZG23A020F512GM40-C
EFR32ZG23A020F512GM40-CR
EFR32ZG23A020F512GM48-C
EFR32ZG23A020F512GM48-CR
EFR32ZG23B010F512IM40-C
EFR32ZG23B010F512IM40-CR
EFR32ZG23B010F512IM48-C
EFR32ZG23B010F512IM48-CR
EFR32ZG23B011F512IM40-C
EFR32ZG23B011F512IM40-CR
EFR32ZG23B020F512IM40-C
EFR32ZG23B020F512IM40-CR

EFR32ZG23B020F512IM48-C
EFR32ZG23B020F512IM48-CR
EFR32ZG23B021F512IM40-C
EFR32ZG23B021F512IM40-CR

Last Date of Unchanged Product: Feb 21, 2024

Qualification Samples

Available upon request

Customer Response

Lack of acknowledgment of the PCN within 30 days constitutes acceptance of the change, Ref. JEDEC-J-STD-046.

To request further data or inquire about this notification, please contact your Silicon Labs sales representative. A list of Silicon Labs sales representatives is available at <http://www.silabs.com>.

Customers may approve early PCN acceptance by emailing approval, along with PCN # to PCN@silabs.com

User Registration

Register today to create your account on Silabs.com. Your personalized profile allows you to receive technical document updates, new product announcements, "how-to" and design documents, product change notices (PCN) and other valuable content available only to registered users. <http://www.silabs.com/profile>

Qualification Data

See attached



EFR32xG23 AEC-Q100 UTATCH Assembly Qualification Report

The information contained in this document is CONFIDENTIAL and PROPRIETARY to Silicon Labs and is intended only for the internal use of Silicon Labs. Any other use or reproduction of any part of this document is prohibited without Silicon Labs' written consent. Any use of this document outside of Silicon Labs is solely at the risk of the user. Silicon Labs disclaims all warranties concerning the accuracy of the information contained in this document. This document is version controlled; printed or electronically saved versions of this documents may be obsolete. Any misuse of this document should be reported to DL.QualitySystems@silabs.com

Part Rev C, TSMC Fabrication, UTATCH Assembly 48 QFN 6x6 unless noted							
Test Name	Test Condition	Qualification	Lot ID or Start	Fail/Pass or End	Notes	Summary	Status
Test Group A – Accelerated Environment Stress Tests							
HAST	AEC-Q006 130°C, 85%RH Vcc=3.63V, 192 hours	3 lots, N=>77	Q050004 Q050262 Q050003 Q050004	0/69 0/5 0/70 0/70	1 1 1 1	5 lots 0/214	Pass
UHAST	AEC/JESD22-A118 130°C, 85%RH 96 hours	3 lots, N=>77	Q050010 Q050009 Q050008	0/80 0/80 0/80	1 1 1	3 lots 0/240	Pass
Temp Cycle	AEC-Q006 Cond C: -65°C to 150°C 1000 cycles	3 lots, N=>77	Q050007 Q050006 Q050005	0/74 0/74 0/74	1 1 1	3 lots 0/222	Pass
HTSL	AEC-Q006 150°C, 2000hr	1 lot, N=>45	Q050001 Q050000 Q049999	0/48 0/48 0/48	1 1 1	3 lots 0/144	Pass
Test Group C – Package Assembly Integrity Tests							
Wire Bond Shear	AEC-Q100-001	5 units, N=>30	SLEQP0023.1 SLEQP0024.1 SLEQP0025.1 SLEEQ0004.1	0/30 0/30 0/30 0/30	2	4 lots 0/120	Pass
Wire Bond Pull	AEC-Q006 Performed post-TC	5 units, N=>30	Q050007 Q050006 Q050005	0/30 0/30 0/30		3 lots 0/90	Pass
Physical Dimensions	JB100	3 lots, N=>10	SLEQP0023.1 SLEQP0024.1 SLEQP0025.1 SLEEQ0004.1	0/30 0/30 0/30 0/30	2	4 lots 0/120	Pass
Solderability	J-STD-002	1 lot, N=>15	SLEQP0023.1 SLEQP0024.1 SLEQP0025.1 SLEEQ0004.1	0/10 0/10 0/10 0/10	2	4 lots 0/40	Pass



EFR32xG23 AEC-Q100 UTATCH Assembly Qualification Report


The information contained in this document is CONFIDENTIAL and PROPRIETARY to Silicon Labs and is intended only for the internal use of Silicon Labs. Any other use or reproduction of any part of this document is prohibited without Silicon Labs' written consent. Any use of this document outside of Silicon Labs is solely at the risk of the user. Silicon Labs disclaims all warranties concerning the accuracy of the information contained in this document. This document is version controlled; printed or electronically saved versions of this documents may be obsolete. Any misuse of this document should be reported to DL.QualitySystems@silabs.com

Part Rev C, TSMC Fabrication, UTATCH Assembly 48 QFN 6x6 unless noted							
Test Name	Test Condition	Qualification	Lot ID or Start	Fail/Pass or End	Notes	Summary	Status
Test Group E – Electrical Verification							
ESD-CDM	AEC-Q100-011	1 lot, N=>3	Q050121			TC 250	Class C1
			Q050138		2	TC 500	Class C2
Electromagnetic Compatibility	SAE J1752	1 lot, N=>1	Q050187				Pass
			Q050215		2		

Notes:

1. Parts are Pre-conditioned at MSL2/260°C
2. 40 QFN 5x5

This report applies to the following part numbers:		
EFM32PG23B200F128IM40-CR	EFR32FG23A010F256GM48-CR	EFR32FG23B020F512IM40-CR
EFM32PG23B200F256IM40-CR	EFR32FG23A010F512GM40-CR	EFR32FG23B020F512IM48-CR
EFM32PG23B200F512IM40-CR	EFR32FG23A010F512GM48-CR	EFR32FG23B021F512IM40-CR
EFM32PG23B200F64IM40-CR	EFR32FG23A011F512GM40-CR	EFR32FG23B021F512IM48-CR
EFM32PG23B210F128IM48-CR	EFR32FG23B020F128GM40-CR	EFR32SG23B020F512IM40-CR
EFM32PG23B210F256IM48-CR	EFR32FG23A020F256GM40-CR	EFR32ZG23A010F512GM40-CR
EFM32PG23B210F512IM48-CR	EFR32FG23A020F256GM48-CR	EFR32ZG23A010F512GM48-CR
EFM32PG23B210F64IM48-CR	EFR32FG23A020F512GM40-CR	EFR32ZG23A020F512GM40-CR
EFM32PG23B310F128IM48-CR	EFR32FG23A020F512GM48-CR	EFR32ZG23A020F512GM48-CR
EFM32PG23B310F256IM48-CR	EFR32FG23A021F512GM40-CR	EFR32ZG23B010F512IM40-CR
EFM32PG23B310F512IM48-CR	EFR32FG23B010F128GM40-CR	EFR32ZG23B010F512IM48-CR
EFM32PG23B310F64IM48-CR	EFR32FG23B010F512IM40-CR	EFR32ZG23B011F512IM40-CR
EFR32FG23A010F256GM40-CR	EFR32FG23B010F512IM48-CR	EFR32ZG23B020F512IM48-CR
		EFR32ZG23B021F512IM40-CR



Disclaimer

Silicon Labs intends to provide customers with the latest, accurate, and in-depth documentation of all peripherals and modules available for system and software implementers using or intending to use the Silicon Labs products. Characterization data, available modules and peripherals, memory sizes and memory addresses refer to each specific device, and "Typical" parameters provided can and do vary in different applications. Application examples described herein are for illustrative purposes only. Silicon Labs reserves the right to make changes without further notice and limitation to product information, specifications, and descriptions herein, and does not give warranties as to the accuracy or completeness of the included information. Silicon Labs shall have no liability for the consequences of use of the information supplied herein. This document does not imply or express copyright licenses granted hereunder to design or fabricate any integrated circuits. The products are not designed or authorized to be used within any Life Support System without the specific written consent of Silicon Labs. A "Life Support System" is any product or system intended to support or sustain life and/or health, which, if it fails, can be reasonably expected to result in significant personal injury or death. Silicon Labs products are not designed or authorized for military applications. Silicon Labs products shall under no circumstances be used in weapons of mass destruction including (but not limited to) nuclear, biological or chemical weapons, or missiles capable of delivering such weapons.

Trademark Information

Silicon Laboratories Inc.®, Silicon Laboratories®, Silicon Labs®, SiLabs® and the Silicon Labs logo®, Bluegiga®, Bluegiga Logo®, Clockbuilder®, CMEMS®, DSPLL®, EFM®, EFM32®, EFR®, Ember®, Energy Micro, Energy Micro logo and combinations thereof, "the world's most energy friendly microcontrollers", Ember®, EZLink®, EZRadio®, EZRadioPRO®, Gecko®, ISOModem®, Micrium®, Precision32®, ProSLIC®, Simplicity Studio®, SiPHY®, Telegesis, the Telegesis Logo®, USBXpress®, Zentri and others are trademarks or registered trademarks of Silicon Labs. ARM, CORTEX, Cortex-M3 and THUMB are trademarks or registered trademarks of ARM Holdings. Keil is a registered trademark of ARM Limited. All other products or brand names mentioned herein are trademarks of their respective holders.



Silicon Laboratories Inc.
400 West Cesar Chavez
Austin, TX 78701

<http://www.silabs.com>