







F


E

D

C


B

A




12 IN / 4 OUT IN PRINTING

M8 KEY SEE TABLE 1



SCALE 1:1

WINDOW KEY SEE TABLE 1



SCALE 2:1

TABLE 1 12 IN / 4 OUT PRINTING

HARSH SAFETY I/O						3D MODEL NO.
POWER TYPE	KEY TYPE	INPUT/OUTPUT		ENG. NO	P/N	
7/8" 5 POLE	M8 KEY	12 IN	4 OUT	TCDEC-8B4P-D1U-G8	1120955129	1120955091 (PDM)
7/8" 5 POLE	M8 KEY	12 IN	2 BIPOLAR OUT	TCDEC-8B4B-D1U-G8	1120955130	
7/8" 5 POLE	WINDOW KEY	12 IN	4 OUT	TCDEC-8B4P-D1U-GW	1120955111	
7/8" 5 POLE	WINDOW KEY	12 IN	2 BIPOLAR OUT	TCDEC-8B4B-D1U-GW	1120955112	
7/8" 4 POLE	M8 KEY	12 IN	4 OUT	TCDEC-8B4P-DYU-G8	1120955127	1120955087 (PDM)
7/8" 4 POLE	M8 KEY	12 IN	2 BIPOLAR OUT	TCDEC-8B4B-DYU-G8	1120955128	
7/8" 4 POLE	WINDOW KEY	12 IN	4 OUT	TCDEC-8B4P-DYU-GW	1120955107	
7/8" 4 POLE	WINDOW KEY	12 IN	2 BIPOLAR OUT	TCDEC-8B4B-DYU-GW	1120955108	
7/8" 4 POLE	M8 KEY	12 IN	4 OUT	TCDEC-8B4P-DYU-G8C	1120955104	
7/8" 4 POLE	M8 KEY	12 IN	2 BIPOLAR OUT	TCDEC-8B4B-DYU-G8C	1120955109	
7/8" 4 POLE	WINDOW KEY	12 IN	4 OUT	TCDEC-8B4P-DYU-GWC	1120955105	
7/8" 4 POLE	WINDOW KEY	12 IN	2 BIPOLAR OUT	TCDEC-8B4B-DYU-GWC	1120955110	

FUNCTIONAL SYMBOLS FA = 0 FE = 0 FE = 0 DIVISIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
	DIMENSION UNITS mm	SCALE 1:1								
	CURRENT REV DESC: ADDED 4 NEW PART NUMBERS TO THE PART LIST									
	GENERAL TOLERANCES (UNLESS SPECIFIED)									
	ANGULAR TOL ± °									
DIVISIONAL SYMBOLS	4 PLACES ±	EC NO: 765700 DRWN: FDAFERNER 2023/10/10 CHK'D: RSILLER 2023/10/13 APPR: RSILLER 2023/10/13 INITIAL REVISION: DRWN: ULETTENMEIER 2015/02/09 APPR: RSILLER 2015/11/13								
	3 PLACES ±									
	2 PLACES ±									
	1 PLACE ±									
	0 PLACES ± 0.1									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING A3-SIZE	SERIES 112095	MATERIAL NUMBER SEE TABLE	CUSTOMER GENERAL MARKET	DOCUMENT NUMBER 1120955087	DOC TYPE PSD	DOC PART 000	REVISION B2