



Connectors > Connector Accessories > Connector Caps & Covers



Connector Cover Type: **Carrier**

Primary Product Color: **Black**

Primary Product Material: **PC + ABS**

Operating Temperature (Max): **100 °C [212 °F]**

Operating Temperature Range: **-25 - 100 °C [-13 - 212 °F]**

Features

Product Type Features

Connector Cover Type	Carrier
----------------------	---------

Body Features

Primary Product Color	Black
Primary Product Material	PC + ABS

Usage Conditions

Operating Temperature (Max)	100 °C[212 °F]
Operating Temperature Range	-25 - 100 °C[-13 - 212 °F]

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Box & Tray
------------------	------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240)



Candidate List Declared Against: JAN 2024
(240)

Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-L59017-A76
LGA 3647 Sockets



TE Part # 2821722-2
IFP/LEC CBL ASSY 1 PORT TYPE B STR INV



TE Part # 2821722-3
IFP/LEC CBL ASSY 1 PORT TYPE B STR INV



TE Part # 2821722-4
IFP/LEC CBL ASSY 1 PORT TYPE B STR INV

TE Part # 2-2822549-5
LGA3647-0 SOCKET-P0 KIT (30U AU PLATING)

Customers Also Bought



TE Part # 2149027-1
MiniSAS HD 1x1 Rec Assy



TE Part # 3-5177986-5
0.8FH,P08H.5,120,08/Sn,TR,SC



TE Part # 3-1827231-6
.5FHR04H,440,B,GIG,08/Sn,HT,NS




TE Part # 2023308-3
(LCEDI) SR interface Rec conn 40pos




TE Part # 1-2170704-1
CAGE ASSY, QSFP28 1X1, SPRING, HS



TE Part # 6-1734774-4
PCI EXP 3.1L 164 POS BLK G/F




TE Part # 9-2057460-0
STRADA MESA,HD,ST,056,000,06,SN,
N,40



TE Part # 2227595-2
1X1 VERT ASSY, MINI SAS HD
INTERNAL



TE Part # 6651430-1
TA CONN,PIN



TE Part # 2360512-4
CA, 2 POS BUSBAR MATING TO R
LUG 180MM

Documents

Product Drawings

NRW NON-FABRIC CARRIER, SOCKET P0

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_2299806-1_A.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2299806-1_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2299806-1_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages



LGA 3647 Socket Product Flyer

English