

Part Number : 2244115216

Product Description: SW1-to-Battery Cable Lug Off-the-Shelf (OTS) Cable Assembly, 8.00mm Diameter, Female, 1000.00mm

Length, 1/0 AWG, Red

Series Number: 224411 Status: Active

**Product Category:** Power and Signal Cable

**Assemblies** 

#### **Documents & Resources**

### **Drawings**

Drawing 2244115216\_sd.pdf

## **Product Environment Compliance**

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	<b>©</b>
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2- 21
REACH SVHC	Not Contained per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Compliant per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

#### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## EU RoHS Certificate of Compliance

#### **Part Details**

## General

Status	Active
Category	Power and Signal Cable Assemblies
Series	224411
Description	SW1-to-Battery Cable Lug Off-the- Shelf (OTS) Cable Assembly, 8.00mm Diameter, Female, 1000.00mm Length, 1/0 AWG, Red
Application	Power, Wire-to-Busbar, Wire-to- Board
Assembly Configuration	Dual Ended Connectors
Connector to Connector	SW1 8.00mm-to-Battery Cable Lug
Product Family	SW1 Connectors
Product Name	SW1
Туре	Discrete Wire Assembly
UPC	196823528644

## Electrical

Current - Maximum per Contact	185.0A
Voltage - Maximum	1000V

# Physical

Cabla Lawath	1000 00000
Cable Length	1000.00mm
Circuits (Loaded)	1
Circuits (maximum)	1
Color - Resin	Red
Gender	Female-Female
Lock to Mating Part	Yes
Material - Metal	Copper Alloy
Material - Plating Mating	Gold
Material - Plating Termination	Silver
Material - Resin	PBT
Net Weight	646.845/g
Number of Rows	1
Overmolded	No
Packaging Type	Bag

Single Ended	No
Termination Interface Style	Crimp or Compression
Wire/Cable Type	UL 3132
Wire Insulation Diameter	14.00mm
Wire Size (AWG)	1/0

## Mates With / Use With

## Mates with Part(s)

Description	Part Number
SideWize High-Current Locking Pins	<u>216939</u>
SideWize High-Current Locking Pins	<u>218372</u>

This document was generated on Apr 08, 2024