

CROWN CLIP

TE Internal #: 2178531-1 Busbar Connectors, Board-to-Bus Bar, 1 Position, Printed Circuit Board, Thermoplastic, Black, Swage Mount, Tray, Right Angle, Vertical, Copper Alloy

View on TE.com >

Connectors > Power Connectors > Busbar Connectors



Connector System: Board-to-Bus Bar Number of Positions: 1 Connector & Contact Terminates To: Printed Circuit Board Mating Conductor Thickness: 3 mm [.118 in] Housing Material: Thermoplastic

Features



Product Type Features

Connector & Housing Type	Receptacle
Connector System	Board-to-Bus Bar
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Number of Positions	1
PCB Mount Orientation	Right Angle
Mating & Unmating Configuration	Hot Pluggable
Body Features	
Bus Bar Contact Plating Material	Silver
Contact Features	
Contact Base Material	Copper Alloy
Contact Base Material Contact Current Rating (Max)	Copper Alloy 170 A

C For support call+1 800 522 6752

2178531-1

Busbar Connectors, Board-to-Bus Bar, 1 Position, Printed Circuit Board, Thermoplastic, Black, Swage Mount, Tray, Right Angle, Vertical, Copper Alloy



Termination Features

Termination Method to Printed Circuit Board	Through Hole - Solder
Mechanical Attachment	
Mating Alignment	Without
Bus Bar Connector Mounting Retention	Without
PCB Mount Retention Type	Retention Solder Tails
Bus Bar Mount Retention Type	Swage Mount
Bus Bar Mount Orientation	Vertical
Connector Mounting Type	Board Mount
Housing Features	
Housing Material	Thermoplastic
Housing Color	Black
Usage Conditions	
Operating Temperature Range	-65 – 105 °C[-85 – 221 °F]
Operation/Application	
Circuit Application	Power

Packaging Features

Packaging Method	Tray
Other	
Mating Conductor Thickness	3 mm[.118 in]
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.

2178531-1

Busbar Connectors, Board-to-Bus Bar, 1 Position, Printed Circuit Board, Thermoplastic, Black, Swage Mount, Tray, Right Angle, Vertical, Copper Alloy



Solder Process Capability

Wave solder capable to 240°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 2178531-4 Crown Clip Junior AG Plating Reflow

Customers Also Bought



Documents

CAD Files 3D PDF

C For support call+1 800 522 6752

2178531-1

Busbar Connectors, Board-to-Bus Bar, 1 Position, Printed Circuit Board, Thermoplastic, Black, Swage Mount, Tray, Right Angle, Vertical, Copper Alloy



3D

Customer View Model ENG_CVM_CVM_2178531-1_A.2d_dxf.zip English Customer View Model ENG_CVM_CVM_2178531-1_A.3d_igs.zip English Customer View Model ENG_CVM_CVM_2178531-1_A.3d_stp.zip English

Busbar Power Brochure

English

Product Specifications Application Specification

English

Agency Approvals UL Report

English