

FOAM FILLER MATERIAL
NUMBER 96720-0001
SEE NOTE 4

PACKAGING TRAY
(SEE CHART)
(1) EMPTY
(4) FULL


STRETCH WRAP
8525-0003
SEE NOTE 5

PRIMARY CARTON 96707-1003
OR 96707-0003

LABEL TO BE
LOCATED AS SHOWN

NOTES:

- PARTS TO BE ORIENTED IN PACKAGING TRAYS AS SHOWN.
- REFER TO CHART FOR PACKAGING TRAY MATERIAL NUMBER.
- 96707-1003 OR 96707-0003 PRIMARY SHIPPING CARTON TO BE SEALED WITH 2.0 INCH WIDE TAPE.
- USE FOAM FILLER AS REQUIRED TO TAKE UP EXCESS SPACE INSIDE CARTON.
- STRETCH WRAP SHOULD BE USED IN THE AREAS SHOWN. WRAP STACK WITH A MINIMUM OF 3-5 WRAPS.



PART ORIENTATION IN TRAY

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					
	DIMENSION UNITS	SCALE				
$\frac{E}{A} = 0$	mm	1:1		EC NO: 780615		
$\frac{E}{C} = 0$	GENERAL TOLERANCES (UNLESS SPECIFIED)			DRWN: BHARAK12 2024/03/14		
$\frac{E}{P} = 0$		MM	INCH	CHK'D: BHARAK12 2024/03/19		
	4 PLACES	±	±	APPR: SSHANMUGAN01 2024/03/19		
DIVISIONAL SYMBOLS	3 PLACES	±	±	INITIAL REVISION:		
	2 PLACES	± 0.13	±	DRWN: BANDURA 2006/04/19		
	1 PLACE	± 0.25	±	APPR: APATEL 2006/05/18		
	0 PLACES	±	±	THIRD ANGLE PROJECTION		
	ANGULAR TOL	± 0.5°		DRAWING SERIES		
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			MATERIAL NUMBER CUSTOMER SHEET NUMBER		
				A1-SIZE	45984	SEE TABLE GENERAL MARKET 1 OF 4

STANDARD RECEPTACLES USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER SUFFIX	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(1) 45984-21**	11, 12, 13	12	13	65	260
	21, 22, 23	16	12	60	240
	31, 32, 33	20	11	55	220
	41, 42, 43	24	10	50	200
	51, 52, 53	28	9	45	180
	61, 62, 63	32	9	45	180
	71, 72, 73	36	8	40	160
	81, 82, 83	40	7	35	140
(2) 45984-41**	11, 12, 13	12	9	45	180
	21, 22, 23	16	8	40	160
	31, 32, 33	20	8	40	160
	41, 42, 43	24	7	35	140
	51, 52, 53	28	7	35	140
	61, 62, 63	32	6	30	120
	71, 72, 73	36	6	30	120
	81, 82, 83	40	6	30	120
(3) 45984-61**	11, 12, 13	12	6	30	120
	21, 22, 23	16	6	30	120
	31, 32, 33	20	6	30	120
	41, 42, 43	24	5	25	100
	51, 52, 53	28	5	25	100
	61, 62, 63	32	5	25	100
	71, 72, 73	36	5	25	100
	81, 82, 83	40	5	25	100
(4) 45984-81**	11, 12, 13	12	5	25	100
	21, 22, 23	16	5	25	100
	31, 32, 33	20	5	25	100
	41, 42, 43	24	4	20	80
	51, 52, 53	28	4	20	80
	61, 62, 63	32	4	20	80
	71, 72, 73	36	4	20	80
	81, 82, 83	40	4	20	80
(5) 45984-11**	11, 12, 13	12	4	20	80
	21, 22, 23	16	4	20	80
	31, 32, 33	20	4	20	80
	41, 42, 43	24	4	20	80
	51, 52, 53	28	3	15	60
	61, 62, 63	32	3	15	60
	71, 72, 73	36	3	15	60
	81, 82, 83	40	3	15	60

RECEPTACLES WITH PEGS USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER SUFFIX	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(1) 45984-23**	11, 12, 13	12	11	55	220
	21, 22, 23	16	10	50	200
	31, 32, 33	20	9	45	180
	41, 42, 43	24	8	40	160
	51, 52, 53	28	8	40	160
	61, 62, 63	32	7	35	140
	71, 72, 73	36	7	35	140
	81, 82, 83	40	6	30	120
(2) 45984-43**	11, 12, 13	12	7	35	140
	21, 22, 23	16	7	35	140
	31, 32, 33	20	7	35	140
	41, 42, 43	24	6	30	120
	51, 52, 53	28	6	30	120
	61, 62, 63	32	6	30	120
	71, 72, 73	36	5	25	100
	81, 82, 83	40	5	25	100
(3) 45984-63**	11, 12, 13	12	6	30	120
	21, 22, 23	16	5	25	100
	31, 32, 33	20	5	25	100
	41, 42, 43	24	5	25	100
	51, 52, 53	28	5	25	100
	61, 62, 63	32	4	20	80
	71, 72, 73	36	4	20	80
	81, 82, 83	40	4	20	80
(4) 45984-83**	11, 12, 13	12	5	25	100
	21, 22, 23	16	4	20	80
	31, 32, 33	20	4	20	80
	41, 42, 43	24	4	20	80
	51, 52, 53	28	4	20	80
	61, 62, 63	32	4	20	80
	71, 72, 73	36	4	20	80
	81, 82, 83	40	3	15	60
(5) 45984-13**	11, 12, 13	12	4	20	80
	21, 22, 23	16	4	20	80
	31, 32, 33	20	3	15	60
	41, 42, 43	24	3	15	60
	51, 52, 53	28	3	15	60
	61, 62, 63	32	3	15	60
	71, 72, 73	36	3	15	60
	81, 82, 83	40	3	15	60

STANDARD PLUGS USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER SUFFIX	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(1) 45985-21**	11, 12, 13	12	13	65	260
	21, 22, 23	16	12	60	240
	31, 32, 33	20	11	55	220
	41, 42, 43	24	10	50	200
	51, 52, 53	28	9	45	180
	61, 62, 63	32	8	40	160
	71, 72, 73	36	8	40	160
	81, 82, 83	40	7	35	140
(2) 45985-41**	11, 12, 13	12	9	45	180
	21, 22, 23	16	8	40	160
	31, 32, 33	20	7	35	140
	41, 42, 43	24	7	35	140
	51, 52, 53	28	7	35	140
	61, 62, 63	32	6	30	120
	71, 72, 73	36	6	30	120
	81, 82, 83	40	6	30	120
(3) 45985-61**	11, 12, 13	12	6	30	120
	21, 22, 23	16	6	30	120
	31, 32, 33	20	6	30	120
	41, 42, 43	24	5	25	100
	51, 52, 53	28	5	25	100
	61, 62, 63	32	5	25	100
	71, 72, 73	36	5	25	100
	81, 82, 83	40	4	20	80
(4) 45985-81**	11, 12, 13	12	5	25	100
	21, 22, 23	16	5	25	100
	31, 32, 33	20	5	25	100
	41, 42, 43	24	4	20	80
	51, 52, 53	28	4	20	80
	61, 62, 63	32	4	20	80
	71, 72, 73	36	4	20	80
	81, 82, 83	40	4	20	80
(5) 45985-11**	11, 12, 13	12	4	20	80
	21, 22, 23	16	4	20	80
	31, 32, 33	20	4	20	80
	41, 42, 43	24	4	20	80
	51, 52, 53	28	3	15	60
	61, 62, 63	32	3	15	60
	71, 72, 73	36	3	15	60
	81, 82, 83	40	3	15	60

PLUGS WITH GUIDES AND/OR PEGS USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER SUFFIX	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(1) 45985-22** 45985-23** 45985-24**	11, 12, 13	12	10	50	200
	21, 22, 23	16	9	45	180
	31, 32, 33, 09	20	8	40	160
	41, 42, 43	24	8	40	160
	51, 52, 53	28	7	35	140
	61, 62, 63	32	7	35	140
	71, 72, 73	36	6	30	120
	81, 82, 83	40	6	30	120
(2) 45985-42** 45985-43** 45985-44**	11, 12, 13	12	7	35	140
	21, 22, 23	16	7	35	140
	31, 32, 33	20	6	30	120
	41, 42, 43	24	6	30	120
	51, 52, 53	28	6	30	120
	61, 62, 63	32	5	25	100
	71, 72, 73	36	5	25	100
	81, 82, 83	40	5	25	100
(3) 45985-62** 45985-63** 45985-64**	11, 12, 13	12	5	25	100
	21, 22, 23	16	5	25	100
	31, 32, 33	20	5	25	100
	41, 42, 43	24	5	25	100
	51, 52, 53	28	5	25	100
	61, 62, 63	32	4	20	80
	71, 72, 73	36	4	20	80
	81, 82, 83	40	4	20	80
(4) 45985-82** 45985-83** 45985-84**	11, 12, 13	12	4	20	80
	21, 22, 23	16	4	20	80
	31, 32, 33	20	4	20	80
	41, 42, 43	24	4	20	80
	51, 52, 53	28	4	20	80
	61, 62, 63	32	4	20	80
	71, 72, 73	36	4	20	80
	81, 82, 83	40	3	15	60
(5) 45985-12** 45985-13** 45985-14**	11, 12, 13	12	4	20	80
	21, 22, 23	16	4	20	80
	31, 32, 33	20	3	15	60
	41, 42, 43	24	3	15	60
	51, 52, 53	28	3	15	60
	61, 62, 63	32	3	15	60
	71, 72, 73	36	3	15	60
	81, 82, 83	40	3	15	60

RECEPTACLES WITH GUIDES/GUIDES & PEGS USE PACKAGING TRAY 46077-0004					
NUMBER OF BAYS	MATERIAL NUMBER SUFFIX	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(1) 45984-22** 45984-24**	11, 12, 13	12	11	55	220
	21, 22, 23	16	10	50	200
	31, 32, 33, 09	20	9	45	180
	41, 42, 43	24	8	40	160
	51, 52, 53	28	8	40	160
	61, 62, 63	32	7	35	140
	71, 72, 73	36	7	35	140
	81, 82, 83	40	6	30	120
(2) 45984-42** 45984-44**	11, 12, 13	12	7	35	140
	21, 22, 23	16	7	35	140
	31, 32, 33	20	7	35	140
	41, 42, 43	24	6	30	120
	51, 52, 53	28	6	30	120
	61, 62, 63	32	6	30	120
	71, 72, 73	36	5	25	100
	81, 82, 83	40	5	25	100
(3) 45984-62** 45984-64**	11, 12, 13	12	6	30	120
	21, 22, 23	16	5	25	100
	31, 32, 33	20	5	25	100
	41, 42, 43	24	5	25	100
	51, 52, 53	28	5	25	100
	61, 62, 63	32	4	20	80
	71, 72, 73	36	4	20	80
	81, 82, 83	40	4	20	80
(4) 45984-82** 45984-84**	11, 12, 13	12	5	25	100
	21, 22, 23	16	4	20	80
	31, 32, 33	20	4	20	80
	41, 42, 43	24	4	20	80
	51, 52, 53	28	4	20	80
	61, 62, 63	32	4	20	80
	71, 72, 73	36	4	20	80
	81, 82, 83	40	3	15	60
(5) 45984-12** 45984-14**	11, 12, 13	12	4	20	80
	21, 22, 23	16	4	20	80
	31, 32, 33	20	3	15	60
	41, 42, 43	24	3	15	60
	51, 52, 53	28	3	15	60
	61, 62, 63	32	3	15	60
	71, 72, 73	36	3	15	60
	81, 82, 83	40	3	15	60

RECEPTACLES WITH GUIDES/GUIDES & PEGS USE PACKAGING TRAY 46077-0004					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(3)	45984-0033	16	5	25	100
(4)	45984-8409	20	4	20	80

PLUGS WITH GUIDES AND/OR PEGS USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(3)	45985-0033	16	5	25	100
(4)	45985-0034	12	4	20	80
	45985-8409	20	4	20	80
(2)	45985-4572	36	5	25	100
	45985-5572	36	5	25	100
(2)	45985-5100	16	7	35	140

* REFER TO SHEET 4 FOR MATERIAL NUMBERS WITH SUFFIXS -00**.

FUNCTIONAL SYMBOLS FA=0 FC=0 FP=0	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	DIMENSION UNITS: mm	SCALE: 1:1	CURRENT REV DESC: P/N ADDITION	 PACKAGING SPECIFICATION LOW PROFILE HYBRID 45984 & 45985 SERIES
	DIVISIONAL SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	MM INCH		
4 PLACES ± ± 3 PLACES ± ± 2 PLACES ± 0.13 ± 1 PLACE ± 0.25 ± 0 PLACES ± ±				INITIAL REVISION: DR	

STANDARD POWER RECEPTACLES					
USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(1)	45984-2911	2	25	125	500
	45984-2921	2	25	125	500
	45984-2931	2	25	125	500
(2)	45984-4911	4	13	65	260
	45984-4921	4	13	65	260
	45984-4931	4	13	65	260
(3)	45984-6911	6	8	40	160
	45984-6921	6	8	40	160
	45984-6931	6	8	40	160
(4)	45984-8911	8	6	30	120
	45984-8921	8	6	30	120
	45984-8931	8	6	30	120
(5)	45984-1911	10	5	25	100
	45984-1921	10	5	25	100
	45984-1931	10	5	25	100

POWER RECEPTACLES w/GUIDES/GUIDES & PEGS					
USE PACKAGING TRAY 46077-0004					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(1)	45984-2912	2	17	85	340
	45984-2914	2	17	85	340
	45984-2922	2	17	85	340
	45984-2924	2	17	85	340
	45984-2932	2	17	85	340
	45984-2934	2	17	85	340
(2)	45984-4912	4	9	45	180
	45984-4914	4	9	45	180
	45984-4922	4	9	45	180
	45984-4924	4	9	45	180
	45984-4932	4	9	45	180
	45984-4934	4	9	45	180
(3)	45984-6912	6	7	35	140
	45984-6914	6	7	35	140
	45984-6922	6	7	35	140
	45984-6924	6	7	35	140
	45984-6932	6	7	35	140
	45984-6934	6	7	35	140
(4)	45984-8912	8	5	25	100
	45984-8914	8	5	25	100
	45984-8922	8	5	25	100
	45984-8924	8	5	25	100
	45984-8932	8	5	25	100
	45984-8934	8	5	25	100
(5)	45984-1912	10	4	20	80
	45984-1914	10	4	20	80
	45984-1922	10	4	20	80
	45984-1924	10	4	20	80
	45984-1932	10	4	20	80
	45984-1934	10	4	20	80

POWER RECEPTACLES WITH PEGS					
USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(1)	45984-2913	2	17	85	340
	45984-2923	2	17	85	340
	45984-2933	2	17	85	340
(2)	45984-4913	4	9	45	180
	45984-4923	4	9	45	180
	45984-4933	4	9	45	180
(3)	45984-6913	6	7	35	140
	45984-6923	6	7	35	140
	45984-6933	6	7	35	140
(4)	45984-8913	8	5	25	100
	45984-8923	8	5	25	100
	45984-8933	8	5	25	100
(5)	45984-1913	10	4	20	80
	45984-1923	10	4	20	80
	45984-1933	10	4	20	80

STANDARD POWER PLUGS					
USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(1)	45985-2911	2	25	125	500
	45985-2921	2	25	125	500
	45985-2931	2	25	125	500
	45985-2008	2	25	125	500
(2)	45985-4911	4	13	65	260
	45985-4921	4	13	65	260
	45985-4931	4	13	65	260
(3)	45985-6911	6	8	40	160
	45985-6921	6	8	40	160
	45985-6931	6	8	40	160
(4)	45985-8911	8	6	30	120
	45985-8921	8	6	30	120
	45985-8931	8	6	30	120
(5)	45985-1911	10	5	25	100
	45985-1921	10	5	25	100
	45985-1931	10	5	25	100


POWER PLUGS w/PEGS/GUIDES/GUIDES & PEGS					
USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(1)	45985-2912	2	15	75	300
	45985-2913	2	15	75	300
	45985-2914	2	15	75	300
	45985-2922	2	15	75	300
	45985-2923	2	15	75	300
	45985-2924	2	15	75	300
	45985-2932	2	15	75	300
	45985-2933	2	15	75	300
	45985-2934	2	15	75	300
	(2)	45985-4912	4	9	45
45985-4913		4	9	45	180
45985-4914		4	9	45	180
45985-4922		4	9	45	180
45985-4923		4	9	45	180
45985-4924		4	9	45	180
45985-4932		4	9	45	180
45985-4933		4	9	45	180
45985-4934		4	9	45	180
(3)		45985-6912	6	7	35
	45985-6913	6	7	35	140
	45985-6914	6	7	35	140
	45985-6922	6	7	35	140
	45985-6923	6	7	35	140
	45985-6924	6	7	35	140
	45985-6932	6	7	35	140
	45985-6933	6	7	35	140
	45985-6934	6	7	35	140
	(4)	45985-8912	8	5	25
45985-8913		8	5	25	100
45985-8914		8	5	25	100
45985-8922		8	5	25	100
45985-8923		8	5	25	100
45985-8924		8	5	25	100
45985-8932		8	5	25	100
45985-8933		8	5	25	100
45985-8934		8	5	25	100
(5)		45985-1912	10	4	20
	45985-1913	10	4	20	80
	45985-1914	10	4	20	80
	45985-1922	10	4	20	80
	45985-1923	10	4	20	80
	45985-1924	10	4	20	80
	45985-1932	10	4	20	80
	45985-1933	10	4	20	80
	45985-1934	10	4	20	80

SIGNAL RECPT. WITH GUIDES/GUIDES & PEGS					
USE PACKAGING TRAY 46077-0004					
PART NUMBER	MATERIAL NUMBER SUFFIX	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
45984-02** 45984-04**	11, 12, 13	12	18	90	360
	21, 22, 23	16	16	80	320
	31, 32, 33	20	14	70	280
	41, 42, 43	24	13	65	260
	51, 52, 53	28	11	55	220
	61, 62, 63	32	10	50	200
	71, 72, 73	36	9	45	180
	81, 82, 83	40	9	45	180

SIGNAL RECPT. STANDARD & w/PEGS					
REFER TO PK-45984-002					
PART NUMBER	MATERIAL NUMBER SUFFIX	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
45984-01** 45984-03**	11, 12, 13	12	REFER TO PK-45984-002		
	21, 22, 23	16			
	31, 32, 33	20			
	41, 42, 43	24			
	51, 52, 53	28			
	61, 62, 63	32			
45984-01** 45984-03**	71, 72, 73	36			
	81, 82, 83	40			

STANDARD SIGNAL PLUGS					
USE PACKAGING TRAY 46077-0003					
PART NUMBER	MATERIAL NUMBER SUFFIX	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
45985-01**	11, 12, 13	12	25	125	500
	21, 22, 23	16	21	105	420
	31, 32, 33	20	18	90	360
	41, 42, 43	24	16	80	320
	51, 52, 53	28	14	70	280
	61, 62, 63	32	13	65	260
	71, 72, 73	36	11	55	220
	81, 82, 83	40	10	50	200

SIGNAL PLUGS w/PEGS/GUIDES/GUIDES & PEGS					
USE PACKAGING TRAY 46077-0003					
PART NUMBER	MATERIAL NUMBER SUFFIX	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
45985-02** 45985-03** 45985-04**	11, 12, 13	12	16	80	320
	21, 22, 23	16	14	70	280
	31, 32, 33	20	12	60	240
	41, 42, 43	24	11	55	220
	51, 52, 53	28	10	50	200
	61, 62, 63	32	10	50	200
	71, 72, 73	36	9	45	180
	81, 82, 83	40	8	40	160


FUNCTIONAL SYMBOLS FA=0 FC=0 FP=0	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC: P/N ADDITION		 <p>PACKAGING SPECIFICATION LOW PROFILE HYBRID 45984 & 45985 SERIES</p>
	DIMENSION UNITS	SCALE	GENERAL TOLERANCES (UNLESS SPECIFIED)		
	mm	1:1	MM	INCH	
	4 PLACES ±	±	3 PLACES ±	±	
DIVISIONAL SYMBOLS		EC NO: 780615		DOCUMENT NUMBER: PK-45984-001 DOC TYPE: PDD DOC PART: 001 REVISION: N5	
		DRWN: BHARAK12 2024/03/14			
		CHK'D: BHARAK12 2024/03/19			
		APPR: SSHANMUGAN01 2024/03/19		PACKAGING DESIGN DRAWING MATERIAL NUMBER: 45984 CUSTOMER: GENERAL MARKET SHEET NUMBER: 3 OF 4	
		INITIAL REVISION:			
		DRWN: BANDURA 2006/04/19			
		APPR: APATEL 2006/05/18			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	SEE TABLE
		A1-SIZE		45984	

STANDARD RECEPTACLES					
USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
3	45984-0003	24	5	25	100
5	45984-0007	16	4	20	80
2	45984-0008	24	7	35	140
2	45984-0017	24	7	35	140
2	45984-0019	16	8	40	160
5	45984-0025	16	4	20	80
4	45984-0083	24	4	20	80

RECEPTACLES WITH PEGS					
USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
2	45984-0005	24	6	30	120
4	45984-0010	12	5	25	100
4	45984-0009	24	4	20	80
2	45984-0011	24	6	30	120

RECEPTACLES WITH GUIDES/GUIDES & PEGS					
USE PACKAGING TRAY 46077-0004					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
4	45984-0002	24	4	20	80
4	45984-0009	24	4	20	80
3	45984-0018	24	5	25	100
2	45984-0020	16	7	35	140
2	45984-0023	16	7	35	140

PLUGS WITH GUIDES AND/OR PEGS					
USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF SIGNALS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
4	45985-0002	24	4	20	80
3	45985-0004	12	6	30	120
2	45985-0005	24	6	30	120
4	45985-0006	40	3	15	60
4	45985-0007	20	4	20	80
3	45985-0008	12	5	25	100
5	45985-0009	32	3	15	60
6	45985-0010	24	6	30	120
2	45985-0012	20	6	30	120
2	45985-0013	12	7	35	140
2	45985-0014	12	7	35	140
3	45985-0015	12	5	25	100
2	45985-0016	16	7	35	140
2	45985-0017	40	5	25	100
4	45985-0018	40	3	15	60
4	45985-0020	12	4	20	80
4	45985-0021	40	3	15	60
2	45985-0022	12	7	35	140
3	45985-0023	20	5	25	100
4	45985-0027	12	4	20	80
2	45985-0028	16	7	35	140
2	45985-0030	16	7	35	140

FUNCTIONAL SYMBOLS FA=0 FC=0 FP=0	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC: P/N ADDITION		 PACKAGING SPECIFICATION LOW PROFILE HYBRID 45984 & 45985 SERIES
	DIMENSION UNITS	SCALE	GENERAL TOLERANCES (UNLESS SPECIFIED)		
	mm	1:1	MM	INCH	
	GENERAL TOLERANCES (UNLESS SPECIFIED)		4 PLACES ±	±	
DIVISIONAL SYMBOLS	INITIAL REVISION:		EC NO: 780615		PACKAGING DESIGN DRAWING DOCUMENT NUMBER: PK-45984-001 DOC TYPE: PDD DOC PART: 001 REVISION: N5
GENERAL TOLERANCES (UNLESS SPECIFIED)		DRWN: BHARAK12 2024/03/14			
GENERAL TOLERANCES (UNLESS SPECIFIED)		CHK'D: BHARAK12 2024/03/19		APPR: SSHANMUGAN01 2024/03/19	
GENERAL TOLERANCES (UNLESS SPECIFIED)		DRWN: BANDURA 2006/04/19		APPR: APATEL 2006/05/18	
GENERAL TOLERANCES (UNLESS SPECIFIED)		ANGULAR TOL ± 0.5 °		THIRD ANGLE PROJECTION	
GENERAL TOLERANCES (UNLESS SPECIFIED)		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING: A1-SIZE SERIES: 45984	
GENERAL TOLERANCES (UNLESS SPECIFIED)		MATERIAL NUMBER: SEE TABLE		CUSTOMER: GENERAL MARKET SHEET NUMBER: 4 OF 4	