





PRODUCT NUMBER SEE SHEET 2



spec ref				dr		Vicking Liu		2016/06/02		projection				size		A3		scale		3:2																											
tolerance std				TOLERANCES UNLESS OTHERWISE SPECIFIED												ecn no						-																									
ISO0406																																															
ISO 1101																																															
ISO 1101																																															
surface				linear		0.X		±0.5				title								2ACP +16S + 2ACP								dwg no								10106117-4004001								rev		A	
ISO 1302		0.XX		±0.25																																											
		0.XXX		±0.10																																											
ISO 1302		angular		0°		±2°				cat. no.								Product - Customer Drw								sheet 1 of 3																					

NOTES:

- 1) PRODUCT MARK:
PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE .
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING : HIGH TEMP THERMOPLASTIC WITH GLASS FIBER, UL94V-0, BLACK.
-POWER CONTACT : HIGH CONDUCTIVITY COPPER ALLOY.
-SIGNAL CONTACT : COPPER ALLOY.
- 3) PLATING SPECIFICATION : 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS ARE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15+/-0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN SN
OVER 0.0254-0.0762MM CU PLATING TO ACHIEVE A 1.02+/-0.07MM HOLE.
- 8) THIS PRODUCT MEETS EUROPEN UNION DIRECTIVES AND OTHER COUNTRY
REGULATIONS AS DESCRIBED IN GS-47-0004.
- 9) PRODUCT SPECIFICATION : GS-12-658.
APPLICATION SPECIFICATION : GS-20-141.
PRODUCT PACKAGE SPECIFICATION: GS-14-1502.

spec ref				dr		Vicking Liu	2016/06/02		projection		MM		size		A3	scale		3:2				
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Vicking Liu	2016/10/14						ecn no				-			
ISO0406						chr		Fancy Zhang	2016/10/14						rel level				Released			
ISO 1101						appr		Pei-Ming Zheng	2016/10/14										product family			
surface		linear		0.X	±0.5		Amphenol FCi				title		2ACP +16S + 2ACP		dwg no		10106117-4004001		rev		A	
				0.XX	±0.25																RA PLUG PF	
				0.XXX	±0.10																	
		ISO 1302		angular		0°	±2°				cat. no.		Product - Customer Drw				sheet 3 of 3					