






PRODUCT NUMBER

SEE SHEET 2



spec ref *				dr Rainbow Zhan		2015/06/30		projection		MM		size A3		scale 3:2			
tolerance std ASME Y14.5				TOLERANCES UNLESS OTHERWISE SPECIFIED				eng Zhen-Hua Liu		2015/07/02						ecn no -	
chr Fancy Zhang		2015/07/02		appr Pei-Ming Zheng		2015/07/02		product family PwrBlade+								rel level Released	
surface 		linear		0.X ±0.5				title 3HP + 24S + 3HP RA STB HEADER		dwg no 10106132-6006003		rev A					
		0.XX ±0.25															
		0.XXX ±0.10															
ASME Y14.5		angular 0° ±2°		www.fci.com		cat. no.				Product - Customer Drw				sheet 1 of 3			

A

B

C

D

A

B

C

D

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION : 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION : GS-12-658.
APPLICATION SPECIFICATION : GS-20-141.
PRODUCT PACKAGE SPECIFICATION : GS-14-1502.



Copyright FCI.

dr	Rainbow Zhan	2015/06/30	projection	MM	size	A3	scale	3:2		
eng	Zhen-Hua Liu	2015/07/02			ecn no	-				
chr	Fancy Zhang	2015/07/02								
appr	Pei-Ming Zheng	2015/07/02	product family		PwrBlade+	rel level	Released			
	title	3HP + 24S + 3HP RA STB HEADER			dwg no	10106132-6006003		rev	A	
www.fci.com	cat. no.	Product - Customer Drw					sheet 3 of 3			