







PRODUCT NUMBER

SEE SHEET 2




spec ref *				dr		Vicking Liu	2015/12/02	projection	MM	size	A3	scale	3:2	
tolerance std				eng		Vicking Liu	2015/12/18			ecn no -				
ASME Y14.5				chr		Fancy Zhang	2015/12/18			rel level Released				
TOLERANCES UNLESS OTHERWISE SPECIFIED				appr		Pei-Ming Zheng	2015/12/18			product family PwrBlade+				
surface	linear	0.X	±0.5		title	4HP + 12S + 3ACP				dwg no	10106262-7003002		rev	A
		0.XX	±0.25											
		0.XXX	±0.10											
ASME Y14.5		angular	0°	±2°	www.fci.com		cat. no.		Product - Customer Drw				sheet 1 of 3	



Copyright FCI.

PRODUCT NO.	ROWS	HIGH POWER				SIGNAL			HIGH POWER				
		E1	P1	P2	P3	P4	1	2	3	P5	P6	P7	E2
10106262-7003002LF	D C B A		H1	H1	H1	H1	U T S R	U T S R	U T S R	H1	H1	H1	



CODE	DESCRIPTION
HI	STD HIGH POWER CONTACT (3.43)
HA	METAL HOLD DOWN
R	STD SIGNAL CONTACT, ROW A (3.43)
S	STD SIGNAL CONTACT, ROW B (3.43)
T	STD SIGNAL CONTACT, ROW C (3.43)
U	STD SIGNAL CONTACT, ROW D (3.43)

dr	Vicking Liu	2015/12/02	projection	MM	size	A3	scale	3:2			
eng	Vicking Liu	2015/12/18			ecn no	-					
chr	Fancy Zhang	2015/12/18			rel level	Released					
appr	Pei-Ming Zheng	2015/12/18	product family		PwrBlade+						
			title			4HP + 12S + 3ACP		dwg no	10106262-7003002	rev	A
RA STB HEADER											
www.fci.com			cat. no.			Product - Customer Drw			sheet 2 of 3		

A

B

C

D

A

B

C

D

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION: 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS ARE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ±0.07MM HOLE.
- 8) PRODUCT SPECIFICATION: GS-12-658.
APPLICATION SPECIFICATION: GS-20-141.
PRODUCT PACKAGED IN TRAYS: GS-14-1502.



Copyright FCI.

dr	Vicking Liu	2015/12/02	projection	MM	size	scale
eng	Vicking Liu	2015/12/18			A3	3:2
chr	Fancy Zhang	2015/12/18			ecn no	-
appr	Pei-Ming Zheng	2015/12/18			rel level	Released
			product family	PwrBlade+		
www.fci.com			4HP + 12S + 3ACP		dwg no	rev
			RA STB HEADER		10106262-7003002	A
			cat. no.	Product - Customer Drw		sheet 3 of 3