


PRODUCT NO.	ROWS		HIGH POWER				SIGNAL			HIGH POWER			
		E1	P1	P2	P3	1	2	3	P4	P5	P6	E2	
10106266-6003501LF	DCBA												

CODE	DESCRIPTION
E	MFBL SIGNAL CONTACT
HI	STD HIGH POWER CONTACT



spec ref		*		dr		Zhan Rainbow	2017/02/20	projection				MM		size		A3	scale		3:2					
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Zhan Rainbow	2017/03/29							ecn no		-								
ISO 406				chr		Fancy Zhang	2017/03/29							rel level		Released								
ISO 1101				appr		Pei-Ming Zheng	2017/03/29									product family		PwrBlade+						
surface		linear		0.X		±0.5		Amphenol FCI		title		3ACP + 12S + 3ACP		dwg no		10106266-6003501		rev		A				
																					0.XX		±0.25	
																					0.XXX		±0.10	
ISO 1101		angular		0°		±2°		www.fci.com		cat. no.		Product - Customer Drw		sheet 2 of 3										

NOTES:

- 1) PRODUCT MARK:
PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE .
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING : HIGH TEMP THERMOPLASTIC WITH GLASS FIBER, FOR REFLOW PROCESS. UL94V-0, BLACK.
-POWER CONTACT : HIGH CONDUCTIVITY COPPER ALLOY.
-SIGNAL CONTACT : COPPER ALLOY.
- 3) PLATING SPECIFICATION : 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS ARE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15+/-0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN SN
OVER 0.0254-0.0762MM CU PLATING TO ACHIEVE A 1.02+/-0.07MM HOLE.
- 8) THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY
REGULATIONS AS DESCRIBED IN GS-47-0004.
- 9) THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL MODULES AND
END MODULES ARE OPTIONAL AND THE SHAPE MAY BE DIFFERENT FOR
OPTIMIZE THE MOLDING PROCESS. THE VOID CORING WILL NOT EFFECT
TO PRODUCT FUNCTION.
- 10) PRODUCT SPECIFICATION : GS-12-658.
APPLICATION SPECIFICATION : GS-20-141.
PRODUCT PACKAGE SPECIFICATION: GS-14-1502.

spec ref *				dr Zhan Rainbow		2017/02/20		projection		MM		size A3		scale 3:2									
tolerance std				eng Zhan Rainbow		2017/03/29						ecn no -											
ISO 406				chr Fancy Zhang		2017/03/29						rel level Released											
ISO 1101				appr Pei-Ming Zheng		2017/03/29		product family PwrBlade+															
surface  ISO 1101				linear		0.X		±0.5		Amphenol FCI				title 3ACP + 12S + 3ACP VERTICAL STB PLUG				dwg no 10106266-6003501				rev A	
						0.XX		±0.25															
						0.XXX		±0.10															
				angular		0°		±2°		www.fci.com				cat. no.				Product - Customer Drw				sheet 3 of 3	