






PRODUCT NUMBER

63346-XY YLF



spec ref		*		dr		Terran Huang	2010/07/09		projection  MM 		size		A4		scale		1:1						
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Narayanan, Aru		2021/01/29			ecn no		ELX-I-39837-1										
				chr		-		-															
				appr		Kuriakose, San		2021/02/02			product family		METRAL		rel level		Released						
surface 3.200  ISO 1302		linear		0.X		±0.3		Amphenol FCI		title		METRAL POWER HEADER		1 MOD , 5 ROW STB		dwg no		63346		rev		G	
				0.XX		±0.13																	
				0.XXX		±0.050																	
angular		0°		±2°		amphenol-icc.com		cat. no.		-		Product - Customer Drw		sheet 1 of 3									

PRODUCT NUMBER
63346-XYPLF



REQUIRED PC BOARD LAYOUT
COMPONENT SIDE
SEE PRINT 58351 FOR
ADDITIONAL PCB INFORMATION

KEY

CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
P01	6.50	4.25
P02	7.25	4.25
P03	8.00	4.25
P04	5.00	4.25
P05	5.75	4.25

NOTES:

- FOR DIM A AND B SEE SHEET 2 AND UP.
- MATERIAL : BODY : THERMOPLASTIC UL94-V0.
: CONTACT : COPPER ALLOY.
- FOR PLATING PERFORMANCE REFER DRAWING # 10159408.
- ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES.
IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P" WILL BE ADDED TO THE END OF THE PART NUMBER.
EXAMPLE: XXXXX-XXXPLF.
- PRODUCT SPECIFICATION GS-12-180.
- APPLICATION SPECIFICATION BUS-20-073.
- THE PRODUCTS MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-47-0004.
- ALL PRODUCTS WILL WITHSTAND EXPOSURE TO 260° FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.
- A SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE DRAWING CURRENT REVISION
- 63346-XYPLF.

↑
'X' REFER DRAWING # 10159408.

spec ref		*		dr	Terran Huang	2010/07/09	projection	MM	size	A4	scale	2:1			
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Narayanan, Aru	2021/01/29			ecn no	ELX-I-39837-1					
				chr	-	-									
				appr	Kuriakose, San	2021/02/02						product family		METRAL	rel level
surface	3.200	linear	0.X	±0.3	Amphenol FCI	title	METRAL POWER HEADER				dwg no	63346		rev	G
		0.XX	±0.13												
		0.XXX	±0.050												
	ISO 1302	angular	0°	±2°	amphenol-icc.com	cat. no.	-	Product - Customer Drw				sheet 2 of 3			

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
63346-X01LF	E	P04	P04
	D	P04	P04
	C	P04	P04
	B	P04	P04
	A	P04	P04

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
63346-X02LF	E	P04	P04
	D	P04	P04
	C	P04	P04
	B	P04	P04
	A	P01	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
63346-X03LF	E	P05	P05
	D	P01	P01
	C	P05	P05
	B	P05	P05
	A	P01	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
63346-X04LF	E	P01	P01
	D	P01	P01
	C	P01	P01
	B	P01	P01
	A	P01	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
63346-X05LF	E	P05	P05
	D	P05	P05
	C	P05	P05
	B	P02	P02
	A	P05	P05


METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
63346-X06LF	E	P01	P01
	D	P01	P01
	C	P02	P02
	B	P03	P03
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
63346-X07LF	E	P01	P01
	D	P01	P01
	C	P01	P01
	B	P03	P03
	A	P01	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
63346-X08LF	E	P05	P05
	D	P05	P05
	C	P05	P05
	B	P05	P05
	A	P05	P05

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
63346-X09LF	E	P02	P02
	D	P02	P02
	C	P02	P02
	B	P02	P02
	A	P02	P02

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
63346-X10LF	E	P03	P03
	D	P03	P03
	C	P03	P03
	B	P03	P03
	A	P03	P03

spec ref		*		dr	Terran Huang	2010/07/09			size	A4	scale	1:1
tolerance std ISO 406 ISO 1101	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Narayanan, Aru	2021/01/29			ecn no	ELX-I-39837-1		
				chr	-	-			rel level Released			
				appr	Kuriakose, San	2021/02/02						product family
surface 3.200 ISO 1302	linear	0.X	±0.3		title METRAL POWER HEADER I MOD , 5 ROW STB				dwg no	63346		rev G
		0.XX	±0.13									
		0.XXX	±0.050									
	angular	0°	±2°	amphenol-icc.com	cat. no.		-	Product - Customer Drw		sheet 3 of 3		