





spec ref	*	dr	Terran Huang	2010/07/09	projection	MM	size	A4	scale	1:10
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Rahul Mohan-M	2021/08/25			ecn no	ELX-I-41564-1		
ISO 406		chr	-	-			rel level	Released		
ISO 1101		appr	Kuriakose, San	2021/08/25	product family	METRAL				
surface 3.200	linear						dwg no	85832	rev	W
ISO 1302	angular									
	0.X									
	± 0.3									
	0.XX									
	± 0.13									
	0.XXX									
	± 0.050									
	0°									
	$\pm 2^\circ$									
		Amphenol FCI	title	METRAL SIGNAL HEADER						
		amphenol-icc.com	cat. no.	-	Product - Customer Drw				sheet 1 of 7	



REQUIRED PC BOARD LAYOUT
COMPONENT SIDE
SEE PRINT 58351 FOR
ADDITIONAL PCB INFORMATION

KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
1	5.00	4.30
2	5.75	4.30
3	6.50	4.30
4	7.25	4.30
5	5.00	13.60
6	5.75	13.60
7	6.50	13.60
8	7.25	13.60
9	5.00	17.00
10	5.75	17.00
11	6.50	17.00
12	7.25	17.00
13	8.25	4.30
14	8.25	13.60
15	8.25	17.00
16	7.00	4.30
17	7.00	13.60
18	7.00	17.00
19	8.00	4.30
20	8.00	13.60
21	8.00	17.00
22	5.00	12.10
25	5.75	15.60

KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
40	5.00	15.60
41	6.50	15.60
42	7.25	15.60
43	8.00	15.60
44	5.75	12.10
45	6.50	12.10
48	5.00	15.10
54	5.00	11.50
55	5.75	11.50
56	6.50	11.50
59	5.00	11.80
60	5.75	11.80
61	6.50	11.80
62	7.25	11.80
63	8.00	11.80
64	5.75	14.90

spec ref		*		dr	Terran Huang	2010/07/09	projection	MM	size	A4	scale	21:10													
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng			Rahul Mohan-M	2021/08/25	ecn no			ELX-I-41564-1											
ISO 406 ISO 1101						chr			-	-	rel level				Released										
				appr	Kuriakose, San	2021/08/25	product family			METRAL															
surface 3.200		linear	0.X	±0.3	Amphenol FCI			title			METRAL SIGNAL HEADER			dwg no			85832			rev			W		
ISO 1302			0.XX	±0.13																					
			0.XXX	±0.050																					
		angular	0°	±2°	amphenol-icc.com			cat. no.			-			Product - Customer Drw			sheet 2 of 7								

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X01LF	E	25	25	25	25	25	25	25	25	25	25	25	25
	D	25	25	25	25	25	25	25	25	25	25	25	25
	C	25	25	25	25	25	25	25	25	25	25	25	25
	B	25	25	25	25	25	25	25	25	25	25	25	25
	A	25	25	25	25	25	25	25	25	25	25	25	25

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X05LF	E	44	44	44	44	44	44	44	44	44	44	44	44
	D	22	22	22	22	22	22	22	22	22	22	22	22
	C	44	44	44	44	44	44	44	44	44	44	44	44
	B	44	44	44	44	44	44	44	44	44	44	44	44
	A	45	45	45	45	45	45	45	45	45	45	45	45

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X09LF	E	N/A											
	D	6	6	6	6	6	6	6	6	6	6	6	6
	C	6	6	6	6	6	6	6	6	6	6	6	6
	B	6	6	6	6	6	6	6	6	6	6	6	6
	A	6	6	6	6	6	6	6	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
85832- X13LF	E	3	3	3	3	3	3	3	3	3	3	3	3
	D	3	3	3	3	3	3	3	3	3	3	3	3
	C	3	3	3	3	3	3	3	3	3	3	3	3
	B	2	2	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X02LF	E	1	1	1	1	1	1	1	1	1	1	1	1
	D	3	3	3	3	3	3	3	3	3	3	3	3
	C	19	19	19	19	19	19	19	19	19	19	19	19
	B	3	3	3	3	3	3	3	3	3	3	3	3
	A	1	1	1	1	1	1	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X06LF	E	1	1	1	1	1	1	1	1	1	1	1	1
	D	1	1	1	1	1	1	1	1	1	1	1	1
	C	3	3	3	3	3	3	3	3	3	3	3	3
	B	1	1	1	1	1	1	1	1	1	1	1	1
	A	1	1	1	1	1	1	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X10LF	E	N/A											
	D	2	2	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X14LF	E	16	16	16	16	16	16	16	16	16	16	16	16
	D	16	16	16	16	16	16	16	16	16	16	16	16
	C	16	16	16	16	16	16	16	16	16	16	16	16
	B	16	16	16	16	16	16	16	16	16	16	16	16
	A	16	16	16	16	16	16	16	16	16	16	16	16

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X03LF	E	3	3	3	3	3	3	3	3	3	3	3	3
	D	3	3	3	3	3	3	3	3	3	3	3	3
	C	3	3	3	3	3	3	3	3	3	3	3	3
	B	19	19	19	19	19	19	19	19	19	19	19	19
	A	3	3	3	3	3	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X07LF	E	19	19	19	19	19	19	19	19	19	19	19	19
	D	4	4	4	4	4	4	4	4	4	4	4	4
	C	4	4	4	4	4	4	4	4	4	4	4	4
	B	4	4	4	4	4	4	4	4	4	4	4	4
	A	4	4	4	4	4	4	4	4	4	4	4	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X11LF	E	N/A											
	D	4	4	4	4	4	4	4	4	4	4	4	4
	C	4	4	4	4	4	4	4	4	4	4	4	4
	B	19	19	19	19	19	19	19	19	19	19	19	19
	A	19	19	19	19	19	19	19	19	19	19	19	19

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X15LF	E	13	13	13	13	13	13	13	13	13	13	13	13
	D	13	13	13	13	13	13	13	13	13	13	13	13
	C	13	13	13	13	13	13	13	13	13	13	13	13
	B	13	13	13	13	13	13	13	13	13	13	13	13
	A	13	13	13	13	13	13	13	13	13	13	13	13

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X04LF	E	3	3	3	3	3	3	3	3	3	3	3	3
	D	10	10	10	10	10	10	10	10	10	10	10	10
	C	10	10	10	10	10	10	10	10	10	10	10	10
	B	9	9	9	9	9	9	9	9	9	9	9	9
	A	10	10	10	10	10	10	10	10	10	10	10	10

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X08LF	E	20	20	20	20	20	20	20	20	20	20	20	20
	D	8	8	8	8	8	8	8	8	8	8	8	8
	C	8	8	8	8	8	8	8	8	8	8	8	8
	B	8	8	8	8	8	8	8	8	8	8	8	8
	A	8	8	8	8	8	8	8	8	8	8	8	8

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X12LF	E	7	7	7	7	7	7	7	7	7	7	7	7
	D	7	7	7	7	7	7	7	7	7	7	7	7
	C	7	7	7	7	7	7	7	7	7	7	7	7
	B	7	7	7	7	7	7	7	7	7	7	7	7
	A	3	3	3	3	3	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X16LF	E	17	17	17	17	17	17	17	17	17	17	17	17
	D	17	17	17	17	17	17	17	17	17	17	17	17
	C	17	17	17	17	17	17	17	17	17	17	17	17
	B	17	17	17	17	17	17	17	17	17	17	17	17
	A	17	17	17	17	17	17	17	17	17	17	17	17

spec ref	*	
----------	---	--

A

B

C

D

2

2

3

3

4

4

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X17LF	E	14	14	14	14	14	14	14	14	14	14	14	14
	D	14	14	14	14	14	14	14	14	14	14	14	14
	C	14	14	14	14	14	14	14	14	14	14	14	14
	B	14	14	14	14	14	14	14	14	14	14	14	14
	A	14	14	14	14	14	14	14	14	14	14	14	14

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X18LF	E	18	18	18	18	18	18	18	18	18	18	18	18
	D	18	18	18	18	18	18	18	18	18	18	18	18
	C	18	18	18	18	18	18	18	18	18	18	18	18
	B	18	18	18	18	18	18	18	18	18	18	18	18
	A	18	18	18	18	18	18	18	18	18	18	18	18

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X19LF	E	15	15	15	15	15	15	15	15	15	15	15	15
	D	15	15	15	15	15	15	15	15	15	15	15	15
	C	15	15	15	15	15	15	15	15	15	15	15	15
	B	15	15	15	15	15	15	15	15	15	15	15	15
	A	15	15	15	15	15	15	15	15	15	15	15	15

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X20LF	E	10	10	10	10	10	10	10	10	10	10	10	10
	D	9	9	9	9	9	9	9	9	9	9	9	9
	C	10	10	10	10	10	10	10	10	10	10	10	10
	B	9	9	9	9	9	9	9	9	9	9	9	9
	A	11	11	11	11	11	11	11	11	11	11	11	11

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X21LF	E	10	10	10	10	10	10	10	10	10	10	10	10
	D	10	10	10	10	10	10	10	10	10	10	10	10
	C	9	9	9	9	9	9	9	9	9	9	9	9
	B	9	9	9	9	9	9	9	9	9	9	9	9
	A	11	11	11	11	11	11	11	11	11	11	11	11

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X22LF	E	2	2	2	2	2	2	2	2	2	2	2	2
	D	4	4	4	4	4	4	4	4	4	4	4	4
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X23LF	E	19	19	19	19	19	19	19	19	19	19	19	19
	D	1	1	1	1	1	1	1	1	1	1	1	1
	C	19	19	19	19	19	19	19	19	19	19	19	19
	B	1	1	1	1	1	1	1	1	1	1	1	1
	A	19	19	19	19	19	19	19	19	19	19	19	19

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832 - X24LF	E	20	20	20	20	20	20	20	20	20	20	20	20
	D	5	5	5	5	5	5	5	5	5	5	5	5
	C	20	20	20	20	20	20	20	20	20	20	20	20
	B	5	5	5	5	5	5	5	5	5	5	5	5
	A	20	20	20	20	20	20	20	20	20	20	20	20

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X25LF	E	22	22	22	22	22	22	22	22	22	22	22	22
	D	22	22	22	22	22	22	22	22	22	22	22	22
	C	22	22	22	22	22	22	22	22	22	22	22	22
	B	22	22	22	22	22	22	22	22	22	22	22	22
	A	22	22	22	22	22	22	22	22	22	22	22	22

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	
85832-X26LF	E	54	54	54	54	54	54	54	54	54	54	54	
	D	55	55	55	55	55	55	55	55	55	55	55	
	C	56	56	56	56	56	56	56	56	56	56	56	
	B	55	55	55	55	55	55	55	55	55	55	55	
	A	54	54	54	54	54	54	54	54	54	54	54	

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X27LF	E	48	48	48	48	48	48	48	48	48	48	48	48
	D	48	48	48	48	48	48	48	48	48	48	48	48
	C	48	48	48	48	48	48	48	48	48	48	48	48
	B	48	48	48	48	48	48	48	48	48	48	48	48
	A	48	48	48	48	48	48	48	48	48	48	48	48

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X28LF	E	3	3	3	3	3	3	3	3	3	3	3	3
	D	19	19	19	19	19	19	19	19	19	19	19	19
	C	3	3	3	3	3	3	3	3	3	3	3	3
	B	3	3	3	3	3	3	3	3	3	3	3	3
	A	1	1	1	1	1	1	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X29LF	E	56	56	56	56	56	56	56	56	56	56	56	56
	D	56	56	56	56	56	56	56	56	56	56	56	56
	C	56	56	56	56	56	56	56	56	56	56	56	56
	B	56	56	56	56	56	56	56	56	56	56	56	56
	A	56	56	56	56	56	56	56	56	56	56	56	56

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X30LF	E	3	3	3	3	3	3	3	3	3	3	3	3
	D	3	3	3	3	3	3	3	3	3	3	3	3
	C	19	19	19	19	19	19	19	19	19	19	19	19
	B	3	3	3	3	3	3	3	3	3	3	3	3
	A	3	3	3	3	3	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X31LF	E	1	1	1	1	1	1	1	1	1	1	1	1
	D	3	3	3	3	3	3	3	3	3	3	3	3
	C	19	19	19	19	19	19	19	19	19	19	19	19
	B	3	3	3	3	3	3	3	3	3	3	3	3
	A	1	1	1	1	1	1	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X32LF	E	1	1	1	1	1	1	1	1	1	1	1	1
	D	1	1	1	1	1	1	1	1	1	1	1	1
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	1	1	1	1	1	1	1	1	1	1	1	1
	A	2	2	2	2	2	2	2	2	2	2	2	2

A

B

C

D

2

2

3

3

4

4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X33LF	E	6	6	6	6	6	6	6	6	6	6
	D	6	6	6	6	6	6	6	6	6	6
	C	6	6	6	6	6	6	6	6	6	6
	B	5	5	5	5	5	5	5	5	5	5
	A	5	5	5	5	5	5	5	5	5	5

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X34LF	E	21	21	21	21	21	21	21	21	21	21
	D	21	21	21	21	21	21	21	21	21	21
	C	21	21	21	21	21	21	21	21	21	21
	B	12	12	12	12	12	12	12	12	12	12
	A	12	12	12	12	12	12	12	12	12	12

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X35LF	E	3	3	3	3	3	3	3	3	3	3
	D	3	3	3	3	3	3	3	3	3	3
	C	4	4	4	4	4	4	4	4	4	4
	B	19	19	19	19	19	19	19	19	19	19
	A	19	19	19	19	19	19	19	19	19	19

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X36LF	E	59	59	59	59	59	59	59	59	59	59
	D	59	59	59	59	59	59	59	59	59	59
	C	59	59	59	59	59	59	59	59	59	59
	B	59	59	59	59	59	59	59	59	59	59
	A	59	59	59	59	59	59	59	59	59	59

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X37LF	E	59	59	59	59	59	59	59	59	59	59
	D	59	59	59	59	59	59	59	59	59	59
	C	59	59	59	59	59	59	59	59	59	59
	B	59	59	59	59	59	59	59	59	59	59
	A	61	61	61	61	61	61	61	61	61	61

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X38LF	E	60	60	60	60	60	60	60	60	60	60
	D	61	61	61	61	61	61	61	61	61	61
	C	60	60	60	60	60	60	60	60	60	60
	B	60	60	60	60	60	60	60	60	60	60
	A	61	61	61	61	61	61	61	61	61	61

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X39LF	E	61	61	61	61	61	61	61	61	61	61
	D	61	61	61	61	61	61	61	61	61	61
	C	61	61	61	61	61	61	61	61	61	61
	B	61	61	61	61	61	61	61	61	61	61
	A	61	61	61	61	61	61	61	61	61	61

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X40LF	E	60	60	60	60	60	60	60	60	60	60
	D	60	60	60	60	60	60	60	60	60	60
	C	60	60	60	60	60	60	60	60	60	60
	B	62	62	62	62	62	62	62	62	62	62
	A	60	60	60	60	60	60	60	60	60	60

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X41LF	E	61	61	61	61	61	61	61	61	61	61
	D	61	61	61	61	61	61	61	61	61	61
	C	62	62	62	62	62	62	62	62	62	62
	B	63	63	63	63	63	63	63	63	63	63
	A	63	63	63	63	63	63	63	63	63	63

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X42LF	E	61	61	61	61	61	61	61	61	61	61
	D	61	61	61	61	61	61	61	61	61	61
	C	61	61	61	61	61	61	61	61	61	61
	B	63	63	63	63	63	63	63	63	63	63
	A	61	61	61	61	61	61	61	61	61	61

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X43LF	E	60	60	60	60	60	60	60	60	60	60
	D	60	60	60	60	60	60	60	60	60	60
	C	60	60	60	60	60	60	60	60	60	60
	B	60	60	60	60	60	60	60	60	60	60
	A	60	60	60	60	60	60	60	60	60	60

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X44LF	E	62	62	62	62	62	62	62	62	62	62
	D	62	62	62	62	62	62	62	62	62	62
	C	62	62	62	62	62	62	62	62	62	62
	B	62	62	62	62	62	62	62	62	62	62
	A	62	62	62	62	62	62	62	62	62	62

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X45LF	E	63	63	63	63	63	63	63	63	63	63
	D	63	63	63	63	63	63	63	63	63	63
	C	63	63	63	63	63	63	63	63	63	63
	B	63	63	63	63	63	63	63	63	63	63
	A	63	63	63	63	63	63	63	63	63	63

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X46LF	E	40	40	40	40	40	40	40	40	40	40
	D	40	40	40	40	40	40	40	40	40	40
	C	40	40	40	40	40	40	40	40	40	40
	B	40	40	40	40	40	40	40	40	40	40
	A	40	40	40	40	40	40	40	40	40	40

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X47LF	E	40	40	40	40	40	40	40	40	40	40
	D	40	40	40	40	40	40	40	40	40	40
	C	40	40	40	40	40	40	40	40	40	40
	B	40	40	40	40	40	40	40	40	40	40
	A	41	41	41	41	41	41	41	41	41	41

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X48LF	E	25	25	25	25	25	25	25	25	25	25
	D	41	41	41	41	41	41	41	41	41	41
	C	25	25	25	25	25	25	25	25	25	25
	B	25	25	25	25	25	25	25	25	25	25
	A	41	41	41	41	41	41	41	41	41	41

spec ref		*		dr	Terran Huang	2010/07/09	projection	MM	size	A4	scale	11:10					
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng			Rahul Mohan-M	2021/08/25	ecn no		ELX-I-41564-1				
ISO 406						chr			-								
ISO 1101						appr			Kuriakose, San	2021/08/25	product family		METRAL	rel level	Released		
surface		3.200		linear	0.X	±0.3	Amphenol FCI	title	METRAL SIGNAL HEADER				dwg no	85832		rev	W
					0.XX	±0.13			2 MOD, 5 ROW PRESS-FIT								
					0.XXX	±0.050											
ISO 1302				angular	0°	±2°	amphenol-icc.com	cat. no.	-				Product - Customer Drw		sheet 5 of 7		

A

B

C

D

2

3

4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X49LF	E	41	41	41	41	41	41	41	41	41	41	41	41
	D	41	41	41	41	41	41	41	41	41	41	41	41
	C	41	41	41	41	41	41	41	41	41	41	41	41
	B	41	41	41	41	41	41	41	41	41	41	41	41
	A	41	41	41	41	41	41	41	41	41	41	41	41

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X50LF	E	25	25	25	25	25	25	25	25	25	25	25	25
	D	25	25	25	25	25	25	25	25	25	25	25	25
	C	25	25	25	25	25	25	25	25	25	25	25	25
	B	42	42	42	42	42	42	42	42	42	42	42	42
	A	25	25	25	25	25	25	25	25	25	25	25	25

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X51LF	E	41	41	41	41	41	41	41	41	41	41	41	41
	D	41	41	41	41	41	41	41	41	41	41	41	41
	C	42	42	42	42	42	42	42	42	42	42	42	42
	B	43	43	43	43	43	43	43	43	43	43	43	43
	A	43	43	43	43	43	43	43	43	43	43	43	43

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X52LF	E	41	41	41	41	41	41	41	41	41	41	41	41
	D	41	41	41	41	41	41	41	41	41	41	41	41
	C	41	41	41	41	41	41	41	41	41	41	41	41
	B	43	43	43	43	43	43	43	43	43	43	43	43
	A	41	41	41	41	41	41	41	41	41	41	41	41

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X53LF	E	42	42	42	42	42	42	42	42	42	42	42	42
	D	42	42	42	42	42	42	42	42	42	42	42	42
	C	42	42	42	42	42	42	42	42	42	42	42	42
	B	42	42	42	42	42	42	42	42	42	42	42	42
	A	42	42	42	42	42	42	42	42	42	42	42	42

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X54LF	E	43	43	43	43	43	43	43	43	43	43	43	43
	D	43	43	43	43	43	43	43	43	43	43	43	43
	C	43	43	43	43	43	43	43	43	43	43	43	43
	B	43	43	43	43	43	43	43	43	43	43	43	43
	A	43	43	43	43	43	43	43	43	43	43	43	43

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X55LF	E	11	11	11	11	11	11	11	11	11	11	11	11
	D	11	11	11	11	11	11	11	11	11	11	11	11
	C	12	12	12	12	12	12	12	12	12	12	12	12
	B	21	21	21	21	21	21	21	21	21	21	21	21
	A	21	21	21	21	21	21	21	21	21	21	21	21

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X56LF	E	11	11	11	11	11	11	11	11	11	11	11	11
	D	11	11	11	11	11	11	11	11	11	11	11	11
	C	11	11	11	11	11	11	11	11	11	11	11	11
	B	21	21	21	21	21	21	21	21	21	21	21	21
	A	11	11	11	11	11	11	11	11	11	11	11	11

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X57LF	E	7	7	7	7	7	7	7	7	7	7	7	7
	D	7	7	7	7	7	7	7	7	7	7	7	7
	C	8	8	8	8	8	8	8	8	8	8	8	8
	B	20	20	20	20	20	20	20	20	20	20	20	20
	A	20	20	20	20	20	20	20	20	20	20	20	20

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X58LF	E	7	7	7	7	7	7	7	7	7	7	7	7
	D	7	7	7	7	7	7	7	7	7	7	7	7
	C	7	7	7	7	7	7	7	7	7	7	7	7
	B	20	20	20	20	20	20	20	20	20	20	20	20
	A	7	7	7	7	7	7	7	7	7	7	7	7

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X59LF	E	2	2	2	2	2	2	2	2	2	2	2	2
	D	2	2	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X60LF	E	4	4	4	4	4	4	4	4	4	4	4	4
	D	4	4	4	4	4	4	4	4	4	4	4	4
	C	4	4	4	4	4	4	4	4	4	4	4	4
	B	1	1	1	1	1	1	1	1	1	1	1	1
	A	4	4	4	4	4	4	4	4	4	4	4	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X61LF	E	2	2	2	2	2	2	2	2	2	2	2	2
	D	2	2	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2	2	2
	A	1	1	1	1	1	1	1	1	1	1	1	1


METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X62LF	E	64	64	64	64	64	64	64	64	64	64	64	64
	D	64	64	64	64	64	64	64	64	64	64	64	64
	C	64	64	64	64	64	64	64	64	64	64	64	64
	B	64	64	64	64	64	64	64	64	64	64	64	64
	A	64	64	64	64	64	64	64	64	64	64	64	64

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X63LF	E	1	1	1	1	1	1	1	1	1	1	1	1
	D	2	2	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	1

NOTES:

- FOR DIM A AND B SEE SHEET 2 AND UP.
- MATERIAL : BODY : THERMOPLASTIC UL94-V0.
: CONTACT : COPPER ALLOY.
- FOR PLATING PERFORMANCE REFER DRAWING # 10159408.
- ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES.
IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P" WILL BE ADDED TO THE END OF THE PART NUMBER.
EXAMPLE: XXXXX-XXXPLF
- PRODUCT SPECIFICATION GS-12-180
- APPLICATION SPECIFICATION BUS-20-073
- AFTER INSERTION INTO CIRCUIT BOARD WITH QUALIFIED TOOL.
- THE PRODUCTS MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-47-0004.
- ALL PRODUCTS WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN. THE Au CONTACT SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM 140°C FOR NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.
- REFER TO 89007 FOR OTHER LOAD VARIATIONS.
- A  SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT REVISION

spec ref	*			dr	Terran Huang	2010/07/09			size	A4	scale	11:10	
tolerance std ISO 406 ISO 1101	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Rahul Mohan-M	2021/08/25			ecn no	ELX-I-41564-1			
				chr	-	-			rel level			Released	
				appr	Kuriakose, San	2021/08/25			product family			METRAL	
surface 3.200 ISO 1302	linear	0.X	±0.3	Amphenol FCI	title METRAL SIGNAL HEADER 2 MOD, 5 ROW PRESS-FIT				dwg no	85832		rev W	
		0.XX	±0.13										
		0.XXX	±0.050										
	angular	0°	±2°	amphenol-icc.com	cat. no.	-	Product - Customer Drw			sheet 7 of 7			