







REQUIRED PC BOARD LAYOUT
COMPONENT SIDE

SEE PRINT 58351 FOR
ADDITIONAL PCB INFORMATION

KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
1	5.00	4.30
2	5.75	4.30
3	6.50	4.30
4	7.25	4.30
5	5.00	13.60
6	5.75	13.60
7	6.50	13.60
8	7.25	13.60
10	5.75	17.00
11	6.50	17.00
12	7.25	17.00
19	8.00	4.30

spec ref		*		dr	Terran Huang	2010/07/09	projection	MM	size	A4	scale	2:1		
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Rahul Mohan-M	2021/08/17			ecn no	ELX-I-41569-1				
				chr	-	-								
				appr	Kuriakose, San	2021/08/17			product family		METRAL	rel level		Released
surface	3.200	linear	0.X	±0.3	Amphenol FCi	title	METRAL SIGNAL HEADER				dwg no	89074	rev	BN
			0.XX	±0.13										
			0.XXX	±0.050										
	ISO 1302	angular	0°	±2°	amphenol-icc.com	cat. no.	-				Product - Customer Drw		sheet 2 of 8	

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X01LF	D	3	2	1	1	1	1	1	3	2	3
	C	3	3	1	1	1	1	1	3	2	3
	B	3	2	1	1	1	1	1	3	2	3
	A	3	1	1	1	1	1	1	3	2	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X02LF	D	1	3	1	1	1	1	1	1	3	1
	C	1	3	1	1	1	1	1	1	3	1
	B	1	3	1	1	1	1	1	1	3	1
	A	1	3	1	1	1	1	1	1	3	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X03LF	D	3	2	1	1	2	2	2	2	3	2
	C	3	2	1	1	2	2	2	2	3	2
	B	3	2	1	1	2	2	2	2	3	2
	A	3	2	1	1	2	2	2	1	3	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X04LF	D	3	2	2	2	2	2	2	2	2	3
	C	3	2	2	2	2	2	2	2	2	3
	B	3	2	2	2	2	2	2	2	2	3
	A	3	2	2	2	2	2	2	2	3	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X05LF	D	3	1	1	1	1	1	1	3	2	3
	C	3	1	1	1	1	1	1	3	2	3
	B	3	1	1	1	1	1	1	3	2	3
	A	3	1	1	1	1	1	1	3	2	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X06LF	D	7	6	6	6	6	6	6	6	6	5
	C	7	6	6	6	6	6	6	6	6	5
	B	7	6	6	6	6	6	6	6	6	5
	A	7	6	6	6	6	6	6	6	6	5

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X07LF	D	8	6	6	6	6	6	6	6	6	6
	C	8	6	6	6	6	6	6	6	6	6
	B	8	6	6	6	6	6	6	6	6	6
	A	8	6	6	6	6	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X08LF	D	3	2	3	2	3	3	3	2	3	2
	C	3	2	3	2	3	3	3	2	3	2
	B	3	2	3	2	3	3	3	2	3	2
	A	3	2	3	2	3	3	3	2	3	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X09LF	D	8	7	7	7	7	7	7	7	7	6
	C	8	7	7	7	7	7	7	7	7	6
	B	8	7	7	7	7	7	7	7	7	6
	A	8	7	7	7	7	7	7	7	7	6

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X10LF	D	3	2	2	2	2	2	3	3	2	4
	C	3	2	2	2	2	2	3	3	2	4
	B	3	2	2	2	2	2	3	3	2	4
	A	3	2	2	2	2	2	3	3	2	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X11LF	D	3	2	2	2	2	2	2	2	2	2
	C	3	2	2	2	2	2	2	2	2	2
	B	3	2	2	2	2	2	2	2	2	2
	A	3	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X12LF	D	3	2	2	2	2	2	3	2	2	2
	C	3	2	2	2	2	2	3	2	2	2
	B	3	2	2	2	2	2	3	2	2	2
	A	3	2	2	2	2	2	3	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X13LF	D	7	6	6	6	6	6	6	6	6	6
	C	7	6	6	6	6	6	6	6	6	6
	B	7	6	6	6	6	6	6	6	6	6
	A	7	6	6	6	6	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X14LF	D	7	6	6	6	6	6	7	6	6	6
	C	7	6	6	6	6	6	7	6	6	6
	B	7	6	6	6	6	6	7	6	6	6
	A	7	6	6	6	6	6	7	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X15LF	D	2	2	2	2	2	2	3	2	2	2
	C	2	2	2	2	2	2	3	2	2	2
	B	2	2	2	2	2	2	3	2	2	2
	A	2	2	2	2	2	2	3	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X16LF	D	4	2	2	2	2	2	2	2	2	2
	C	4	2	2	2	2	2	2	2	2	2
	B	4	2	2	2	2	2	2	2	2	2
	A	4	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X17LF	D	2	2	2	2	2	2	2	2	2	4
	C	2	2	2	2	2	2	2	2	2	4
	B	2	2	2	2	2	2	2	2	2	4
	A	2	2	2	2	2	2	2	2	2	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X18LF	D	3	2	2	2	2	4	2	2	2	3
	C	3	2	2	2	2	4	2	2	2	3
	B	3	2	2	2	2	4	2	2	2	3
	A	3	1	2	2	2	4	2	2	2	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X19LF	D	4	2	2	2	2	2	2	2	4	3
	C	4	2	2	2	2	2	2	2	4	3
	B	4	2	2	2	2	2	2	2	4	3
	A	4	2	2	2	2	2	2	2	4	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X20LF	D	8	7	7	7	7	7	7	7	7	7
	C	8	7	7	7	7	7	7	7	7	7
	B	8	7	7	7	7	7	7	7	7	7
	A	8	7	7	7	7	7	7	7	7	7

spec ref	*	dr	Terran Huang	2010/07/09	projection	MM	size	A4	scale	2:1
tolerance std	ISO 406 ISO 1101	eng	Rahul Mohan-M	2021/08/17			ecn no	ELX-I-41569-1		
	TOLERANCES UNLESS OTHERWISE SPECIFIED	chr	-	-			rel level	Released		
surface	3.200	appr	Kuriakose, San	2021/08/17	product family	METRAL	dwg no	89074	rev	BN
ISO 1302	linear									
	angular									
	0.X									
	0.XX									
	0.XXX									

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X21LF	D	2	2	2	2	3	2	4	2	2	2	2	2
	C	2	2	2	2	3	2	4	2	2	2	2	2
	B	2	2	2	2	3	2	4	2	2	2	2	2
	A	2	2	1	2	3	2	4	2	2	2	2	2
89074-X22LF	D	2	2	1	1	3	2	4	2	2	2	2	2
	C	2	2	2	2	3	2	4	2	2	2	2	2
	B	2	2	2	2	3	2	4	2	2	2	2	2
	A	2	2	2	2	3	2	4	2	2	2	2	2
89074-X23LF	D	1	1	1	3	3	3	3	3	3	3	3	3
	C	1	1	1	3	3	3	3	3	3	3	3	3
	B	1	1	1	3	3	3	3	3	3	3	3	3
	A	1	1	1	3	3	3	3	3	3	3	3	3
89074-X24LF	D	1	1	1	1	1	1	1	1	1	1	2	2
	C	1	1	1	1	1	1	1	1	1	1	2	2
	B	1	1	1	1	1	1	1	1	1	1	2	2
	A	1	1	1	1	1	1	1	1	1	1	2	2
89074-X25LF	D	3	3	1	3	3	3	3	3	3	3	3	3
	C	3	3	1	3	3	3	3	3	3	3	3	3
	B	3	3	1	3	3	3	3	3	3	3	3	3
	A	3	3	1	3	3	3	3	3	3	3	3	3
89074-X26LF	D	3	3	1	3	3	3	3	3	3	3	3	3
	C	3	3	1	3	3	3	3	3	3	3	3	3
	B	3	3	1	3	3	3	3	3	3	3	3	3
	A	3	3	1	3	3	3	3	3	3	3	3	3
89074-X27LF	D	2	2	2	2	2	2	2	2	2	2	4	1
	C	2	2	2	2	2	2	2	2	2	2	4	1
	B	2	2	2	2	2	2	2	2	2	2	2	1
	A	2	2	2	2	2	1	1	2	2	2	1	1
89074-X28LF	D	2	2	2	2	2	2	2	2	1	2	2	2
	C	2	2	2	2	2	2	2	1	1	2	2	2
	B	2	2	2	2	2	2	4	1	2	2	2	2
	A	2	2	2	2	2	2	4	1	2	2	2	2
89074-X29LF	D	2	2	4	4	4	4	4	4	4	4	4	4
	C	2	2	4	4	4	4	4	4	4	4	4	4
	B	2	2	4	4	4	4	4	4	4	4	4	4
	A	2	2	4	4	4	4	4	4	4	4	4	4
89074-X30LF	D	6	6	6	6	6	6	6	6	6	6	7	7
	C	6	6	6	6	6	6	6	6	6	6	7	7
	B	6	6	6	6	6	6	6	6	6	6	7	7
	A	6	6	6	6	6	6	6	6	6	6	7	7
89074-X31LF	D	6	6	6	6	6	6	6	6	6	7	6	7
	C	6	6	6	6	6	6	6	6	6	7	6	7
	B	6	6	6	6	6	6	6	6	6	7	6	7
	A	6	6	6	6	6	6	6	6	6	7	6	7
89074-X32LF	D	2	2	2	2	2	2	2	3	3	2	4	2
	C	2	2	2	2	2	2	2	3	3	2	4	2
	B	2	2	2	2	2	2	2	3	3	2	4	2
	A	2	2	2	2	2	2	2	3	3	2	4	2
89074-X33LF	D	2	2	2	2	2	2	4	2	2	2	2	2
	C	2	2	2	2	2	2	4	2	2	2	2	2
	B	2	2	2	2	2	2	4	2	2	2	2	2
	A	2	2	2	2	2	2	4	2	2	2	2	2
89074-X34LF	D	2	2	2	2	2	2	2	4	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	4	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2	2	2
89074-X35LF	D	2	2	2	2	2	2	2	2	2	3	2	2
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	3	2	4
	A	2	2	2	2	2	2	2	2	2	2	2	2
89074-X36LF	D	2	2	2	2	2	2	4	2	2	2	2	2
	C	2	2	2	2	2	2	4	2	2	2	2	2
	B	2	2	4	2	2	2	4	2	2	2	2	2
	A	2	2	3	2	2	2	4	2	2	2	2	2
89074-X37LF	D	2	2	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	4	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2	2	2
89074-X38LF	D	2	2	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2	4	2
	A	2	2	2	2	2	2	2	2	2	2	2	2
89074-X39LF	D	2	2	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	4	2	2
	B	2	2	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2	2	2
89074-X40LF	D	2	2	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2	4	2
	A	2	2	2	2	2	2	2	2	2	2	3	2

spec ref		*		dr		Terran Huang		2010/07/09		projection		MM		size		A4		scale		2:1	
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Rahul Mohan-M		2021/08/17						ecn no		ELX-I-41569-1					
chr				-		-															
appr				Kuriakose, San		2021/08/17		product family						METRAL		rel level		Released			
surface				linear		0.X		±0.3		Amphenol FCI		title		METRAL SIGNAL HEADER		dwg no		89074		rev	
3.200		0.XX		±0.13																	
ISO 1302		0.XXX		±0.050																	
angular		0°		±2°		amphenol-icc.com		cat. no.		-		Product - Customer Drw		sheet 4 of 8							

A

B

C

D

2

3

4

A

B

C

D

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X41LF	D	3	3	3	3	3	2	4	2	4	2
	C	3	3	3	3	2	4	2	4	2	4
	B	3	3	3	3	3	3	3	3	3	3
	A	3	3	3	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X42LF	D	1	1	1	1	1	1	1	0	1	0
	C	1	1	1	1	1	1	0	1	0	1
	B	1	1	1	1	1	1	1	1	1	1
	A	1	1	1	1	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X43LF	D	1	1	1	1	2	1	1	1	1	2
	C	1	1	1	1	2	1	1	1	1	2
	B	1	1	1	1	2	1	1	1	1	2
	A	1	1	1	1	2	1	1	1	1	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X44LF	D	3	1	3	2	2	2	3	2	2	2
	C	3	3	2	2	2	2	3	2	2	2
	B	3	2	2	2	2	2	3	2	2	2
	A	3	2	2	2	2	2	3	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X45LF	D	2	2	2	2	2	2	2	2	2	1
	C	2	2	2	2	2	2	2	2	2	1
	B	2	2	2	2	2	2	2	2	2	1
	A	2	2	2	2	2	2	2	2	2	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X46LF	D	4	-	-	2	-	1	2	2	2	2
	C	4	-	-	2	-	2	2	2	2	2
	B	4	-	-	2	-	4	4	2	2	2
	A	4	-	-	2	-	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X47LF	D	8	-	-	6	-	5	6	6	6	6
	C	8	-	-	6	-	6	6	6	6	6
	B	8	-	-	6	-	8	8	8	6	6
	A	8	-	-	6	-	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X48LF	D	6	6	6	6	6	6	6	6	6	6
	C	6	6	6	6	6	6	6	8	8	6
	B	6	6	6	6	6	6	6	6	6	6
	A	6	6	6	6	6	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X49LF	D	4	-	-	2	-	6	6	6	6	6
	C	4	-	-	2	-	6	6	6	6	6
	B	4	-	-	2	-	8	8	8	6	6
	A	4	-	-	2	-	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X50LF	D	2	4	2	2	2	2	2	2	2	2
	C	2	4	2	2	2	2	2	2	2	2
	B	2	4	2	2	2	2	2	2	2	2
	A	2	4	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X51LF	D	2	2	2	2	2	2	2	3	3	2
	C	2	2	2	2	2	2	2	3	3	2
	B	2	2	2	2	2	2	2	3	3	2
	A	2	2	2	2	2	2	2	3	3	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X52LF	D	2	2	2	2	2	4	2	2	2	2
	C	2	2	2	2	2	4	2	2	2	2
	B	2	2	2	2	2	4	2	2	2	2
	A	2	2	2	2	2	4	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X53LF	D	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	4	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X54LF	D	3	2	1	1	1	1	1	1	1	2
	C	3	2	1	1	1	1	1	1	1	2
	B	3	2	1	1	1	1	1	1	1	2
	A	3	2	1	1	1	1	1	1	1	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X55LF	D	4	4	3	3	4	4	4	4	2	2
	C	4	4	3	3	4	4	4	2	4	4
	B	4	4	3	3	4	4	4	4	4	2
	A	4	4	3	3	4	4	2	2	4	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X56LF	D	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	3	4	3
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X57LF	D	1	1	1	1	1	1	-	-	-	1
	C	1	1	1	1	1	1	-	-	-	1
	B	1	1	1	1	1	1	-	-	-	1
	A	1	1	1	1	1	1	-	-	-	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X58LF	D	1	1	1	1	1	1	1	1	1	1
	C	1	1	1	1	1	1	1	1	1	1
	B	3	1	3	1	1	1	1	1	1	1
	A	1	1	1	1	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X59LF	D	6	8	6	6	6	6	6	6	6	6
	C	6	8	6	6	6	6	6	6	6	6
	B	6	8	6	6	6	6	6	6	6	6
	A	6	8	6	6	6	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X60LF	D	2	2	2	1	1	1	1	1	3	2
	C	2	2	2	1	1	1	1	1	3	2
	B	2	2	2	1	1	1	1	1	3	2
	A	2	2	2	1	1	1	1	1	3	2

spec ref		*		dr	Terran Huang	2010/07/09	projection	MM	size	A4	scale	2:1		
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Rahul Mohan-M	2021/08/17			ecn no	ELX-I-41569-1				
				chr	-	-								
ISO 406				appr	Kuriakose, San	2021/08/17	product family		METRAL		rel level	Released		
ISO 1101														
surface3.200	linear	0.X	±0.3	Amphenol FCI	title			METRAL SIGNAL HEADER			dwg no		89074	rev
		0.XX	±0.13											
		0.XXX	±0.050											
ISO 1302	angular	0°	±2°	amphenol-icc.com	cat. no.			-			Product - Customer Drw		sheet 5 of 8	

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X61LF	D	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2
	A	1	2	2	2	2	2	2	2	2	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X62LF	D	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	4
	A	2	2	2	2	2	2	2	2	2	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X63LF	D	2	2	2	2	2	2	2	4	2	4
	C	2	2	2	2	2	2	2	4	2	4
	B	2	2	2	2	2	2	2	4	2	4
	A	2	2	2	2	2	2	2	4	2	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X64LF	D	2	2	4	2	2	2	2	2	2	4
	C	2	2	4	2	2	2	2	2	2	4
	B	2	2	4	4	2	2	2	2	2	4
	A	2	2	4	4	2	2	2	2	2	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X65LF	D	3	4	2	3	2	2	2	4	2	2
	C	3	2	2	3	2	2	2	4	2	2
	B	3	2	2	3	3	2	2	4	2	2
	A	3	2	2	3	3	2	2	4	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X66LF	D	3	3	2	2	4	4	4	4	4	4
	C	3	3	2	2	4	4	4	4	4	4
	B	3	3	2	2	4	4	4	4	4	4
	A	3	3	2	2	4	4	4	4	4	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X67LF	D	2	2	2	2	2	4	4	4	4	2
	C	2	2	2	2	2	4	4	4	4	2
	B	2	2	2	2	2	4	4	4	4	2
	A	2	2	2	2	2	4	4	4	4	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X68LF	D	2	4	2	2	2	2	2	2	3	4
	C	2	4	2	2	2	2	2	2	3	4
	B	2	4	2	2	2	2	2	2	3	4
	A	2	4	2	2	2	2	2	2	3	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X69LF	D	4	4	4	4	3	3	3	4	2	3
	C	4	4	4	4	3	3	3	2	3	3
	B	4	4	4	4	3	3	3	2	3	3
	A	4	4	4	4	3	3	3	2	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X70LF	D	4	4	4	4	2	4	2	2	4	2
	C	4	4	4	4	2	4	2	2	4	2
	B	4	4	4	4	2	4	2	2	4	2
	A	4	4	4	4	2	4	2	2	4	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X71LF	D	4	4	2	2	2	2	2	2	2	2
	C	4	4	2	2	2	2	2	2	2	2
	B	4	4	2	2	2	2	2	2	2	2
	A	4	4	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X72LF	D	3	4	4	4	4	4	4	4	4	4
	C	3	4	4	4	4	4	4	4	4	4
	B	3	4	4	4	4	4	4	4	4	4
	A	3	4	4	4	4	4	4	4	4	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X73LF	D	2	2	2	2	2	2	2	2	4	2
	C	2	2	2	2	2	2	2	2	4	2
	B	2	2	2	2	2	2	2	2	4	2
	A	2	2	2	2	2	2	2	2	4	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X74LF	D	6	6	6	6	6	6	6	6	8	6
	C	6	6	6	6	6	6	6	6	8	6
	B	6	6	6	6	6	6	6	6	8	6
	A	6	6	6	6	6	6	6	6	8	6

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X75LF	D	6	6	6	6	6	6	6	7	7	8
	C	6	6	6	6	6	6	6	7	7	8
	B	6	6	6	6	6	6	6	7	7	8
	A	6	6	6	6	6	6	6	7	7	8

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X76LF	D	2	2	2	2	2	2	4	2	2	2
	C	2	2	2	2	2	2	4	2	2	2
	B	2	2	2	2	2	2	4	2	2	2
	A	2	2	2	2	2	2	4	2	2	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X77LF	D	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X78LF	D	8	6	6	6	6	6	6	6	5	6
	C	8	6	6	6	6	6	6	6	8	6
	B	8	6	6	6	6	6	6	6	6	6
	A	8	6	6	6	6	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X79LF	D	1	3	3	3	3	3	3	3	3	1
	C	1	3	3	3	3	3	3	3	3	1
	B	1	3	3	3	3	3	3	3	3	1
	A	1	3	3	3	3	3	3	3	3	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X80LF	D	2	2	2	2	2	2	2	2	3	3
	C	2	2	2	2	2	2	2	2	3	3
	B	2	2	2	2	2	2	2	2	3	3
	A	2	2	2	2	2	2	2	2	3	3

spec ref		*		dr	Terran Huang	2010/07/09	projection	MM	size	A4	scale	2:1			
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Rahul Mohan-M	2021/08/17			ecn no	ELX-I-41569-1					
				chr	-	-									
				appr	Kuriakose, San	2021/08/17						product family		METRAL	rel level
surface		3.200	linear	0.X	±0.3	Amphenol FCI	title	METRAL SIGNAL HEADER			dwg no	89074		rev	BN
			0.XX	±0.13											
			0.XXX	±0.050											
ISO 1302		angular	0°	±2°	amphenol-icc.com	cat. no.	-	Product - Customer Drw				sheet 6 of 8			

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X81LF	D	2	2	2	2	2	2	2	2	2	3
	C	2	2	2	2	2	2	2	2	2	3
	B	2	2	2	2	2	2	2	2	2	3
	A	2	2	2	2	2	2	2	2	2	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X82LF	D	1	1	1	1	19	1	19	1	1	1
	C	19	1	1	1	19	1	19	1	1	1
	B	1	1	1	1	19	1	1	1	1	19
	A	1	1	1	19	1	19	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X83LF	D	6	6	7	7	6	6	6	7	7	6
	C	6	6	7	7	6	6	6	7	7	6
	B	6	6	7	7	6	6	6	7	7	6
	A	6	6	7	7	6	6	6	7	7	6

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X84LF	D	3	3	3	3	3	3	3	3	3	3
	C	3	3	3	3	3	3	3	3	3	3
	B	3	3	3	3	3	3	3	3	3	3
	A	1	3	3	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X85LF	D	1	1	1	1	1	1	1	1	1	1
	C	1	1	1	1	1	1	1	1	1	1
	B	1	1	1	1	1	1	1	1	1	1
	A	2	2	2	2	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X86LF	D	-	-	2	2	-	-	4	2	2	4
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2
	A	-	-	-	-	-	-	4	4	4	19

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X87LF	D	1	1	1	1	1	1	1	3	1	1
	C	1	1	1	1	1	1	1	1	1	1
	B	3	3	3	3	3	3	3	3	3	1
	A	1	1	1	1	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X88LF	D	4	-	2	4	4	2	-	4	2	-
	C	4	-	4	4	4	2	-	4	2	-
	B	4	-	-	4	4	2	2	4	2	4
	A	4	-	-	4	4	2	2	4	2	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X89LF	D	2	2	2	2	2	2	2	2	2	1
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X90LF	D	3	3	3	3	3	3	3	3	3	3
	C	3	3	3	3	3	3	3	3	3	3
	B	3	3	3	3	3	3	3	3	3	3
	A	3	3	3	1	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X91LF	D	7	7	7	7	7	7	7	7	7	7
	C	7	7	7	7	7	7	7	7	7	7
	B	7	7	7	7	7	7	7	7	7	7
	A	7	7	7	5	7	7	7	7	7	7

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X92LF	D	1	3	3	3	3	3	3	3	3	3
	C	3	3	3	3	3	3	3	3	3	3
	B	3	3	3	3	3	3	3	3	3	3
	A	1	3	3	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X93LF	D	2	2	2	2	2	2	2	2	3	2
	C	2	2	2	2	2	2	2	2	3	2
	B	2	2	2	2	2	2	2	2	3	2
	A	2	2	2	2	2	2	2	2	3	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X94LF	D	3	2	1	1	2	2	2	2	3	2
	C	3	2	1	1	2	2	1	2	3	2
	B	3	2	1	1	2	1	1	2	3	2
	A	3	2	1	1	2	1	2	2	3	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X95LF	D	2	2	2	2	2	2	4	2	4	2
	C	2	2	2	2	4	2	2	4	2	4
	B	2	2	2	2	2	4	2	4	2	4
	A	2	2	2	2	2	2	4	2	4	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X96LF	D	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	4
	A	2	2	2	2	2	2	2	2	2	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X97LF	D	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	3
	A	2	2	2	2	2	2	2	2	2	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X98LF	D	2	2	2	2	2	2	2	2	2	4
	C	2	2	2	2	2	2	2	2	1	4
	B	2	2	2	2	2	2	2	2	2	4
	A	2	2	2	2	2	2	2	2	2	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X99LF	D	2	2	2	2	4	2	2	4	3	4
	C	2	2	2	2	4	2	2	4	3	4
	B	2	2	2	2	4	2	2	4	3	4
	A	2	2	2	2	4	2	2	4	3	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X100LF	D	19	2	2	2	2	2	1	2	19	3
	C	19	2	2	2	2	2	1	2	19	3
	B	19	2	2	2	2	2	2	2	1	19
	A	19	2	2	2	2	2	2	2	2	19

spec ref		*		dr	Terran Huang	2010/07/09	projection	MM	size	A4	scale	2:1	
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng			Rahul Mohan-M	2021/08/17	ecn no		ELX-I-41569-1
ISO 406 ISO 1101						chr			-	-	rel level		Released
				appr	Kuriakose, San	2021/08/17	product family		METRAL				
surface		linear	0.X	±0.3	Amphenol FCi	title		METRAL SIGNAL HEADER		dwg no		89074	rev
3.200			0.XX	±0.13									
ISO 1302			0.XXX	±0.050									
		angular	0°	±2°	amphenol-icc.com	cat. no.		-		Product - Customer Drw		sheet 7 of 8	

A

B

C

D

A

B

C

D

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X101LF	D	19	2	2	2	19	2	2	19	2	2	2	3
	C	19	2	1	2	19	2	2	19	2	2	2	3
	B	19	2	19	2	19	2	2	19	2	1	2	3
	A	19	2	1	2	19	2	2	19	2	1	2	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X102LF	D	19	2	1	2	2	1	2	2	2	19	3	2
	C	19	2	1	2	2	2	1	2	2	19	3	2
	B	19	19	1	2	2	2	1	2	2	1	19	2
	A	19	1	2	2	1	2	2	2	2	2	19	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X103LF	D	2	2	2	2	4	2	2	2	2	2	2	1
	C	2	1	1	2	2	2	2	2	2	2	1	2
	B	2	2	2	2	2	2	2	2	2	19	2	2
	A	1	2	1	1	1	2	2	2	2	1	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X104LF	D	1	1	1	1	1	1	1	1	1	1	1	1
	C	1	1	1	1	1	1	1	1	1	1	1	1
	B	3	3	3	3	3	3	1	1	1	1	1	1
	A	1	1	1	1	1	1	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X105LF	D	2	-	2	-	2	-	2	-	-	2	-	2
	C	2	-	2	-	2	-	2	-	-	2	-	2
	B	2	-	2	-	2	-	2	-	-	2	-	2
	A	2	-	2	-	2	-	2	-	-	2	-	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	
89074-X106LF	D	3	-	3	-	3	-	3	-	-	3	-	3
	C	3	-	3	-	3	-	3	-	-	3	-	3
	B	3	-	3	-	3	-	3	-	-	3	-	3
	A	3	-	3	-	3	-	3	-	-	3	-	1

NOTES:

- FOR DIM A AND B SEE SHEET 2 AND UP.
- MATERIAL : BODY : THERMOPLASTIC UL94-V0.
: CONTACT : COPPER ALLOY.
- FOR PLATING PERFORMANCE REFER DRAWING # 10159408.
- ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES. IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P" WILL BE ADDED TO THE END OF THE PART NUMBER.
EXAMPLE:XXXXX-XXXPLF
- PRODUCT SPECIFICATION GS-12-180
- APPLICATION SPECIFICATION BUS-20-073
- AFTER INSERTION INTO CIRCUIT BOARD WITH QUALIFIED TOOL.
- THE PRODUCTS MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-47-0004.
- ALL PRODUCTS WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN. THE A_u CONTACT SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM 140°C FOR NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.
- A Δ SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.

spec ref		*		dr		Terran Huang		2010/07/09		projection MM		size		A4		scale		2:1			
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Rahul Mohan-M		2021/08/17				ecn no		ELX-I-41569-1							
				chr		-		-				rel level		Released							
ISO 406				appr		Kuriakose, San		2021/08/17		product family		METRAL									
ISO 1101																					
surface 3.200		linear		0.X		±0.3		Amphenol FCI		title		METRAL SIGNAL HEADER		dwg no		89074		rev		BN	
				0.XX		±0.13															
				0.XXX		±0.050															
ISO 1302		angular		0°		±2°		amphenol-icc.com		cat. no.		-		Product - Customer Drw		sheet 8 of 8					