# 1375799-4 - ACTIVE


## AMPMODU | AMPMODU PC/104

TE Internal #: 1375799-4 PC/104 Connectors, 120 Position, .079 in [2 mm] Centerline, AMPMODU PC/104

### View on TE.com >



Connectors > PCB Connectors > Board-to-Board Connectors > PC/104 Connectors



Number of Positions: 120 Centerline (Pitch): 2 mm [.079 in ] Number of Loaded Positions: 120 Contact Current Rating (Max): 3 A

# Features

## **Product Type Features**

Connector System	Board-to-Board					
Connector & Contact Terminates To	Printed Circuit Board					
Configuration Features						
Stacking Configuration	Stack Through					
Number of Positions	120					
Number of Loaded Positions	120					
Electrical Characteristics						
Dielectric Withstanding Voltage (Max)	500 VAC					
Insulation Resistance	1000 MΩ					
Body Features						
Primary Product Color	Black					
Contact Features						
Contact Mating Area Plating Material	Gold					
Contact Base Material	Phosphor Bronze					
Contact Current Rating (Max)	3 A					

**C** For support call +1 800 522 6752

## 1375799-4

PC/104 Connectors, 120 Position, .079 in [2 mm] Centerline, AMPMODU PC/104



### **Termination Features**

Termination Post & Tail Length	12.27 mm[.493 in]						
Termination Method to Printed Circuit Board	Through Hole - Press-Fit						
Mechanical Attachment							
PCB Mount Retention Type	Action/Compliant Tail						
Connector Mounting Type	Board Mount						
Housing Features							
Housing Material	Nylon - GF						
Centerline (Pitch)	2 mm[.079 in]						
Usage Conditions							
Operating Temperature Range	-55 - 105 °C[-67 - 221 °F]						
Operation/Application							
Circuit Application	Signal						
Industry Standards							
UL Flammability Rating	UL 94V-0						

### Product Compliance

#### For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	
Solder Process Capability	Not applicable for solder process capability	

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products

#### PC/104 Connectors, 120 Position, .079 in [2 mm] Centerline, AMPMODU PC/104



will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

# **Compatible Parts**



# Also in the Series | AMPMODU PC/104



0.00	0		



# Customers Also Bought



## 1375799-4

PC/104 Connectors, 120 Position, .079 in [2 mm] Centerline, AMPMODU PC/104





# Documents

# Product Drawings ASSY, 120 POS PC104 PLUS LF

English

**CAD** Files

3D PDF

English

**Customer View Model** 

ENG\_CVM\_1375799-4\_H.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_1375799-4\_H.3d\_igs.zip

English

Customer View Model

## ENG\_CVM\_1375799-4\_H.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use.

# Datasheets & Catalog Pages AMPMODU\_INTERCONNECTION\_SYSTEM\_SECTION1AND2

English

Product Specifications

Application Specification

English

Agency Approvals UL Report

English