

#### **CT** Drawer

TE Internal #: 5-292177-1 Connector Assembly, Plug to Plug Relay Header, Wire-to-Wire, 14 Position, .079 in [2 mm] Centerline, Crimp/IDC, 2 Row, Black, CT Drawer

#### View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings



Connector Product Type: Connector Assembly

Connector & Housing Type: Plug to Plug Relay Header

Connector System: Wire-to-Wire

Number of Positions: 14

Centerline (Pitch): 2 mm [.079 in ]

### Features

### Product Type Features

Connector Product Type

Connector & Housing Type

Connector Assembly

Plug to Plug Relay Header



| Connector System                   | Wire-to-Wire |
|------------------------------------|--------------|
| Sealable                           | No           |
| Configuration Features             |              |
| Number of Positions                | 14           |
| Number of Rows                     | 2            |
| Electrical Characteristics         |              |
| Operating Voltage                  | 125 V        |
| Body Features                      |              |
| Primary Product Color              | Black        |
| Contact Features                   |              |
| Contact Retention Within Housing   | With         |
| Contact Base Material              | Copper Alloy |
| Contact Current Rating (Max)       | 1 A          |
| Termination Features               |              |
| Termination Method to Wire & Cable | Crimp/IDC    |

## 5-292177-1

Connector Assembly, Plug to Plug Relay Header, Wire-to-Wire, 14 Position, .079 in [2 mm] Centerline, Crimp/IDC, 2 Row, Black, CT Drawer



## Mechanical Attachment

| Strain Relief   | Without   |
|---|---|
| Panel Mount Feature   | With  |
| Mating Retention  | Without   |
| Connector Mounting Type   | Panel Mount   |
| Housing Features  |   |
| Housing Material  | Thermoplastic   |
| Centerline (Pitch)  | 2 mm[.079 in]   |
| Dimensions  |   |
| Wire Size   | 28 – 22 AWG   |
| Row-to-Row Spacing  | 7.6 mm[.299 in]   |
| Usage Conditions  |   |
| Operating Temperature Range   | -20 – 120 °C[-4 – 248 °F]   |
| Operation/Application   |   |
| Circuit Application   | Power & Signal  |
| Industry Standards  |   |
| UL Flammability Rating  | UL 94V-0  |
| Packaging Features  |   |
| Packaging Quantity  | 40  |
| Packaging Method  | Box & Carton  |
| Draduct Compliance  |   |
| Product Compliance<br>For compliance documentation, visit the product page on TE.com> |   |
| EU RoHS Directive 2011/65/EU  | Compliant   |
| EU ELV Directive 2000/53/EC   | Compliant   |
| China RoHS 2 Directive MIIT Order No 32, 2016   | No Restricted Materials Above Threshold   |
| EU REACH Regulation (EC) No. 1907/2006  | Current ECHA Candidate List: JAN 2024<br>(240)<br>Candidate List Declared Against: JAN 2024<br>(240)<br>Does not contain REACH SVHC |
| Halogen Content   | Not Low Halogen - contains Br or Cl > 900<br>ppm.   |
|   |   |

**C** For support call+1 800 522 6752

### 5-292177-1

Connector Assembly, Plug to Plug Relay Header, Wire-to-Wire, 14 Position, .079 in [2 mm] Centerline, Crimp/IDC, 2 Row, Black, CT Drawer



#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



## Also in the Series | CT Drawer

Wire-to-Board Connector Assemblies & Housings(4)

# Customers Also Bought



## 5-292177-1

Connector Assembly, Plug to Plug Relay Header, Wire-to-Wire, 14 Position, .079 in [2 mm] Centerline, Crimp/IDC, 2 Row, Black, CT Drawer







## Documents

**CAD** Files

3D PDF

English

Customer View Model

ENG\_CVM\_5-292177-1\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_5-292177-1\_A.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_5-292177-1\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages Low Power Drawer Connectors QRG

English

Product Specifications MINI DRAWER CONNECTOR, LEAD FREE VERSION

English

**Product Specification** 

English